

SELLER'S DISCLOSURE NOTICE

©Texas Association of REALTORS®, Inc. 2016

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.

		-		_			-							
CONCERNING THE PROP	ER'	TY A	ΑT							094 Rd 474-1893				
				 SE					-		1/1/2000			
THIS NOTICE IS A DISCLO DATE SIGNED BY SELLE MAY WISH TO OBTAIN. IT AGENT.	RA	ND	IS N	ИΟ.	ТΑ	SUBSTITUTE FOR ANY	IN	ISP	FCTIC	NS OR	WARRANTIES TH	E D	IIVE	ED
Seller is is not occup	ying	the	Pro	pe or	rty. I	of unoccupied (by Seller), never occupied the Prope	ho	w l	ong sir	nce Selle	r has occupied the	Prop	perty	y?
Section 1. The Property h	i as stat	the blish	i ten the i	ı sı	marl). N	No	(N), or	Unknow which iten	rn (U).) ns will & will not conve	ε ν .		
Item		N		_	tem		Y			Item		ΤY	/ All	
Cable TV Wiring	V			-	-	d Propane Gas:	1	 '	1	Pump:	sump grinder	_	N	U
Carbon Monoxide Det.	\vdash	1	1	_		Community (Captive)	1	17	\leftarrow	Rain G		+	V	_
Ceiling Fans	1		7	_		on Property	V	-		Range/		V	*	_
Cooktop 2	V		1	_	Hot 7		۰	1	1		tic Vents	+	1	(
Dishwasher	1		7	-		com System		1	H	Sauna	uc vents	+	-	
Disposal		./	1			owave	1	1	H		Detector	+	1	
Emergency Escape Ladder(s)		V		-	Outdoor Grill			V	H		Detector - Hearing		V	
Exhaust Fans	1		1	F	Patic	/Decking	1	1	H	Spa	<u> </u>	+	1	
Fences	V			_		bing System	1	H			ompactor	+	1	
Fire Detection Equip.		1	1		Pool	ionig Cyclom	Ť	1	1	TV Ante		+-	/	-
French Drain			7	_		Equipment		1	H		/Dryer Hookup	1	V	
Gas Fixtures		1	7			Maint. Accessories	-	1	H		Screens	1/		
Natural Gas Lines		1		-	Pool Heater			1			Sewer System	+	1	
1														
ltem)	1	N N		_	-		Informa	tion			
Central A/C			V	1	1	✓ electric gas num	ber	of	units:					
Evaporative Coolers Wall/Window AC Units			+	V		number of units: ONE								
			+	V		number of units:	-							
Attic Fan(s) Central Heat			+	~	\perp	if yes, describe:								
			V	-	4-1	electric gas number of units: ove								
Other Heat			+	V		if yes, describe:								
Oven	-		V	1	+	number of ovens: ONC electric gas other:								
Fireplace & Chimney Carport			1	1	+	woodgas logsmockother:								
Garage			-	1.	4	Vattached not attached								
			1	4	attachednot attached NOVE									
Garage Door Openers Satellite Dish & Controls			· V	+	number of units: NONE number of remotes: ownedlease from: DISh									
Security System			+	1	H		THE PERSON							
Water Heater			1		+	owned lease from:			ONE					
Water Softener			V	1/	+			-	Ne	r	umber of units:		_	-
Underground Lawn Sprinkler			+	1	+	owned lease from:			ove	1.100	10.			\exists
Septic / On-Site Sewer Facility				+	automaticmanual areas covered: NONE if yes, attach Information About On-Site Sewer Facility (TAR-1407)									
Copac / On-Oile Sewel Facili	ıy	-	1	<u>L.</u>	L	ii yes, allach information	AD	ou	i Un-S	ite Sewe	Facility (TAR-1407)		
(TAR-1406) 01-01-16 Texas Select Properties, P.O. Box 59 Cat Spring,	FX 779	Initia 933	aled	by:	Buye	er: , and S			b(e: (979) 224	, <u>51</u>			1 of 5	

Produced with zipForm® by zipLogix 18070 Fifteen Mile Road, Fraser, Michigan 48026 www.zipLogix.com

11185 FM 1094

Concerning the Property at					11185 FM 1094 Rd Sealy, TX 77474-1893						
Water supply provided by: Was the Property built before		ty_v	ell MUD _	_ c	o-op _						
Was the Property built before	ore 19	978? _	yes <u></u> no _	_ u	nknow	'n		_			
(If yes, complete, sign,	and	attach	TAR-1906 co	nce	erning	lead-based	pair	nt haza	rds).		
Roof Type:					_Age:	10 425	•		(appro	xima	ıte)
covering)?yesno	covei _unki	ring on nown	the Propert	y (shingl	es or roof	cov	ering	placed over existing shingles	or	roof
Are you (Seller) aware of a	anv o	of the it	ems listed in	this	s Sect	ion 1 that a	ro r	not in w	orking condition, that have de	foots	or
are need of repair? ves	V no	o If ves	describe (at	tacl	h addi	tional sheets	ifr	100 111 W	ary):	iecis	, OI
		,	, (100000	ary).		
										1117	
Section 2 Are you (Selle	rl au	varo of	any defects	^-	malfu	netions in	001	of the	following?: (Mark Yes (Y) if		
aware and No (N) if you a	re no	ot awar	e.)	O.	manu	incuons in	any	OI LITE	Flollowing?. (Mark res (1) II	you	are
Item	Y	N	Item				Y	N	Item	Υ	N
Basement	+	17	Floors						Sidewalks	+-	1
Ceilings	+	/	Foundatio	n /	Slah(s	.)		/	Walls / Fences	+	1
Doors	+	/	Interior Wa	_		7)	-	/	Windows	+	1
Driveways	+		Lighting F					1	Other Structural Components	-	1
Electrical Systems	+	/	Plumbing				-		Other Structural Components	+-	
Exterior Walls	-	1	Roof	Oys	oterns			1./		-	-
If the answer to any of the i	(Major) 12541. 1544										
Section 3. Are you (Selle you are not aware.)	er) av	vare of	any of the f	olle	owing	conditions	: (N	/lark Y	es (Y) if you are aware and N	lo (N	l) if
Condition				Y	N	Condition				Y	N/
Aluminum Wiring					V	Previous Foundation Repairs					1
Asbestos Components					1	Previous Roof Repairs					V
Diseased Trees: oak wil	t				V	Other Str					1
Endangered Species/Habita	at on	Proper	rty		1	Radon G				1	1
Fault Lines					VI	Settling					1
Hazardous or Toxic Waste					1	Soil Move	eme	ent	to the state of th		1
Improper Drainage					V	Subsurfa	се 3	Structu	re or Pits		VI
Intermittent or Weather Spr	ings				1	Undergro	ounc	d Stora	ge Tanks		1
Landfill					1	Unplatted	d Ea	asemer	nts		V
Lead-Based Paint or Lead-	Base	d Pt. H	azards		V	Unrecorded Easements			ents		V
Encroachments onto the Pr					1				Insulation		1/
Improvements encroaching on others' property				1	Water Pe	-				1/	
Located in 100-year Floodplain					V/	Wetlands		Prope	rty		1
Located in Floodway					V	Wood Ro					V
Present Flood Ins. Coverage (If yes, attach TAR-1414)					V/	Active inf destroyin			f termites or other wood WDI)		1
Previous Flooding into the	Struc	tures			1				for termites or WDI		V
Previous Flooding onto the Property Apr. 2016				V	1/				WDI damage repaired		1
Located in Historic District					1	Previous			J		V
Historic Property Designation	on				1				nage needing repair		V
Previous Use of Premises f		anufact	ure						ain Drain in Pool/Hot		
of Methamphetamine					Tub/Spa*				1		

(TAR-1406) 01-01-16

Page 2 of 5

11185 FM 1094

Page 3 of 5

(TAR-1406) 01-01-16

Concerning the Pr	operty at	11185 FM 1094 Rd Sealy, TX 77474-1893							
If the answer to an	y of the items in	Section 5 is yes, explain (attach additional sheets if r	necessary):						
7. 2									
0	/. es.								
Section 6. Seller	_∕ has ∰ has n	ot attached a survey of the Property.							
Section 7. Within regularly provide	the last 4 year	s, have you (Seller) received any written inspe- d who are either licensed as inspectors or other	ction reports from persons who						
inspections?y	esno If yes, a	attach copies and complete the following:	wide permitted by law to perform						
Inspection Date	Туре	Name of Inspector	No. of Pages						
Note: A	huver should not	rely on the above-cited reports as a reflection of the	a commant as a different file.						
Note. A	Property. A buy	er should obtain inspections from inspectors chosen	by the buyer.						
Section 8. Check	any tax exempt	tion(s) which you (Seller) currently claim for the l	Property:						
		Senior Citizen Dis	sabled						
Wildlife Mai Other:	l nagement		sabled Veteran known						
	42								
provider? yes	you (Seller)	ever filed a claim for damage to the	Property with any insurance						
Section 10. Have	vou (Seller) eve	er received proceeds for a claim for damage to	o the Property (for example, an						
insurance claim o	r a settlement o	r award in a legal proceeding) and not used the i	proceeds to make the repairs for						
which the claim w	/as made? ye	s <u>V</u> no If yes, explain:							
Section 11. Does	the property ha	ve working smoke detectors installed in accor	dance with the smoke detector						
requirements of C	Chapter 766 of the	ne Health and Safety Code?* unknown 🗸 no	yes. If no or unknown, explain.						
(Attach additional s	ineets ii necessai	ry):							
*Chapter 76 smoke dete	6 of the Health a ctors installed in	and Safety Code requires one-family or two-family accordance with the requirements of the building o	dwellings to have working code in effect in the area in						
which the dv	welling is located,	including performance, location, and power source	requirements. If you do not						
	ilding code requi g official for more	rements in effect in your area, you may check unkl information.	nown above or contact your						
A buyer may	require a seller	to install smoke detectors for the hearing impaired it	f: (1) the buyer or a member						
of the buyer	's family who will	reside in the dwelling is hearing-impaired; (2) the b	ouyer gives the seller written						
evidence of	the hearing impa	irment from a licensed physician; and (3) within 10 o equest for the seller to install smoke detectors fo	days after the effective date,						
specifies the	locations for ins	stallation. The parties may agree who will bear the	cost of installing the smoke						
		smoke detectors to install.	and an indiaming the entertain						

(TAR-1406) 01-01-16

Page 4 of 5

Initialed by: Buyer: _____, ___ and Seller: ______, ____ www.zipLogix_18070 Fifteen Mile Road, Fraser, Michigan 48026 www.zipLogix.com

(TAR-1406) 01-01-16

Page 5 of 5



TEXAS ASSOCIATION OF REALTORS®

INFORMATION ABOUT ON-SITE SEWER FACILITY

USE OF THIS FORM BY PERSONS WHO ARE NOT MEMBERS OF THE TEXAS ASSOCIATION OF REALTORS® IS NOT AUTHORIZED.

©Texas Association of REALTORS®, Inc., 2004

CONCERNING THE PROPERTY AT	11185 FM 1094 Rd Sealy, TX 77474-1893	
A. DESCRIPTION OF ON-SITE SEWER FACILITY	ON PROPERTY:	
(1) Type of Treatment System: Septic Tank	Aerobic Treatment	Unknown
(2) Type of Distribution System: July lim	e	
(3) Approximate Location of Drain Field or Distrib	ution System: LINES ON EAST SIDE	_ Unknown
(4) Installer:		Unknown
(5) Approximate Age: 40 425		Unknown
B. MAINTENANCE INFORMATION:		
(1) Is Seller aware of any maintenance contract in If yes, name of maintenance contractor: Phone: Maintenance contractor: Contractor:	act expiration date:	Yes No
Maintenance contracts must be in effect to ope sewer facilities.)	erate aerobic treatment and certain non-	standard" on-site
(2) Approximate date any tanks were last pumped	t? Never	
(3) Is Seller aware of any defect or malfunction in If yes, explain:	the on-site sewer facility?	☐ Yes ☑ No
(4) Does Seller have manufacturer or warranty inf		Yes No
C. PLANNING MATERIALS, PERMITS, AND CONT (1) The following items concerning the on-site sew planning materials permit for original in maintenance contract manufacturer information.	ver facility are attached: stallation final inspection when OS	SF was installed
(2) "Planning materials" are the supporting mat submitted to the permitting authority in order to	terials that describe the on-site sewer	facility that are ver facility.
(3) It may be necessary for a buyer to have transferred to the buyer.	ve the permit to operate an on-sit	e sewer facility
(TAR-1407) 1-7-04 Initialed for Identification by Buyer	, and Seller	Page 1 of 2
Texas Select Properties, P.O. Box 59 Cat Spring, TX 77933 Melanie Moore Produced with zipForm® by zipLogix 18070 Fifteen I	Phone: (979) 224-4501 Fax: Mile Road, Fraser, Michigan 48026 www.zipLogix.com	11185 FM 1094

D. INFORMATION FROM GOVERNMENTAL AGENCIES: Pamphlets describing on-site sewer facilities are available from the Texas Agricultural Extension Service. Information in the following table was obtained from Texas Commission on Environmental Quality (TCEQ) on 10/24/2002. The table estimates daily wastewater usage rates. Actual water usage data or other methods for calculating may be used if accurate and acceptable to TCEQ.

<u>Facility</u>	Usage (gal/day) without water- saving devices	Usage (gal/day) with water- saving devices
Single family dwelling (1-2 bedrooms; less than 1,500 sf)	225	180
Single family dwelling (3 bedrooms; less than 2,500 sf)	300	240
Single family dwelling (4 bedrooms; less than 3,500 sf)	375	300
Single family dwelling (5 bedrooms; less than 4,500 sf)	450	360
Single family dwelling (6 bedrooms; less than 5,500 sf)	525	420
Mobile home, condo, or townhouse (1-2 bedroom)	225	180
Mobile home, condo, or townhouse (each add'l bedroom)	75	60

This document is not a substitute for any inspections or warranties. This document was completed to the best of Seller's knowledge and belief on the date signed. Seller and real estate agents are not experts about on-site sewer facilities. Buyer is encouraged to have the on-site sewer facility inspected by an inspector of Buyer's choice.

Bell Tolke 4-3-11 Signature of Seller	Date	Suzan Joelke Signature of Seller	4-3-1. Date
Receipt acknowledged by:			
Signature of Buyer	Date	Signature of Buyer	Date



TEXAS ASSOCIATION OF REALTORS® INFORMATION ABOUT ON-SITE SEWER FACILITY

USE OF THIS FORM BY PERSONS WHO ARE NOT MEMBERS OF THE TEXAS ASSOCIATION OF REALTORS® IS NOT AUTHORIZED.

©Texas Association of REALTORS®, Inc., 2004

11185 FM 1094 Rd **CONCERNING THE PROPERTY AT** Sealy, TX 77474-1893 A. DESCRIPTION OF ON-SITE SEWER FACILITY ON PROPERTY: (1) Type of Treatment System:

√ Septic Tank

Aerobic Treatment Unknown (2) Type of Distribution System: (3) Approximate Location of Drain Field or Distribution System: North Sibe Unknown (4) Installer: Unknown (5) Approximate Age: ___ **B. MAINTENANCE INFORMATION:** (1) Is Seller aware of any maintenance contract in effect for the on-site sewer facility? If yes, name of maintenance contractor: contract expiration date: Maintenance contracts must be in effect to operate aerobic treatment and certain non-standard" on-site sewer facilities.) (2) Approximate date any tanks were last pumped? (3) Is Seller aware of any defect or malfunction in the on-site sewer facility? Yes No If yes, explain: (4) Does Seller have manufacturer or warranty information available for review? C. PLANNING MATERIALS, PERMITS, AND CONTRACTS: (1) The following items concerning the on-site sewer facility are attached: planning materials permit for original installation final inspection when OSSF was installed maintenance contract manufacturer information warranty information (2) "Planning materials" are the supporting materials that describe the on-site sewer facility that are submitted to the permitting authority in order to obtain a permit to install the on-site sewer facility. (3) It may be necessary for a buyer to have the permit to operate an on-site sewer facility transferred to the buyer.

(TAR-1407) 1-7-04

Initialed for Identification by Buyer_

and Seller 3, 51

Page 1 of 2

D. INFORMATION FROM GOVERNMENTAL AGENCIES: Pamphlets describing on-site sewer facilities are available from the Texas Agricultural Extension Service. Information in the following table was obtained from Texas Commission on Environmental Quality (TCEQ) on 10/24/2002. The table estimates daily wastewater usage rates. Actual water usage data or other methods for calculating may be used if accurate and acceptable to TCEQ.

<u>Facility</u>	Usage (gal/day) without water- saving devices	Usage (gal/day) with water- saving devices
Single family dwelling (1-2 bedrooms; less than 1,500 sf)	225	180
Single family dwelling (3 bedrooms; less than 2,500 sf)	300	240
Single family dwelling (4 bedrooms; less than 3,500 sf)	375	300
Single family dwelling (5 bedrooms; less than 4,500 sf)	450	360
Single family dwelling (6 bedrooms; less than 5,500 sf)	525	420
Mobile home, condo, or townhouse (1-2 bedroom)	225	180
Mobile home, condo, or townhouse (each add'l bedroom)	75	60

This document is not a substitute for any inspections or warranties. This document was completed to the best of Seller's knowledge and belief on the date signed. Seller and real estate agents are not experts about on-site sewer facilities. Buyer is encouraged to have the on-site sewer facility inspected by an inspector of Buyer's choice.

Signature of Seller	4-3-17 Date	SugarW Kelbe Signature of Seller	(-3-) Date
Receipt acknowledged by:			
Signature of Buyer	Date	Signature of Buyer	Date