

## TEXAS ASSOCIATION OF REALTORS®

## **SELLER'S DISCLOSURE NOTICE**

OTexas Association of REALTORS®, Inc. 2014

Section 5.008, Properly Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.

CONCERNING THE PROPERTY AT											<sup>7</sup> ista West TX 78633					
								·					<del></del>	_		
DATE SIGNED BY SELL	_ER	A١	1D	IS I	NO.	ГΑ	SU	IBSTITUTE FOR A	NY	IN	SPI	ECT	TION OF THE PROPERTY AS TIONS OR WARRANTIES TH SELLER'S AGENTS, OR AN	ΕВ	UY	'ER
Seller ☐ is ☐ is not or	cup	yin	g th	ne P	rop	erty	. If	unoccupied (by Sell er occupied the Pro	er),	ho	ow l	ong	since Seller has occupied the	Pro	per	rty?
									•	-						
Section 1. The Propert This notice does no	y ha of es	as t tabi	<b>he</b> ish	Iter the	ns i item	mai s to	ke be	d below: (Mark Yes conveyed. The contra	Ct N	), N vill c	lo (l lete	N), e rmin	or Unknown (U).) e which items will & will not conve	y.		
Item	Υ	N	U		<b>It</b>	em			Υ	N	U		Item	Υ	N	U
Cable TV Wiring	V				Li	iqui	d P	ropane Gas:	V				Pump: ☐ sump ☐ grinder		-	
Carbon Monoxide Det.		1			-L	Р(	Com	munity (Captive)		7			Rain Gutters		~	F
Ceiling Fans	~		J (j		-L	-LP on Property			1			1	Range/Stove	/		
Cooktop	1				П	ot 1	ub			7			Roof/Attic Vents		/	
Dishwasher	1	-			In	iter	com	System		V	1		Sauna		/	
Disposal	~				N	licro	wa	ve	1				Smoke Detector	/	I Ü	
Emergency Escape	П				0	utd	oor	Grill			7		Smoke Detector – Hearing			r
Ladder(s)	Ц				Ш				Ц,	Ľ			Impaired	$\Box$		
Exhaust Fans	1				P	atio	/De	cking	1	_			Spa		/	
Fences	1				Р	lum	bin	g System	1	_	<u> </u>		Trash Compactor		1	-
Fire Detection Equip.	1 1	1	,		P	ool			1				TV Antenna		1	
French Drain		/			Р	loo	Equ	uipment	1				Washer/Dryer Hookup		_	
Gas Fixtures					Р	ool	Ма	int. Accessories	7				Window Screens			
Natural Gas Lines		<b>✓</b>	IJ		Р	ool	He	ater		1			Public Sewer System		/	
Item					Υ	N	U	,		Α	ddi	tior	nal Information	_		
Central A/C					1			electric gas number of units: 2								
Evaporative Coolers								number of units:								
Wall/Window AC Units						1		number of units:								
Attic Fan(s)						1		if yes, describe:								
Central Heat					/			♥electric ♥gas number of units: 2								
Other Heat					/		if yes, describe:									
Oven				1			if yes, describe: gasother:									
Fireplace & Chimney							wood  gas logs  mock other:									
Carport					1		□ attached □ not attached									
Garage					1			☑ attached ☐ not attached						$\neg$		
Garage Door Openers							number of units: 2 number of remotes: 2									
Satellite Dish & Controls				/			Ø owned ☐ leased from									
Security System				/			✓owned □ leased from									
Water Heater_					/			electric gas other: number of units: 2						$\Box$		
Water Softener					1			✓ owned □ leased from								
Underground Lawn Sprinkler						automatic manual areas covered:										
Septic / On-Site Sewer	Faci	lity			1			if yes, attach Inform	nat	ion	Ab	out	On-Site Sewer Facility (TAR-1	107)		
(TAR-1406) 01-01-14			Ini	tiele	d b	v. E	luv	er:,		20	4 6	ellei	· 11 - 1	200	1.0	
RE/MAX CENTX Associates, 1611 Williams I Wally Wilson	Dr Geo	ngelo			8	•				Ph	hone: S	12.659		<b>age</b> 225 G		

	ıt							ista West 'X 78633		
	/									
Water supply provided by:	**					no	wn .	□ other:		
Was the Property built bef		_								
(If yes, complete, sigr										
Roof Type: Composi	TION SUI	WELE	Ad	ge:	5 YE	1	es	(app	roxim	nate)
Is there an overlay roof co	vering on the	Property (sh	inal	PS OF I	onf cove	rin	a nla	ced over existing shingles or roof c	ovori	2012
yes ono unknow		i roporty (Sir	ııı ığı	03 01 1	OOI COVE		g più	ced over existing stilligles of fool co	oven	ng) :
□ yes □ no □ unknov	WD									
Are you (Seller) aware of a	any of the ite	ms listed in th	nis S	ection	1 that ar	re	not ir	n working condition, that have defec	ts. o	r are
								cessary):		
need of repair :	Entro in yes,	acsonic (att	don	additi	onal silee	<i>3</i> 13	11 110			
	_									
								<del></del>		
Section 2 Are you (Sel	ller) aware of	any defects	or	malfu	nctions	ln.	anv .	of the following?: (Mark Yes (Y) I	Evou	Laro
aware and No (N) if you a							uny ·	or the followings: (mark res (1) is	, you	ı aıc
						_	_			
Item	YN	Item				Y	N	<u>Item</u>	Y	N
Basement		Floors						Sidewalks	()	/
Ceilings		Foundation	n/S	Slab(s)				Walls / Fences	0	-
Doors		Interior Wa	alis				7	Windows		1
Driveways		Lighting Fi		<u> </u>		١,		Other Structural Components	-	1
•						-[	=	Other Structural Components	_	+
Electrical Systems		Plumbing :	Sysi	ems	<u> </u>	$\dashv$				-
Exterior Walls		Roof								
				iaiii (a	itach add		onal s	sheets if necessary):		
	ller) aware o							ark Yes (Y) If you are aware and	No (	N) If
you are not aware.)	ller) aware o		folk	owing	conditio	ons	s: (M		`	
you are not aware.)  Condition	ller) aware o		folk		conditio	ons	s: (M	ark Yes (Y) If you are aware and	`	N
you are not aware.)  Condition Aluminum Wiring	ller) aware o		folk	owing	<b>Condition</b> Previo	itic	s: (M	ark Yes (Y) If you are aware and	`	N
you are not aware.)  Condition Aluminum Wiring Asbestos Components			folk	owing	Condition  Condition  Previo  Previo	on: itio	s: (M	ark Yes (Y) If you are aware and ndation Repairs	`	N
you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: □ oak	wilt 🗆	f any of the	folk	owing	Condition  Condition  Previous  Previous  Other is	on: Sti	s: (M	ark Yes (Y) If you are aware and	`	N
you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Ha	wilt 🗆	f any of the	folk	owing	Condition  Condition  Previo  Previo  Other  Radon	ons ous Str	s: (M	ark Yes (Y) If you are aware and ndation Repairs	`	N
you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hall Fault Lines	wiltbitat on Prope	f any of the	folk	owing	Condition  Condition  Previo  Previo  Other is  Radon  Settling	itic ous Str	s: (M Four Root ructur	ark Yes (Y) If you are aware and ndation Repairs f Repairs ral Repairs	`	N
you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: □ oak Endangered Species/Hal Fault Lines Hazardous or Toxic Was	wiltbitat on Prope	f any of the	folk	owing	Condition  Condition  Previo  Previo  Other is  Radon  Settling  Soil Ma	ons ous Sti	s: (M Four Roor ructurias	ark Yes (Y) If you are aware and indation Repairs f Repairs ral Repairs	`	N
you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees:  ak Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage	wiltbitat on Proposite	f any of the	folk	owing	Condition Previo Previo Other Radon Settling Soil Mit	ons Strang	s: (M Four	ark Yes (Y) If you are aware and indation Repairs f Repairs ral Repairs	`	N
you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees:	wiltbitat on Proposite	f any of the	folk	owing	Condition Previo Previo Other Radon Settling Soil Mit Subsu Underg	on: Stice Stice Stice Government	s: (M Four Room ructur ias emer	ark Yes (Y) If you are aware and  Indation Repairs If Repairs If Repairs Int It I	`	N
you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hal Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill	wilt bitat on Proposite Springs	f any of the	folk	owing	Condition Previo Previo Other : Radon Settling Soil Mo Subsu Underg	ons  Strict  Governance  Greater  Great	s: (M Four Roor ructurias emer ace S bund d Eas	ark Yes (Y) If you are aware and  Indation Repairs If Repairs If Repairs Int Itructure or Pits Istorage Tanks I	`	N
you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea	t wilt	f any of the	folk	owing	Condition Previo Previo Other : Radon Settlin Soil Mi Subsu Under Unplat Unreco	ons Strice In Government	Four Four Roor ructuri ias emer ice Sound d Eas	ark Yes (Y) If you are aware and  Indation Repairs If Repairs If Repairs Int It tructure or Pits It Storage Tanks It is seements It is seements It is seements	`	N
you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea	t wilt	erty	folk	owing	Condition  Condition  Previo  Other is  Radon  Settling  Soil Mo  Subsu  Underg  Unplat  Unrecc  Urea-fo	ons Ous Ous Ous Ous Ous Ous Ous Ous Ous Ou	Four Four Roor ructur ias emer ice S ound d Eas ded E	ark Yes (Y) If you are aware and	`	N
you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea Encroachments onto the	bitat on Proposite Springs ad-Based Pt. Property ing on others'	erty	folk	owing	Condition  Condition  Previo  Other:  Radon  Settling  Soil Mr.  Subsu  Underg  Unplat  Unrecc  Urea-fe  Water	Strice or of or in Pe	Four Roor ructurias emer ice Sound d Eas ded E malde	ark Yes (Y) If you are aware and  Indation Repairs If Repairs If Repairs Int Itructure or Pits Istorage Tanks Istorage Tanks Istorage Tanks Istorage Tanks Istorage Insulation Int Itructure or Pits Istorage Tanks Isto	`	N
Condition Aluminum Wiring Asbestos Components Diseased Trees: Oak Endangered Species/Hal Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather Standfill Lead-Based Paint or Lea Encroachments onto the Improvements encroachi Located in 100-year Floor	bitat on Proposite Springs ad-Based Pt. Property ing on others'	erty	folk	owing	Condition  Previo Previo Other Radon Settling Soil Mr Subsu Underg Unplat Unrecc Urea-fo Water Wetlar	Strice or	Four Room ructurias emer de Sound de East de Emer ralde en etra son f	ark Yes (Y) If you are aware and	`	N
Condition Aluminum Wiring Asbestos Components Diseased Trees: Oak Endangered Species/Hal Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather Standfill Lead-Based Paint or Lea Encroachments onto the Improvements encroachi Located in 100-year Floot Located in Floodway	bitat on Proposite Springs ad-Based Pt. Property ing on others'	erty	folk	owing	Condition Previo Previo Other Radon Settling Soil Mic Subsu Underg Unplat Unrecc Urea-fe Water Wetlar Wood	ons Sti g ov irfa gro ttee orc orr Re	s: (M Four Room ructur ias emer ice S ound d Eas ded E malde enetra s on F	ark Yes (Y) If you are aware and  Indation Repairs If Repairs If Repairs Int It I	`	N
Condition Aluminum Wiring Asbestos Components Diseased Trees: Oak Endangered Species/Hal Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea Encroachments onto the Improvements encroachi Located in 100-year Floot Located in Floodway Present Flood Ins. Cover	bitat on Proposite Springs ad-Based Pt. Property ing on others' odplain	erty	folk	owing	Condition Previo Previo Other ( Radon Settling Soil Mo Subsu Under Unplat Unreco Urea-fo Water Wetlar Wood Active	ons Still St	Four Room Room Room Room Room Room Room Roo	ark Yes (Y) If you are aware and  Indation Repairs If Repairs If Repairs Int Itructure or Pits Istorage Tanks Isterments	`	N
Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea Encroachments onto the Improvements encroachi Located in 100-year Floo Located in Floodway Present Flood Ins. Cover (If yes, attach TAR-1414	bitat on Property ad-Based Pt. Property ing on others' odplain rage	erty	folk	owing	Condition Previo Previo Other ( Radon Settling Soil Mo Subsu Under( Unplat Unreco Urea-fe Water Wetlar Wood Active destroy	ons Still St	Four Roor ructurias  emer ace Sound d East ded Emalde enetras on Fot festaling ins	ark Yes (Y) If you are aware and  Indation Repairs If Repairs If Repairs Int Itructure or Pits Istorage Tanks Isterments	`	N N / / / / / / / / / / / / / / / / / /
Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea Encroachments onto the Improvements encroachi Located in 100-year Floo Located in Floodway Present Flood Ins. Cover (If yes, attach TAR-1414 Previous Flooding into the	bitat on Proposite Springs ad-Based Pt. Property ing on others' odplain rage )	erty	folk	owing	Condition Previo Previo Other is Radon Settling Soil Mis Subsu Underg Unplat Unrecco Urea-fo Water Wetlar Wood Active destroy Previo	Strice or	Four Room ructurias  emer ace Sound deas ded Emalde enetras on Fot festal ing ins	ark Yes (Y) If you are aware and  Indation Repairs If Repairs If Repairs Int Itructure or Pits Istorage Tanks Istorage Tanks Istorage Tanks Istorage Insulation Int Itructure or Pits Istorage Tanks Isto	`	N
Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea Encroachments onto the Improvements encroachi Located in 100-year Floot Located in Floodway Present Flood Ins. Cover (If yes, attach TAR-1414 Previous Flooding into the Previous Flooding onto the	bitat on Proposite  Springs  ad-Based Pt.  Property ing on others' odplain  rage ) ne Structures he Property	erty	folk	owing	Condition  Previo Previo Other: Radon Settling Soil Mr Subsu Underg Unplat Unrecc Urea-fe Water Wetlar Wood Active destroy Previo	Strict or of	Four Room Room Room Room Room Room Room Roo	ndation Repairs f Repairs ral Repairs ral Repairs Storage Tanks sements enyde Insulation ation Property tion of termites or other wood sects (WDI) tment for termites or WDI nite or WDI damage repaired	`	' N ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
you are not aware.)  Condition  Aluminum Wiring  Asbestos Components  Diseased Trees: ☐ oak  Endangered Species/Ha  Fault Lines  Hazardous or Toxic Was  Improper Drainage  Intermittent or Weather S  Landfill  Lead-Based Paint or Lea  Encroachments onto the  Improvements encroachi  Located in 100-year Floot  Located in Floodway  Present Flood Ins. Cover  (If yes, attach TAR-1414  Previous Flooding into the  Previous Flooding onto tt  Located in Historic District	bitat on Proposite  Springs  ad-Based Pt.  Property ing on others' odplain  rage ) ne Structures he Property ct	erty	folk	owing	Condition  Previo Previo Other Radon Settling Soil Mr Subsu Underg Unplat Unrecc Urea-fo Water Wetlar Wood Active destroy Previo Previo	Sting Pends Record in Spirit S	Found deas ded Emalde enetras on fot festal term	ark Yes (Y) If you are aware and  Indation Repairs If Repairs If Repairs Int Itructure or Pits Istorage Tanks Istorage Tanks Istorage Tanks Istorage Insulation Itructure or Pits Istorage Tanks Istorage	`	N / N / / / / / / / / / / / / / / / / /
Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hal Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea Encroachments onto the Improvements encroachi Located in 100-year Floot Located in Floodway Present Flood Ins. Cover (If yes, attach TAR-1414 Previous Flooding into the Previous Flooding onto the Located in Historic District Historic Property Designs	bitat on Proposite  Springs  ad-Based Pt.  Property ing on others' odplain  rage ) ne Structures he Property ct ation	erty Hazards	folk	owing	Condition Previo Previo Other Radon Settling Soil Mit Subsu Underg Unplat Unrecc Urea-fo Water Wetlar Wood Active destroy Previo Previo Termit	Strice or of or	s: (M Four Room ructurias emer ruce Signal de Emalde enetras on Fot festal term Fires or William Fires or William Room William Room Fires or William Room Fires or William Room Fires or William Room Room Room Room Room Room Room Ro	ark Yes (Y) If you are aware and  Indation Repairs If Repairs If Repairs Int Itructure or Pits Istorage Tanks Istorage Tanks Istorage Tanks Istorage Insulation Int Itructure or Pits Istorage Tanks Isto	`	' N ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
you are not aware.)  Condition  Aluminum Wiring  Asbestos Components  Diseased Trees: ☐ oak  Endangered Species/Ha  Fault Lines  Hazardous or Toxic Was  Improper Drainage  Intermittent or Weather S  Landfill  Lead-Based Paint or Lea  Encroachments onto the  Improvements encroachi  Located in 100-year Floot  Located in Floodway  Present Flood Ins. Cover  (If yes, attach TAR-1414  Previous Flooding into the  Previous Flooding onto tt  Located in Historic District	bitat on Proposite  Springs  ad-Based Pt.  Property ing on others' odplain  rage ) ne Structures he Property ct ation	erty Hazards	folk	owing	Condition Previo Previo Other Radon Settling Soil Mit Subsu Underg Unplat Unrecc Urea-fe Water Wetlar Wood Active destroy Previo Previo Termit	ons Strice Stric	Four Room ructurias emerates on Fot festal term Fires or WI Block	ark Yes (Y) If you are aware and  Indation Repairs If Repairs If Repairs Int Itructure or Pits Istorage Tanks Istorage Tanks Istorage Tanks Istorage Insulation Itructure or Pits Istorage Tanks Istorage	`	N / N / / / / / / / / / / / / / / / / /

(TAR-1406) 01-01-14

Page 2 of 5

225 Gabriel Vista

Coi	ncernin	g the Property at
If th	ne ansv	ver to any of the items in Section 3 is yes, explain (attach additional sheets if necessary):
Sec	ction 4	*A single blockable main drain may cause a suction entrapment hazard for an individual.  Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need of repair,
		s not been previously disclosed in this notice?  yes  no If yes, explain (attach additional sheets if
	ction 5	. Are you (Seller) aware of any of the following (Mark Yes (Y) If you are aware. Mark No (N) if you are
<u>Y</u>	N	Room additions, structural modifications, or other alterations or repairs made without necessary permits or not in compliance with building codes in effect at the time.
Ø		Homeowners' associations or maintenance fees or assessments. If yes, complete the following:  Name of association:    GABCIEL'S GROVE POA   NC   Manager's name:   PAUL YEHI   Phone: 57/2 - 255 -  67/    Fees or assessments are: \$ 756   per   YEHC   and are: Immandatory   voluntary     Any unpaid fees or assessment for the Property?   yes (\$
	<b>I</b>	Any common area (facilities such as pools, tennis courts, walkways, or other) co-owned in undivided interest with others. If yes, complete the following:  Any optional user fees for common facilities charged?   yes  no If yes, describe:
	Ø	Any notices of violations of deed restrictions or governmental ordinances affecting the condition or use of the Property.
	प	Any lawsuits or other legal proceedings directly or indirectly affecting the Property. (Includes, but is not limited to: divorce, foreclosure, heirship, bankruptcy, and taxes.)
	Ø	Any death on the Property except for those deaths caused by: natural causes, suicide, or accident unrelated to the condition of the Property.
	प्	Any condition on the Property which materially affects the health or safety of an individual.
	<b>T</b>	Any repairs or treatments, other than routine maintenance, made to the Property to remediate environmental hazards such as asbestos, radon, lead-based paint, urea-formaldehyde, or mold.  If yes, attach any certificates or other documentation identifying the extent of the remediation (for example, certificate of mold remediation or other remediation).
	ď	Any rainwater harvesting system located on the property that is larger than 500 gallons and that uses a public water supply as an auxiliary water source.
	đ	The Property is located in a propane gas system service area owned by a propane distribution system retailer.

(TAR-1406) 01-01-14

Initialed by: Buyer: \_\_\_\_\_ and Seller:\_

Page 3 of 5

Produced with zipForm® by zipLogix 18070 Fifteen Mile Road, Fraser, Michigan 48026 www.zipLogix.com

Concerning the Prop	perty at			<b>iel</b> Vista own, TX 7		
If the answer to any	of the items in Section	on 5 is yes, explain	(attach add	itional sheets	if necessary):_	
Section 6. Seller	র্দ has □ has not :	attached a survey	of the Pro	pertv.		
Section 7. Within regularly provide j	the last 4 years, h	nave you (Seller) o are either licens	received ar sed as Insp	y written ins ectors or oth	spection repor erwise permit	ts from persons who ted by law to perform
Inspection Date	Туре	Name of Inspecto	or			No. of Pages
9-17-2014	RESIDENCE SEPTIC	PROPERTY	DOC TOP	5		18
9-17-2014	Septic	PROFERTY	DOCTER	15		7
Section 8. Check  Homestead Wildlife Mana	any tax exemption	(s) which you (Sel	ler) current	•	ne Property:	buyer.
provider? ☐ yes Section 10. Have y	☑no /ou (Seller) ever re	eceived proceeds	for a clair	n for damag	e to the Prop	with any insurance erty (for example, an
	a settlement or awas made?  yes					make the repairs for
						<del></del>
requirements of Ch		ealth and Safety C	ode?* 🔲	anknown 🔲 r	no 🗹 yes. If n	n the smoke detector o or unknown, explain.
smoke detec which the dv know the bu	6 of the Health and stors installed in acc relling is located, inc ilding code requirem nofficial for more info	ordance with the reluding performance tents in effect in yo	equirements e, location, a	of the building of the power sou	ng code in effec irce requiremen	ct in the area in its. If you do not
of the buyer evidence of t the buyer m specifies the	require a seller to in s family who will res the hearing impairme akes a written requ locations for installa d which brand of smo	ide in the dwelling ent from a licensed lest for the seller i ation. The parties i	is hearing-ii physician; a to install sn may agree v	mpaired; (2) th and (3) within i noke detectors	e buyer gives to 10 days after the 5 for the hearing	he seller written e effective date, ng-impaired and
					un -	

(TAR-1406) 01-01-14

Page 4 of 5

Signature of Buyer

Date

Printed Name: \_\_\_\_\_\_ Printed Name: \_\_\_\_\_

Date Signature of Buyer