

TEXAS ASSOCIATION OF REALTORS®

SELLER'S DISCLOSURE NOTICE

©Texas Association of REALTORS®, Inc. 2014

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.

12200 & 12236 Up River Rd.

CONCERNING THE PROPERTY AT Corpus Christi, Tx 78410																
DATE SIGNED BY SELI MAY WISH TO OBTAIN AGENT.	LER I. IT	R AN	NC NC	IS N OT A	W	T A AR	SI RAI	JBSTITUTE FOR A NTY OF ANY KIND	NY BY	' IN ' S	ISP ELL	ECT .ER,	TION OF THE PROPERTY A IONS OR WARRANTIES TH SELLER'S AGENTS, OR AN	E B	BUY OTH	ER ER
Seller ☐ is X is not or	cup	oyin	g th	ne Pr	or or	erty 🔯	/. If ne\	unoccupied (by Sel ver occupied the Pro	ler) per	, ho	ow !	ong	since Seller has occupied the	Pro	per	ty?
Section 1. The Propert	t y h ot es	as 1 stab	t he lish	item	s en	ma is to	rke be	d below: (Mark Yes conveyed. The contra	(Y), N vill d	No (dete	N), o	or Unknown (U).) e which items will & will not conve	<i>y</i> .		
Item	Y	N	U] [It	em			Y	N	U	1	Item	Υ	N	U
Cable TV Wiring	X				L	iqui	d P	ropane Gas:		X	7	1	Pump: sump grinder		X	<u> </u>
Carbon Monoxide Det.		X		1 [-[Р(Con	nmunity (Captive)		X			Rain Gutters		X	
Ceiling Fans	X				-1	-P (on F	Property		X			Range/Stove	X		
Cooktop		X			Н	ot -	Γub			X		1	Roof/Attic Vents		X	
Dishwasher	Τ	X			lr	iter	con	n System		X		1	Sauna		X	
Disposal		X			Ν	licro	swc	ve	Г	X		1	Smoke Detector		X	
Emergency Escape					C	utd	oor	Grill		,,		1	Smoke Detector - Hearing			
Ladder(s)		Х								X	ļ		Impaired		X	l
Exhaust Fans		X			P	atio	/De	ecking		X	1	1	Spa		X	
Fences	X				P	lum	bin	g System	V				Trash Compactor		×	
Fire Detection Equip.		Х			P	ool				X		1	TV Antenna	П	1	
French Drain		У			P	ool	Eq	uipment		X		1	Washer/Dryer Hookup	X		
Gas Fixtures	Х				P	ool	Ma	int. Accessories		X	1	1	Window Screens	П		
Natural Gas Lines	X				Р	ool	He	ater		X	1]	Public Sewer System		X	
Item					Y	N	U			A	١dd	ition	al Information			
Central A/C					Ż			Ø electric ☐ gas number of units:								
Evaporative Coolers						X		number of units:								
Wall/Window AC Units						X		number of units:								
Attic Fan(s)		•••				X		if yes, describe:								
Central Heat				į	$\overline{<}$			☐ electric ☐ gas number of units:						_		
Other Heat						X		if yes, describe:								
Oven			number of ovens: electric gas other:								_					
			wood													
Carport				X		☐ attached ☐ not attached										
Garage						X										
			number of units: number of remotes:													
Satellite Dish & Controls					owned lease	ed f	ron	n _					\neg			
Security System					X		owned leased from						=			
Water Heater				/>	Y			☐ electric ☐ gas		ot	her		number of units:			
Water Softener								_								
Underground Lawn Sprin	Underground Lawn Sprinkler X ☐ automatic ☐ manual areas covered:									\exists						
Septic / On-Site Sewer Facility if yes, attach Information About On-Site Sewer Facility (TAR-1407)																
(TAR-1406) 01-01-14 Lone Star Real Estate, 4879 FM 624 Robstown, Cathy Geary	FX 783	380	Init	ialed			•			Ph	one: 3	eller	916 Fam.	age		f 5
• •				1-1	JUU	W	··· 21	a comos by siprogix 18070 Fiftee	rı Mile	Hoa	id, Fra	iser, Mi	chigan 48026 www.zipl_ogix.com			-

Concerning the Property at					Cor	pus Ch	ri	sti,	, Tx 78410			
Water supply provided by:												
Was the Property built hafe	ان <u>دن</u> دم ۱۵	ıy ∟ıv OZO2 E	Well NO		7 l .	ь — пи	KH	OWII		,		
Was the Property built befo												
(If yes, complete, sign,	and	attach	1AH-1906 C	once	erning	lead-bas	ed	l paint	t hazards).			
Roof Type:	يمليه	stin	Mr. nch	<u></u> A	ge:	66				_ (appro	oxim	ate
Is there an overlay roof \H{lpha} ov	ering	g on the	e Propenty (s	hing	les or	roof cove	eri	ng pla	aced over existing shingles or	roof cov	verir	na)'
□yes □no □unknow			. , ,	_				٠.	3 - 3			3,
	_											
Are you (Seller) aware of a	ny of	the ite	ms listed in	this S	Sectio	n 1 that a	are	not ir	n working condition, that have	defects	s, or	are
need of repair? 🔲 ves 🗟	7na	If ves	describe (a	ttach	addit	ional she	et	s if ne	cessary): NOT Know	va -		
just that I	te	in c	we fo	ren	2							
J												
Continuo O Ann Maria (Calle				_								
Section 2. Are you (Self	er) a	ware o	t any detect	ts or	malf	unctions	in	any i	of the following?: (Mark Ye	s (Y) if y	you	are
aware and No (N) if you ar	e no	ot awar	'e.)									
Item	Y	N	Item				Υ	N	Item		Υ	N
Basement	+	X	Floors	· · · · · · · · · · · · · · · · · · ·				X	Sidewalks		\ <u></u>	+-
Ceilings	+			on / 6	Clob/s			1			~	+
Doors		文	Foundation		siab(s)			Walls / Fences			$\not\!$
		1.7. 1	Interior W						Windows			X
Driveways		X	Lighting f	Fixtur	es				Other Structural Compon	ents		$\boldsymbol{\chi}$
Electrical Systems		2	Plumbing	Sys	tems	1		X				Γ
Exterior Walls	7		Roof				$\vec{\Lambda}$	П			 	t^-
If the answer to any of the it			tion 2 is yes						sheets if necessary): Reg lovel wat - 1 do			
If the answer to any of the it			tion 2 is yes						sheets if necessary). Replace mul - Sille ark Yes (Y) if you are aware			
If the answer to any of the it seek that			tion 2 is yes	follo	owinç	g condition	on	s: (Ma	/		lo (N	ł) i
Section 3. Are you (Selle you are not aware.)			tion 2 is yes	folio		condition	on	s: (Ma	ark Yes (Y) if you are aware		lo (N	l) i
Section 3. Are you (Selle you are not aware.) Condition Aluminum Wiring			tion 2 is yes	follo	owinç	Cond Previo	on	on s Four	ark Yes (Y) if you are aware		lo (N	l) i
Section 3. Are you (Selle you are not aware.) Condition Aluminum Wiring Asbestos Components	er) av	ware o	tion 2 is yes	folio	owinç	Cond Previo	on itic	on s Foun	ark Yes (Y) if you are aware		lo (N	I) i
Section 3. Are you (Selle you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak w	er) av	ware o	f any of the	folio	owing N	Cond Previo	itic ous ous St	on s Founds Roof	ark Yes (Y) if you are aware		lo (N	1) i
Section 3. Are you (Selle you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees:	er) av	ware o	f any of the	folio	owing N 入 入	Cond Previo Previo Other Rador	itio	on s Founds Roof	ark Yes (Y) if you are aware		lo (N	N X X
Section 3. Are you (Selle you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees:	vilt	ware o	f any of the	folio	owing N X X X	Cond Previo Other Rador Settlin	on itio	on s Founds Roof cructur	ark Yes (Y) if you are aware and ation Repairs ral Repairs		lo (N	I) ii N入入入人
Section 3. Are you (Selle you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ak v Endangered Species/Habir Fault Lines Hazardous or Toxic Waste	vilt	ware o	f any of the	folio	owing N 入 入	Cond Previo Previo Other Rador Settlin Soil M	itio	on s Found s Roof ructur Gas	ark Yes (Y) if you are aware and ation Repairs ral Repairs		lo (N	N N N N X X X
Section 3. Are you (Selle you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak w Endangered Species/Habi Fault Lines Hazardous or Toxic Waste	vilt	ware o	f any of the	folio	owing N X X X	Cond Previo Other Rador Settlin Soil M	on itio	on s Founds Roof cructur Gas vernen	ark Yes (Y) if you are aware Indation Repairs If Repairs If Repairs In Repairs In the tructure or Pits		lo (N	I) ii N X X X X X X X X X X X X X X X X X
Section 3. Are you (Selle you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ak v Endangered Species/Habir Fault Lines Hazardous or Toxic Waste	vilt	ware o	f any of the	folio	owing	Cond Previo Previo Other Rador Settlin Soil M Subsu Under	on itio	on s Founds Roof cructur Sas vernen ace Stound S	ark Yes (Y) if you are aware Indation Repairs If Repairs If Repairs Int It tructure or Pits Storage Tanks		lo (N	N N N N X X X
Section 3. Are you (Selle you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak w Endangered Species/Habi Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp	vilt tat or	ware o	f any of the	folio	owing	Cond Previo Previo Other Rador Settlin Soil M Subsu Under Unpla	on itio ous St ous St n G	on s Founds s Roof rructur Sas vernen ace Stround S d Easi	ark Yes (Y) if you are aware Indation Repairs If Repairs If Repairs It tructure or Pits Storage Tanks It tructure or Storage Tanks It tructure or Pits		lo (N	I) NXXXXXXX
Section 3. Are you (Selle you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak v Endangered Species/Habir Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp Landfill Lead-Based Paint or Lead-	wilt tat of	ware o	f any of the	folio	owing	Condition Previous Previous Other Rador Settlin Soil M Subsu Under Unpla	on Stous Ous Ston Cong Ifovurfar greatte	on s Founds s Roof rructur sas vernendace Stround Stro	ark Yes (Y) if you are aware and ation Repairs f Repairs ral Repairs tructure or Pits Storage Tanks ements asements		lo (N	I) ii N X X X X X X X X X X X X X X X X X
Section 3. Are you (Selle you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak v Endangered Species/Habi Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp Landfill Lead-Based Paint or Lead- Encroachments onto the P	vilt tat o	m Prope	f any of the	folio	owing	Condition Previous Previous Other Rador Settlin Soil M Subsu Under Unplat Unrec Urea-f	on Ous Ous St Ous St Ous Ous Ous ous ous ous ous ous ous ous ous ous o	on s Founds Roof rructur Gas vernendace Stround Stro	ark Yes (Y) if you are aware and ation Repairs ral Repairs Interpretation or Pits Storage Tanks rements asements rehalf or provided in the content of the c		lo (N	I) NXXXXXXX
Section 3. Are you (Selle you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak w Endangered Species/Habi Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp Landfill Lead-Based Paint or Lead- Encroachments onto the P Improvements encroaching	vilt tat of	ware o	f any of the	folio	owing	Condition Previous Other Rador Settlin Soil M Subsu Under Unplat Unrec Urea-f Water	on Dust St n C lov Infargree tte ore form	on s Found s Roof cructur Gas vemen ace St ound S d Eas ded Ea malde enetra	ark Yes (Y) if you are aware andation Repairs f Repairs ral Repairs attructure or Pits Storage Tanks ements asements chyde Insulation ation		lo (N	I) INXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Section 3. Are you (Selle you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak v Endangered Species/Habi Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp Landfill Lead-Based Paint or Lead- Encroachments onto the P	vilt tat of	ware o	f any of the	folio	owing	Condition Previous Previous Other Rador Settlin Soil M Subsu Under Unplat Unrec Urea-f Water Wetlan	itions Strate or of or o	on s Found Sementage Structur Gas ded Eastded Earmalde enetras on P	ark Yes (Y) if you are aware and ation Repairs ral Repairs Interpretation or Pits Storage Tanks rements asements rehalf or provided in the content of the c		lo (N	I) INXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Section 3. Are you (Selle you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak w Endangered Species/Habi Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp Landfill Lead-Based Paint or Lead- Encroachments onto the P Improvements encroaching Located in 100-year Flood Located in Floodway	vilt tat o	ware o	f any of the	folio	owing	Condition Previous Previous Other Rador Settlin Soil M Subsu Under Unplat Unrec Urea-f Water Wetlan Wood	on itio ous ous St n C ng for tte or of or for nd: Ro	on s Founds Roof cructur das vemen ace St ound S d Eas ded Ea malde enetra s on P ot	ark Yes (Y) if you are aware Indation Repairs If Repairs If Repairs Int It tructure or Pits It Storage Tanks It is ements It is a sements It		lo (N	I) INXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Section 3. Are you (Selle you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak w Endangered Species/Habir Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp Landfill Lead-Based Paint or Lead- Encroachments onto the P Improvements encroaching Located in 100-year Flood Located in Floodway Present Flood Ins. Coverage (If yes, attach TAR-1414)	vilt tat of specific property on plain	mare o	f any of the	folio	owing	Condition Previous Previous Other Rador Settlin Soil M Subsu Under Unplat Unrec Urea-f Water Wetlan Wood Active	on itio ous ous St n Co for for Re in	on s Founds Roof cructur Sas vemen ace St ound S d Ease ded Ease malde enetra s on P ot festati	ark Yes (Y) if you are aware Indation Repairs If Repairs If Repairs Int It tructure or Pits Storage Tanks It tructure or Pits Storage Tanks It tructure or Pits It tr		lo (N	I) INXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Section 3. Are you (Selle you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak w Endangered Species/Habi Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp Landfill Lead-Based Paint or Lead- Encroachments onto the P Improvements encroaching Located in 100-year Flood Located in Floodway Present Flood Ins. Coverage (If yes, attach TAR-1414) Previous Flooding into the	vilt tat or specific or specif	m Prope	f any of the	folio	owing	Cond Previo Other Rador Settlin Soil M Subsu Under Unpla Unrec Urea-f Water Wetlar Wood Active destro	on Dust Strang for Interpretate Reserved	on s Found s Roof rructur cas vemen ace St ound S d Eas ded Ea malde enetra s on P ot festati ng inse	ark Yes (Y) if you are aware Indation Repairs If Repairs If Repairs Interructure or Pits Int		lo (N	I) NXXXXXXX
Section 3. Are you (Selle you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak w Endangered Species/Habi Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp Landfill Lead-Based Paint or Lead- Encroachments onto the P Improvements encroaching Located in 100-year Flood Located in Floodway Present Flood Ins. Coverage (If yes, attach TAR-1414) Previous Flooding into the	vilt tat or specific or specif	m Prope	f any of the	folio	N X X X X X X X X X X X X X X X X X X X	Cond Previo Other Rador Settlin Soil M Subsu Under Unpla Unrec Urea-f Water Wetlar Wood Active destro	on itio ous ous St or of for recording Recording in ous ous ous ous ous ous ous ou	on s Founds Roof rructur Sas remen ace St ound S d Eas ded Ea malde enetra s on P ot festati ng inse	ark Yes (Y) if you are aware Indation Repairs If Repairs If Repairs Interructure or Pits Int		lo (N	I) NXXXXXXX
Section 3. Are you (Selle you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak w Endangered Species/Habir Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp Landfill Lead-Based Paint or Lead- Encroachments onto the P Improvements encroaching Located in 100-year Flood Located in Floodway Present Flood Ins. Coverage (If yes, attach TAR-1414) Previous Flooding into the Previous Flooding onto the Located in Historic District	vilt tat of serions of	m Prope	f any of the	folio	N X X X X X X X X X X X X X X X X X X X	Cond Previo Other Rador Settlin Soil M Subsu Under Unpla Unrec Urea-f Water Wetlar Wood Active destro	on itio ous St n Co for for refrequence Refrequence in eyir	on s Found S Roof rructur S as remen ace St ound S d Eas ded Eas malde enetra s on P ot festating insections treatment at termination of the stating insections are streatment at terminations.	ark Yes (Y) if you are aware Indation Repairs If Repairs If Repairs Interructure or Pits Instructure or P		lo (N	I) NXXXXXXX
Section 3. Are you (Selle you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak v Endangered Species/Habir Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp Landfill Lead-Based Paint or Lead- Encroachments onto the P Improvements encroaching Located in 100-year Floody Located in 100-year Floody Located in Floodway Present Flood Ins. Coverage (If yes, attach TAR-1414) Previous Flooding into the Previous Flooding onto the Located in Historic District Historic Property Designati	vilt tat of serings Properly on Structure Properly on on	mare or	erty Hazards property	folio	N X X X X X X X X X X X X X X X X X X X	Cond Previo Previo Other Rador Settlin Soil M Subsu Under Unpla Unrec Urea-f Water Wetlar Wood Active destro Previo	on itio ous St n Co forg forg rgr forg nds Ro in ous ous ous	on S Found S Roof rructur S as remen ace St ound S d Eas ded Eas malde enetra s on P ot festating inset terming Fires	ark Yes (Y) if you are aware Indation Repairs If Repairs If Repairs Interructure or Pits Instructure or P		lo (N	I) INXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Section 3. Are you (Selle you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak w Endangered Species/Habir Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp Landfill Lead-Based Paint or Lead- Encroachments onto the P Improvements encroaching Located in 100-year Flood Located in Floodway Present Flood Ins. Coverage (If yes, attach TAR-1414) Previous Flooding into the Previous Flooding onto the Located in Historic District	vilt tat of serings Properly on Structure Properly on on	mare or	erty Hazards property	folio	N X X X X X X X X X X X X X X X X X X X	Cond Previo Previo Other Rador Settlin Soil M Subsu Under Unpla Unrec Urea-f Water Wetlar Wood Active destro Previo Previo Termit	on itio ous Step of or for for in ous ous ous ous ous ous ous ou	on s Founds s Roof rructur Gas remen ace Stround S d East ded East	ark Yes (Y) if you are aware Indation Repairs If Repairs If Repairs Interructure or Pits Instructure or P	e and N	lo (N	NXXXXXX

Page 2 of 5

If th	ie ansv	wer to any of the iten	ns in Section 3 is yes, exp	plain (attach add	itional sheets if no	ecessary):	biect to
	B MI	Le. Watda	near for feller	area			
	<u> </u>						
		*A single blo	ckable main drain may ca	use a suction er	ntrapment hazard	for an individual.	
wh	ich ha	s not been previo	aware of any item, equi	notice? □ yes	☐ no If yes, e		
	ction 5		aware of any of the fo	llowing (Mark \	res (Y) if you ar	e aware. Mark No	(N) if you are
	N N						
	回		ructural modifications, or building codes in effect a		s or repairs made	e without necessary	permits or not
			ciations or maintenance t		ents. If yes, comp	plete the following:	
		Manager's nam	ation: e:		Phone:		
		Fees or assess Any unpaid fees If the Property	ments are: \$s or assessment for the P is in more than one assess to to this notice.	per roperty? ☐ yes	(\$an	d are: □ mandatory) □ no	□ voluntary
	9	with others. If yes,	(facilities such as pools complete the following: er fees for common facilit				
	9	Any notices of violence of Property.	ations of deed restriction	s or governmen	ital ordinances af	fecting the condition	or use of the
	Ø		ner legal proceedings dire sure, heirship, bankruptcy		affecting the Pro	operty. (Includes, bu	t is not limited
		Any death on the I	Property except for those Property.	deaths caused	by: natural cause	s, suicide, or accide	nt unrelated to
	ष्	Any condition on the	e Property which materia	lly affects the he	ealth or safety of a	an individual.	
		hazards such as a	atments, other than routing sbestos, radon, lead-base on certificates or other doubled remediation or other re	ed paint, urea-for ocumentation ide	maldehyde, or me	old.	
	9		vesting system located as an auxiliary water sou		that is larger th	nan 500 gallons an	d that uses a
	Ø	The Property is leading to the retailer.	ocated in a propane ga	s system servi	ce area owned	by a propane distri	bution system
					2		
(TA	R-140	6) 01-01-14	Initialed by: Buyer:		_ and Seller:	<i>M</i>	Page 3 of 5

Concerning the Pro	perty at		& 12236 Up River Rd. S Christi, Tx 78410	
If the answer to any	of the items in S	ection 5 is yes, explain (attac	ch additional sheets if necessar	y):
Section 6. Seller	☐ has ☐ has	not attached a survey of the	e Property.	
regularly provide	inspections and		ved any written inspection ros inspectors or otherwise pet te the following:	
Inspection Date	Туре	Name of Inspector		No. of Pages
Note: A buy Pr	er should not re operty. A buyer	ely on the above-cited reports should obtain inspections	orts as a reflection of the cur from inspectors chosen by	rent condition of the the the buyer.
Section 8. Check Homestead Wildlife Mana	agement	tion(s) which you (Seller) co	urrently claim for the Propert Disabled Disabled Veteran Unknown	y:
	you (Seller)	ever filed a claim for	r damage to the Proper	ty with any insurance
insurance claim o	r a settlement o	r award in a legal proceedi	a claim for damage to the Fing) and not used the procee	ds to make the repairs for
requirements of C	hapter 766 of th	e Health and Safety Code?	tors installed in accordance * ☐ unknown ☑ no ☐ yes.	. If no or unknown, explain.
smoke dete which the d know the bu	ctors installed in welling is located	accordance with the require , including performance, loca irements in effect in your are	one-family or two-family dwelling ements of the building code in ation, and power source require ea, you may check unknown a	effect in the area in ements. If you do not
of the buyer evidence of the buyer r specifies th	r's family who wil the hearing impa nakes a written e locations for in	I reside in the dwelling is hea airment from a licensed physi request for the seller to ins	r the hearing impaired if: (1) the aring-impaired; (2) the buyer gi ician; and (3) within 10 days aft stall smoke detectors for the h gree who will bear the cost of	ives the seller written ter the effective date, nearing-impaired and

(TAR-1406) 01-01-14

Page 4 of 5

Cor	cerning the Property atCo	rpus Christi, Tx 78410
Sell brok	er acknowledges that the statements in this notice are tracker(s), has instructed or influenced Seller to provide inacc	ue to the best of Seller's belief and that no person, including the curate information or to omit any material information.
6	M. Marry 4/10/14 nature of Seller Date	
Sign	nature of Seller Date	e Signature of Seller Date
Prin	ted Name: COEL Property, Ltd.	Printed Name:
ADI	DITIONAL NOTICES TO BUYER:	
(1)	registered sex offenders are located in certain zip cod	latabase that the public may search, at no cost, to determine it de areas. To search the database, visit www.txdps.state.tx.us certain areas or neighborhoods, contact the local police
(2)	Protection Act (Chapter 61 or 63, Natural Resources (ard of the Gulf Intracoastal Waterway or within 1,000 feet of the operty may be subject to the Open Beaches Act or the Dune Code, respectively) and a beachfront construction certificate or improvements. Contact the local government with ordinance for more information.
(3)	If you are basing your offers on square footage, mindependently measured to verify any reported information.	neasurements, or boundaries, you should have those items tion.
(4)	The following providers currently provide service to the	property:
	^ / /	2 ·
	Electric: Direct Energy len Contin. Sewer: Septie	phone #:
	Water: C. Ly of CC	
	777	phone #:
	Trash: Lity of CC	
		phone #:
	4: 0	phone #:
	Phone Company: 7/n/-	phone #:
	Propane:	phone #:
(5)	This Seller's Disclosure Notice was completed by Selle	and the date size of The Land
(-)	as true and correct and have no reason to believe it to AN INSPECTOR OF YOUR CHOICE INSPECT THE P	er as of the date signed. The brokers have relied on this notice be false or inaccurate. YOU ARE ENCOURAGED TO HAVE ROPERTY.
The	undersigned Buyer acknowledges receipt of the foregoing	g notice.

(TAR-1406) 01-01-14

Signature of Buyer

Printed Name: ______ Printed Name: _____

Date Signature of Buyer

Date



TEXAS ASSOCIATION OF REALTORS®

ADDENDUM REGARDING LEAD-BASED PAINT

For use in the lease of residential property built before 1978.

	DENDUM TO RESIDENTIAL LEASE CO	NCERNING THE	E PROPERTY AT 12200 & 12	236 Up River Rd.,						
Α.	LEAD WARNING STATEMENT: Housing and dust can pose health hazards if not pregnant women. Before renting prelead-based paint and/or lead-based paint approved pamphlet on lead poisoning presented.	managed proper 1978 housing, int hazards in th	rly. Lead exposure is especially h lessors (landlords) must disclo	narmful to young children and se the presence of known						
B.	DISCLOSURE: (1) Presence of lead-based paint and/or lead-based paint hazards. (Check (a) or (b)). (a) Landlord knows of the following lead-based paint and/or lead-based paint hazards in the Property:									
	(b) Landlord has no knowledge of le	ad-based paint a	and/or lead-based paint hazards in	n the Property.						
	(2) Records and reports available to Landlord. (Check (a) or (b)). (a) Landlord has provided Tenant with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the Property which are listed here:									
	(b) Landlord has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the Property.									
c.	TENANT'S ACKNOWLEDGEMENT: (1) Tenant has received copies of all info (2) Tenant has received the pamphlet e			ne.						
D.	(1) The brokers and agents to the lease pamphlet on lead poisoning prever and/or lead-based paint hazard in the paint and/or lead-based paint hazard (2) The brokers and agents to the lease are aware of his/her responsibility to	e notify Landlord ntion; (b) comple ne Property; (d) of ds in the Property e have advised t	that Landlord must: (a) provide Tete this addendum; (c) disclose deliver all records and reports to r; and (e) retain a copy of this addandlord of Landlord's obligations	any known lead-based paint Tenant pertaining lead-based lendum for at least 3 years.						
Ε.	CERTIFICATION OF ACCURACY: The their knowledge, that the information the			ove and certify, to the best of						
	Mary his	4/10/14		5.4						
CC	DEL Property; Ltd. Properties	/ / Date	Tenant	Date						
La	ndlord	Date	Tenant	Date						
	ting Broker/Agent or Property Manager athy Geary	Date (4. 2. 4a)	Tenant	Date						
Otl	ner Broker/Agent	9-3-141 Date	Tenant	Date						

(TAR-2008) 10-14-03 Lone Star Real Estate, 4879 FM 624 Robstown, TX 78380 Cathy Geary

Eric Bluntzer

Fax: .