

Texas Association of Realtors

SELLER'S DISCLOSURE NOTICE

Texas Association of REALTORS, Inc. 2011

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which

			exc	eed	the	mir	nimum disclosures re	qui	red	by	the C	Code.			
303 193 Los Terranos															
CONCERNING THE PROPERTY AT Cameron, TX 76520															
THIS NOTICE IS A DISCLOSURE OF SELLER'S KNOWLEDGE OF THE CONDITION OF THE PROPERTY AS OF THE DATE SIGNED BY SELLER AND IS NOT A SUBSTITUTE FOR ANY INSPECTIONS OR WARRANTIES THE BUYEF WAY WISH TO OBTAIN. IT IS NOT A WARRANTY OF ANY KIND BY SELLER, SELLER'S AGENTS, OR ANY OTHEF AGENT.											ER				
Seller dis dis not oc	cu	oyir	g the	Prop	ert	y. If	unoccupied (by Sel	ler),	ho	w I	ong :	since Seller has occupied the	Pro	per	ty?
' ()										,					
Section 1. The Property has the items marked below: (Mark Yes (Y), No (N), or Unknown (U).) This notice does not establish the items to be conveyed. The contract will determine which items will & will not convey.															
Item	Υ	N	U		Item			Υ	Ν	U		Item	Y	N	U
Cable TV Wiring		V		_	Liquid Propane Gas:							Pump: ☐ sump ☐ grinder		V	
Carbon Monoxide Det.		V		_			nmunity (Captive)					Rain Gutters			
Ceiling Fans	V			-			Property					Range/Stove	V		
Cooktop	Ť	V		H	lot	Tub						Roof/Attic Vents	-	7	
Dishwasher	V	1		1	nter	con	n System					Sauna		V	
Disposal		V		Ν	/licr	owa	ive					Smoke Detector			V
Emergency Escape				(Duto	loor	Grill					Smoke Detector □ Hearing			
Ladder(s)		/										Impaired		1	
Exhaust Fans				F	atio	/De	ecking					Spa		V	,
Fences	V			F	lun	bin	g System					Trash Compactor		V	
Fire Detection Equip.		*	1	F	00							TV Antenna		V	
French Drain		~		F	ool	Eq	uipment					Washer/Dryer Hookup	V		
Gas Fixtures		V		F	ool	Ма	int. Accessories					Window Screens	V		
Natural Gas Lines			Pool Heater							Public Sewer System		\checkmark			
Item				Υ	N	U			Ad	ibk	tiona	al Information			
Central A/C			V			☑electric ☐ gas number of units:									
Evaporative Coolers				V		number of units:									
Wall/Window AC Units					V		number of units:								
Attic Fan(s)					~		if yes, describe:								
Central Heat				V	1		☑electric ☐ gas number of units:								
Other Heat					V		if yes, describe:								
Oven					V		number of ovens:								
Fireplace & Chimney Non White				M			□ wood □ gas logs □ mock □ other:								
Carport				-	V		□ attached □ not attached								
Garage					V		☐ attached ☐ not attached								
Garage Door Openers					V		number of units: number of remotes:								
Satellite Dish & Controls					V		owned leased from								
Security System					2		owned leased from								
Water Heater				V			☑ electric ☐ gas ☐ other: number of units:								
Water Softener				_	V		owned leased from								
Underground Lawn Sprinkler				_	V		automatic manual areas covered:								
Septic / On-Site Sewer Facility				V			if yes, attach Information About On-Site Sewer Facility (TAR-1407)								

(TAR-1406) 9-01-11

Initialed by: Seller: \(\)

Page 1 of 5

Cortiers Real Estate, 3600 Hwy. 6 South, Ste. 100 College Station, TX 77845
Produced with zipForm by zipLogix 18070 Fifteen Mile Road, Fraser, Michigan 48026
www.zipLogix.com

O'Donnell, Sandra

Concerning the Property at					meron, T		1111		
Nater supply provided by: [Nas the Property built before	□ city 🕞	3well □MUD) _ co	o-op [unknown	dother	Provided by 43	3 /0	5
(If yes, complete, sign,	and attac	ch TAR-1906 co	oncerni	ng lead	d-based pain	t hazard	s).		
Roof Type: Shin	10/2		_ Age:	3	yrs.		(a	pproxin	nate
s there an overlay roof cove		the Property (sh	ningles	or roof	còvering pla	aced ove	er existing shingles or roo	f coveri	ng)?
]yes ⊡mo □unknown	1								
Are you (Seller) aware of an	y of the i	tems listed in th	nis Sec	tion 1	that are not i	n workin	g condition, that have de	ects. o	r are
need of repair? 🖂 yeş 🗆									
quest bath to							,		
Section 2. Are you (Selle	r) aware	of any defects	s or ma	alfunct	ions in any	of the f	ollowing?: (Mark Vec (V) if you	are
ware and No (N) if you are			, 0, 1110	ananot	ions in any	or the r	Showing: (Mark 163 (1	, ii yoc	arc
Item	YN	Item			YN	14 1-			LNI
Basement	TIN	Floors			T IN	Iten		Y	N
	++5		- / 01-1	-/-\		_	ewalks	_	V
Ceilings		Foundation		o(s)	- Y		ls / Fences		V
Doors	+	Interior Wa					dows		V
Driveways	- V	Lighting Fi				Oth	er Structural Components		V
Electrical Systems		Plumbing	System	าร		-			
Exterior Walls		Roof							
ection 3. Are you (Selle					h additional			d No (I	N) if
Section 3. Are you (Seller ou are not aware.)			followi	ng coi	nditions: (M			,	
Section 3. Are you (Seller ou are not aware.) Condition				ng coi	nditions: (M	ark Yes	(Y) if you are aware an	d No (I	
Section 3. Are you (Seller ou are not aware.) Condition Aluminum Wiring			followi	ng cor	nditions: (M Condition Previous Foul	ark Yes	(Y) if you are aware an	,	
Section 3. Are you (Seller ou are not aware.) Condition Aluminum Wiring Asbestos Components	r) aware		followi	ng cor	nditions: (M Condition Previous Foul Previous Roo	ark Yes ndation F	(Y) if you are aware an Repairs	,	
Section 3. Are you (Seller ou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: □ oak w	r) aware	of any of the	followi	ng col	nditions: (M Condition Previous Foul Previous Roo Other Structu	ark Yes ndation F	(Y) if you are aware an Repairs	,	
Section 3. Are you (Seller ou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: □ oak w Endangered Species/Habit	r) aware	of any of the	followi	ng col	nditions: (M Condition Previous Foul Previous Roo Other Structure Ladon Gas	ark Yes ndation F	(Y) if you are aware an Repairs	,	
Section 3. Are you (Seller ou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees:	r) aware	of any of the	followi	ng coi	nditions: (M Condition Previous Four Previous Roo Other Structur Cadon Gas ettling	ark Yes ndation f f Repairs ral Repa	(Y) if you are aware an Repairs	,	
Section 3. Are you (Seller ou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak w Endangered Species/Habits Fault Lines Hazardous or Toxic Waste	r) aware	of any of the	following	ng cor	nditions: (M condition revious Four revious Roo other Structur adon Gas ettling oil Movemer	ark Yes ndation f f Repairs ral Repa	(Y) if you are aware an Repairs s irs	,	N
Section 3. Are you (Seller ou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees:	r) aware	of any of the	following	ng coi	nditions: (M Previous Found Previous Roo Other Structure Ladon Gas Lettling Oil Movemer Lubsurface S	ark Yes ndation F f Repairs ral Repa	(Y) if you are aware an Repairs s irs	,	N
ection 3. Are you (Seller ou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak w Endangered Species/Habits Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Spr	r) aware	of any of the	following	ng col	conditions: (Machine Previous Foundation Gasettling oil Movemer ubsurface Structure of the conderground for the co	ark Yes ndation f f Repairs ral Repa nt tructure	(Y) if you are aware an Repairs s irs	,	N
Section 3. Are you (Seller ou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ak w Endangered Species/Habits Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Spr	r) aware	of any of the	following	ng col	conditions: (Marchion Previous Found Previous Roother Structure Radon Gastettling oil Movemer Structure Scholarground Inplatted East	ark Yes ndation F f Repairs ral Repa nt tructure of Storage sements	(Y) if you are aware an Repairs s irs or Pits Tanks	,	N
Section 3. Are you (Seller ou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak w Endangered Species/Habits Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Spr Landfill Lead-Based Paint or Lead-	r) aware riltat on Pro	of any of the	following	ng col	conditions: (Marevious Foundation Gas ettling oil Movemer ubsurface Sinderground nplatted Eas nrecorded Eastling	ark Yes ndation F f Repairs ral Repa nt tructure of Storage sements asement	(Y) if you are aware an Repairs s irs or Pits Tanks	,	N
cection 3. Are you (Seller ou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak w Endangered Species/Habits Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Spr Landfill Lead-Based Paint or Lead- Encroachments onto the Pr	r) aware rilt at on Pro rings Based Pt	of any of the topological perty	following	ng coi	conditions: (Marchions) Previous Found Previous Roo Other Structure adon Gas ettling oil Movemer ubsurface Sounderground inplatted Eas in precorded Erea-formaldes	ark Yes Indation For the frequency of t	(Y) if you are aware an Repairs s irs or Pits Tanks	,	N
ection 3. Are you (Seller ou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak w Endangered Species/Habits Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Spr Landfill Lead-Based Paint or Lead- Encroachments onto the Pr Improvements encroaching	r) aware rilt at on Pro rings Based Ptroperty on other	of any of the topological perty	following	ng col	conditions: (Machine Previous Foundation Gassettling oil Movemer ubsurface Signification Gas recorded Earea-formalde Vater Penetra	ark Yes Indation For Frequency Intal Repart Intructure of Storage Interpretation Interpretation Interpretation Interpretation	(Y) if you are aware an Repairs s irs or Pits Tanks	,	N
Section 3. Are you (Seller ou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ak w Endangered Species/Habits Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Spr Landfill Lead-Based Paint or Lead-Encroachments onto the Pr Improvements encroaching Located in 100-year Floodp	r) aware rilt at on Pro rings Based Ptroperty on other	of any of the topological perty	following	ng col	conditions: (Macronomics (Macro	ark Yes Indation For Frequency Intal Repart Intructure of Storage Interpretation Interpretation Interpretation Interpretation	(Y) if you are aware an Repairs s irs or Pits Tanks	,	N
Gection 3. Are you (Seller ou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak w Endangered Species/Habits Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Spr Landfill Lead-Based Paint or Lead- Encroachments onto the Pr Improvements encroaching Located in 100-year Floodp Located in Floodway	r) aware rilt at on Pro rings Based Pt roperty on other	of any of the topological perty	following	ng col	conditions: (Marevious Foundations Roother Structure adon Gas ettling oil Movemer ubsurface Structure East recorded East rea-formalde //ater Penetra //ood Rot	ark Yes Indation F f Repairs ral Repairs ral Repairs sements asements asements asements asements asements	(Y) if you are aware an Repairs sirs or Pits Tanks sulation	,	N
Gection 3. Are you (Seller ou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak w Endangered Species/Habits Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Spr Landfill Lead-Based Paint or Lead- Encroachments onto the Pr Improvements encroaching Located in 100-year Floodp Located in Floodway Present Flood Ins. Coverag	r) aware rilt at on Pro rings Based Pt roperty on other	of any of the topological perty	following	ng coi	conditions: (Marchions: (Marchions) Previous Found Previous Roop Other Structure adon Gas ettling oil Movemer ubsurface Structure and platted Eas nrecorded E rea-formalde Vater Penetra Vetlands on Food Rot ctive infestat	ark Yes Indation F f Repairs ral Repairs ral Repairs sements asement chyde Insation Property ion of te	(Y) if you are aware an Repairs sirs or Pits Tanks sulation	,	N
Section 3. Are you (Seller ou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak w Endangered Species/Habits Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Spr Landfill Lead-Based Paint or Lead- Encroachments onto the Pr Improvements encroaching Located in 100-year Floodp Located in Floodway Present Flood Ins. Coverag (If yes, attach TAR-1414)	r) aware rilt at on Pro rings Based Pt roperty on other plain	of any of the formal perty	following	ng col	conditions: (Marchine) Previous Found Previous Roo Other Structure Radon Gas Rettling Oil Movemer Rubsurface Sounderground Roter Penetra Productive infestatestroying ins	ark Yes Indation F If Repairs It ructure of Storage It sements It seements It	(Y) if you are aware an Repairs sirs or Pits Tanks sulation	,	N
Section 3. Are you (Seller ou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak w Endangered Species/Habits Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Spr Landfill Lead-Based Paint or Lead-Encroachments onto the Pr Improvements encroaching Located in 100-year Floodp Located in Floodway Present Flood Ins. Coverag (If yes, attach TAR-1414) Previous Flooding into the Se	r) aware rilt at on Pro rings Based Pt roperty on other plain ge	of any of the toperty	following	ng col	conditions: (Marevious Foundations Roother Structure adon Gas ettling oil Movemer ubsurface Sinderground applatted Eas nrecorded Erea-formalde Vater Penetra Vetlands on Food Rotestroying instreetious treat	ark Yes Indation F If Repairs It	(Y) if you are aware an Repairs sirs or Pits Tanks sulation rmites or other wood DI) termites or WDI	,	N
Section 3. Are you (Seller ou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak w Endangered Species/Habits Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Spr Landfill Lead-Based Paint or Lead- Encroachments onto the Pr Improvements encroaching Located in 100-year Floodp Located in Floodway Present Flood Ins. Coverag (If yes, attach TAR-1414) Previous Flooding into the S Previous Flooding onto the	r) aware rilt at on Pro rings Based Pt roperty on other plain ge	of any of the toperty	following	ng coi	conditions: (Marevious Four Previous Four Previous Roo Other Structur Radon Gas Pettling Oil Movemer Subsurface So Inderground Inplatted Eas Inrecorded Eas	ark Yes Indation F f Repairs ral Repairs ral Repairs ral Repairs sements asements asements asement chyde Insation Property ion of te ects (WI ment for ite or WI	(Y) if you are aware an Repairs sirs or Pits Tanks sulation rmites or other wood OI) termites or WDI OI damage repaired	,	N
Gection 3. Are you (Seller ou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak w Endangered Species/Habits Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Spr Landfill Lead-Based Paint or Lead- Encroachments onto the Pr Improvements encroaching Located in 100-year Floodp Located in Floodway Present Flood Ins. Coverag (If yes, attach TAR-1414) Previous Flooding into the S Previous Flooding onto the	r) aware rilt at on Pro rings Based Pt roperty on other blain ge Structures	of any of the topological perty	following	ng coi	conditions: (Marevious Foundation Gas ettling oil Movemer ubsurface Structure and recorded Experience formalde food Rot ctive infestate estroying instrevious termite or WE	ark Yes Indation F If Repairs It	(Y) if you are aware an Repairs sirs or Pits Tanks sulation rmites or other wood OI) termites or WDI OI damage repaired pe needing repair	Y	N
Section 3. Are you (Seller ou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak w Endangered Species/Habits Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Spr Landfill Lead-Based Paint or Lead- Encroachments onto the Pr Improvements encroaching Located in 100-year Floodp Located in Floodway Present Flood Ins. Coverag (If yes, attach TAR-1414) Previous Flooding into the S Previous Flooding onto the	r) aware rilt at on Pro rings Based Pt roperty on other blain ge Structures	of any of the topological perty	following	ng coi	conditions: (Marevious Foundation Gas ettling oil Movemer ubsurface Structure and recorded Experience formalde food Rot ctive infestate estroying instrevious termite or WE	ark Yes Indation F If Repairs It	(Y) if you are aware an Repairs sirs or Pits Tanks sulation rmites or other wood OI) termites or WDI OI damage repaired	Y	N

Page 2 of 5 O'Donnell, Sandra

If t	he answer to any of the items in Section 3 is yes, explain (attach additional sheets if necessary): Leine dange to Shipples - had chimmey removed dive to sur danger of hat his to will be the fireplace Lead the trailer leveled 3 years ago
	*A single blockable main drain may cause a suction entrapment hazard for an individual.
wh	ction 4. Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need of repair, nich has not been previously disclosed in this notice? yes no If yes, explain (attach additional sheets if cessary):
	ction 5. Are you (Seller) aware of any of the following (Mark Yes (Y) if you are aware. Mark No (N) if you are t aware.) N Room additions, structural modifications, or other alterations or repairs made without necessary permits or not in compliance with building codes in effect at the time.
П	in compliance with building codes in effect at the time. ☐ Homeowners associations or maintenance fees or assessments. If yes, complete the following:
	Name of association:
	Manager name: Phone: Phone: and are: _ mandatory _ voluntary Any unpaid fees or assessment for the Property? _ yes (\$) _ no If the Property is in more than one association, provide information about the other associations below or attach information to this notice.
	Any common area (facilities such as pools, tennis courts, walkways, or other) co-owned in undivided interest with others. If yes, complete the following: Any optional user fees for common facilities charged? yes no If yes, describe:
	Any notices of violations of deed restrictions or governmental ordinances affecting the condition or use of the Property.
	Any lawsuits or other legal proceedings directly or indirectly affecting the Property. (Includes, but is not limited to: divorce, foreclosure, heirship, bankruptcy, and taxes.)
	Any death on the Property except for those deaths caused by: natural causes, suicide, or accident unrelated to the condition of the Property.
	Any condition on the Property which materially affects the health or safety of an individual.
	Any repairs or treatments, other than routine maintenance, made to the Property to remediate environmental hazards such as asbestos, radon, lead-based paint, urea-formaldehyde, or mold. If yes, attach any certificates or other documentation identifying the extent of the remediation (for example, certificate of mold remediation or other remediation).
	Any rainwater harvesting system connected to the property's public water supply that is able to be used for indoor potable purposes.
If th	ne answer to any of the items in Section 5 is yes, explain (attach additional sheets if necessary):
(TA	R-1406) 9-01-11 Initialed by: Seller:, Page 3 of 5

Initialed by: Seller:

Printed Name: James Anthony O'Donnell

(TAR-1406) 9-01-11

Printed Name: Sandra L. O'Donnell

and Buyer:

Page 4 of 5

ADDITIONAL NOTICES TO BUYER:

- (1) The Texas Department of Public Safety maintains a database that the public may search, at no cost, to determine if registered sex offenders are located in certain zip code areas. To search the database, visit www.txdps.state.tx.us. For information concerning past criminal activity in certain areas or neighborhoods, contact the local police department.
- (2) If the property is located in a coastal area that is seaward of the Gulf Intracoastal Waterway or within 1,000 feet of the mean high tide bordering the Gulf of Mexico, the property may be subject to the Open Beaches Act or the Dune Protection Act (Chapter 61 or 63, Natural Resources Code, respectively) and a beachfront construction certificate or dune protection permit may be required for repairs or improvements. Contact the local government with ordinance authority over construction adjacent to public beaches for more information.
- (3) If you are basing your offers on square footage, measurements, or boundaries, you should have those items independently measured to verify any reported information.
- (4) The following providers currently provide service to the property:

Electric: Heart of Texas	phone #:
Sewer:	phone #:
Water:	phone #:
Cable:	phone #:
Trash:	phone #:
Natural Gas:	phone #:
Phone Company:	phone #:
Propane:	phone #:

(5) This Seller Disclosure Notice was completed by Seller as of the date signed. The brokers have relied on this notice as true and correct and have no reason to believe it to be false or inaccurate. YOU ARE ENCOURAGED TO HAVE AN INSPECTOR OF YOUR CHOICE INSPECT THE PROPERTY.

The undersigned Buyer acknowledges receipt of the foregoing notice.

Signature of Buyer	Date	Signature of Buyer	Date
Printed Name:		Printed Name:	