

## Texas Association of Realtors

SELLER'S DISCLOSURE NOTICE

\*\*Towns Anaectarion of REALTORSE, Inc. 2011

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.

CONCERNING THE PR	ЮF	ERT	/ AT		2	183 VZ	$C_{i}$	4		CONCERNING THE PROPERTY AT 2183 VZ Cty Rd 4207 Canton TX 75103								
THIS NOTICE IS A DIS	SCL IGN IYE	OSUI IED E R MA	Y V	OF SE VIS	SEL LLEF H T(	LER'S KNOWLED 3 AND IS NOT A 3 OBTAIN, IT IS I	GE S	OF UBS	F TI STI	HE CONDITION OF THE PROFUTE FOR ANY INSPECTION RRANTY OF ANY KIND BY S	)PE INS	RT O	Y R					
the Property? Cl Section 1. The Proper	rtv i	<i>l 6</i> has th	e it	en	2.77 15 m	<i>்ற்⊴</i> or arked below: (Ma	□ ark `	nev Yes	erd (Y)	r), how long since Seller has o coupled the Property , No (N), or Unknown (U).) armine which items will & will not a								
Ph	VI	NU	F ##	en			V	N	11	Item	Ÿ	N	10					
						MARINA CON!	<del>  "</del>	7	4	Pump: □ sump □ grinder		V	-					
Cable TV Wiring		X				ropane Gas:	-	⊹			7	X	{					
Carbon Monoxide Det.	د إ	KI -				imunity (Captive)	-	ΑĻ.		Rain Gutters	交							
Ceiling Fans	X)L		LP on Property				1	_//	X.	Range/Stove								
Cooktop	X		Hot Tub					X.	i	Roof/Attic Vents	Х.							
Dishwasher	XL		Intercom System			n System		$\mathbf{X}$	_	Sauna		X						
Disposal		X	V	<b>Nic</b>	rowa	ve	$\mathbf{x}$			Smoke Detector	×		seman.					
Emergency Escape	7		(	Sut	door	Grill	1	· }		Smoke Detector - Hearing	[							
Ladder(s)	- lj	$\kappa$	- [				1 1	X		Impaired			X					
Exhaust Fans	V		F	at	io/De	cking	V			Spa	<u> </u>	X						
Fences	❖✝	-				g System	X			Trash Compactor	l _	X						
Fire Detection Equip.	$\rightarrow$			00			-	V	_	TV Antenna	$\mathbf{x}$							
French Drain	*	<del>-</del>		. ~		uinment	1-1	^	┦.	Washer/Dryer Hookup	X	1						
Gas Fixtures	-+	$\Diamond$	Pool Equipment Pool Maint, Accessories			+			Window Screens	$\nabla$								
		$\leftrightarrow$	Pool Heater			-			Public Sewer System	1	V							
Natural Gas Lines	ll,	<u> </u>		O	JI ITH	G(C)				11 0000 00000		<u> </u>						
item			Y	N	U	Addition					·							
Gentral A/C			X			Salelectric □ gas	3	ทบท	nbe	r of units:		_,						
Evaporative Coolers			1	X		number of units:						المالىدارو <sub>نى</sub> د						
Wall/Window AC Units				$\overline{\mathbf{x}}$	1	number of units:												
Attic Fan(s)			$\nabla$	,	1	if yes, describe:												
Central Heat			O	├-	-	Welectric Qgas number of units:												
Other Heat			<b>├</b> ~~~	V	,	if you describe:												
				ř		number of ovens: One Relectric D gas D other:												
Oven			$\Diamond$	┝		Mi wood □ gas logs □ mock □ other:												
Fireplace & Chimney			₩	┯		Wattached D not attached												
Carport			$\Delta$	<del> </del>	<del>.  </del>	Dattached Din						-						
Garage			ļ	$\downarrow \geq$	<b>SI</b> —			Hac	A I G	number of remotes:	-							
Garage Door Openers			4	JA	·	number of units:			-	Multiper of famoles.	31170 <del>-)</del> -		<del></del> }					
Satellite Dish & Control	)IS_		<u> </u>	X		□ owned □ lea				THE RESERVE THE PROPERTY OF TH	enance; Pe	DATE OF THE PERSON NAMED IN	m://					
Security System			L,	X	J	□ owned □ lea	<u>sed</u>	troi	m	number of units:								
Water Heater			X	1	,	electric gas	3 <del>1</del>	free	i G	Harithan or Contain			in					
Water Softener			-	42	X ☐ owned ☐ leased from													
Underground Lawn Sp	rink	kler	<u> </u>	A D automatic D manual areas covered:														
Septic / On-Site Sewe	r F	acility	X	if yes, attach Information About On-Site Sewer Facility (TAR-1407)							براندا 16							
(IAI)-1400) 3-01-11 IIBBARD DY. DERET. 13 DEFE																		
						Was " POR												

Are you (Seller) at defects, or are nee	ware of any of ed of repair?	f the items liste I yes I no If	d in yes	this 5 , desc	Section ribe (a	1 tha ttach i	at are not in working condition additional sheets if necessary)	, that I	nav
					·				
							Marin daya da a da a a a a a a a a a a a a a		
7-11-4-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1		:					**************************************	*********	
Continuo Augus	(0.11								
(Y) if you are awa	/ou (belier) av	vare of any de	Tect	S Or (	maifun	ction	s in any of the following?:	(Mark	Ye
(1) ii you are ama	e and 140 (M)	ii you ale liet	awc	ue.)					
Item	YN	Item			γ	N	Item	ĪΫ	N
Basement	X	Floors				X	Sidewalks		V
Ceilings	X	Foundation /		b(s)		X	Walls / Fences	7	ΪŸ
Doors		Interior Wall				X	Windows		X
Driveways	X	Lighting Fixt				X	Other Structural Componen	ts	
Electrical Systems		Plumbing Sy	/ster	ทร		X			
Exterior Walls		Roof				X			
Section 3. Are y	you (Seiler) av	ware of any of				****	ditional sheets if necessary):		
and No (N) if you	you (Seller) av are not aware	ware of any of	f the	falla	wing (	condi		are av	var
and No (N) if you Condition	you (Seiler) av are not aware	ware of any of		falla	wing (	condi	tions: (Mark Yes (Y) If you	are av	var
Condition Aluminum Wiring	are not aware	ware of any of	f the	falla N X	Cond	condition	tions: (Mark Yes (Y) If you	are aw	var
Condition Aluminum Wiring Asbestos Compon	are not aware	ware of any of	f the	falla	Cond Previo	condi	tions: (Mark Yes (Y) If you oundation Repairs oof Repairs	are aw	var
Condition Aluminum Wiring Asbestos Compon Diseased Trees: C	are not aware	÷.)	f the	falla	Cond Previo	lition ous Fr ous R	tions: (Mark Yes (Y) If you oundation Repairs oof Repairs ctural Repairs	are av	var
Condition Aluminum Wiring Asbestos Compon	are not aware	÷.)	f the	follo	Cond Previo	ition ous Frous R	tions: (Mark Yes (Y) If you oundation Repairs oof Repairs ctural Repairs	are aw	war
Condition Aluminum Wiring Asbestos Compon Diseased Trees: C Endangered Spec	nents  lies/Habitat on	÷.)	f the	follo	Cond Prevional Prevional Other Rado Settlin	condi litton ous Fr ous R Struc n Gas	tions: (Mark Yes (Y) If you oundation Repairs oof Repairs ctural Repairs	are aw	war
Condition Aluminum Wiring Asbestos Compon Diseased Trees: C Endangered Spec Fault Lines Hazardous or Tox Improper Drainage	nents lies/Habitat on ic Waste	÷.)	f the	follo	Cond Prevional Prevional Other Rado Settlin Soil N	litton ous Frous R Struc n Gas	tions: (Mark Yes (Y) If you oundation Repairs oof Repairs ctural Repairs	are aw	war
Condition Aluminum Wiring Asbestos Compon Diseased Trees: C Endangered Spec Fault Lines Hazardous or Tox Improper Drainage Intermittent or We	nents lies/Habitat on ic Waste	÷.)	f the	falla N X X X X	Cond Previo Previo Other Rado Settlin Soil N Subs	litton ous Frous R Struc n Gas ng Moven urface rgroui	tions: (Mark Yes (Y) If you oundation Repairs oof Repairs ctural Repairs s nent Structure or Pits nd Storage Tanks	are aw	war
And No (N) if you Condition Aluminum Wiring Asbestos Compon Diseased Trees: C Endangered Spec Fault Lines Hazardous or Tox Improper Drainage Intermittent or We Landfill	nents coak wilt Coak wilt Coak wilt Coak wilt Coak wilt Coak con coak wilt Coak wilt Coak wilt Coak will coak wilt Coak will c	Property	f the	falla N X X X X	Cond Previo Previo Other Rado Settlin Soil N Subs Unde	litton ous Frous R Struct n Gas ng Moven urface rgroun	tions: (Mark Yes (Y) If you oundation Repairs oof Repairs ctural Repairs s nent e Structure or Pits and Storage Tanks	are aw	war
And No (N) if you Condition Aluminum Wiring Asbestos Compon Diseased Trees: C Endangered Spec Fault Lines Hazardous or Tox Improper Drainage Intermittent or We Landfill Lead-Based Paint	nents coak wilt conic Waste e eather Springs or Lead-Baser	Property  d Pt. Hazards	f the	falla N X X X X	Cond Previo Previo Other Rado Settlin Soil N Subs Unde Unple	litton ous Frous R Struct n Gas ng Movem urface rgroun atted E	tions: (Mark Yes (Y) If you oundation Repairs oof Repairs ctural Repairs ent e Structure or Pits and Storage Tanks asements d Easements	are aw	war
And No (N) if you Condition Aluminum Wiring Asbestos Compon Diseased Trees: C Endangered Spec Fault Lines Hazardous or Tox Improper Drainage Intermittent or We Landfill Lead-Based Paint Encroachments or	nents I cak wilt II ices/Habitat on ic Waste e ather Springs or Lead-Baseo nto the Propert	Property  d Pt. Hazards	f the	follo	Cond Previo Previo Other Rado Settlin Soil N Subs Unde Unple Unrea	litton ous Frous R Struct n Gas ng Movem urface rgroun atted E	oundation Repairs out Repairs out Repairs out Repairs ctural Repairs setural Repairs setural Repairs and Storage Tanks assements d Easements aldehyde Insulation	are aw	war
And No (N) if you Condition Aluminum Wiring Asbestos Compon Diseased Trees: L Endangered Spec Fault Lines Hazardous or Tox Improper Drainage Intermittent or We Landfill Lead-Based Paint Encroachments on	nents I cak wilt I cak	Property  d Pt. Hazards	f the	falla N X X X X	Cond Previo Previo Other Rado Settlin Soil N Subs Unde Unpla Unrea Urea	lition ous Foous R Struct n Gas ng Movem urface rgroui atted E cordec	tions: (Mark Yes (Y) If you oundation Repairs oof Repairs ctural Repairs s nent Structure or Pits nd Storage Tanks asements d Easements aldehyde Insulation etration	are aw	war
And No (N) if you Condition Aluminum Wiring Asbestos Compon Diseased Trees: L Endangered Spec Fault Lines Hazardous or Tox Improper Drainage Intermittent or We Landfill Lead-Based Paint Encroachments on Improvements and Located in 100-ye	nents I cak wilt I cak	Property  d Pt. Hazards	f the	falla N X X X X	Cond Previo Previo Other Rado Settlin Soil N Subs Unde Unpla Unrea Wate Wetla	litton ous Fo ous R Struc n Gas ng Movem urface rgroui atted E cordec forma r Pend	oundation Repairs out Repairs out Repairs out Repairs ctural Repairs setural Repairs setural Repairs and Storage Tanks assements d Easements aldehyde Insulation	are aw	war
And No (N) if you Condition Aluminum Wiring Asbestos Compon Diseased Trees: Condended the Endangered Spector Fault Lines Hazardous or Tox Improper Drainage Intermittent or Welling Lead-Based Paint Encroachments or Improvements encoated in 100-yellocated in Floodwood.	nents coak wilt Coak will	Property  d Pt. Hazards	f the	falla N X X X X	Cond Previo Previo Other Rado Settlin Soil M Subs Unde Unred Urrea Wate Wetla	condition ous Foous R Struct n Gas ng Moventurface rgroun atted E cordec forma r Pend	tions: (Mark Yes (Y) If you oundation Repairs oof Repairs ctural Repairs s ment e Structure or Pits and Storage Tanks casements d Easements aldehyde Insulation etration on Property	are aw	war
and No (N) if you Condition Aluminum Wiring Asbestos Compon Diseased Trees: C Endangered Spec Fault Lines Hazardous or Tox Improper Drainage Intermittent or We Landfill Lead-Based Paint Encroachments or Improvements enc Located in 100-ye Located in Floodw Present Flood ins.	nents I cak wiit I cak	Property  d Pt. Hazards	f the	follo  N  X  X  X  X  X  X  X  X  X  X  X  X	Cond Previo Previo Other Rado Settlin Soil N Subs Unde Unred Urrea Wate Wetta	lition ous Foous R Struct n Gas ng Movent urface rgroui stted E cordec forma r Pend unds of l Rot e infes	tions: (Mark Yes (Y) If you oundation Repairs oof Repairs ctural Repairs s ment e Structure or Pits and Storage Tanks casements d Easements aldehyde Insulation etration on Property station of termites or other wo	are aw	war
And No (N) if you Condition Aluminum Wiring Asbestos Compon Diseased Trees: Componed Trees: Co	nents coak wilt Coak will	Property  d Pt. Hazards  y thers' property	f the	falla N X X X X	Cond Previous Previous Other Rado Settlin Soil M Subs Unde Unred Urrea Wate Wetia Wood Active destr	litton ous Fo ous R Struc n Gas ng Moven urface rgroui atted E cordec forma r Peni unds o d Rot e infer	tions: (Mark Yes (Y) If you  oundation Repairs  oof Repairs ctural Repairs  e Structure or Pits and Storage Tanks assements d Easements d Easements aldehyde Insulation etration on Property  station of termites or other wo insects (WDI)	are aw	war
And No (N) if you Condition Aluminum Wiring Asbestos Compon Diseased Trees: L Endangered Spec Fault Lines Hazardous or Tox improper Drainage Intermittent or We- Landfill Lead-Based Paint Encroachments or Improvements enc Located in 100-ye- Located in Flooding Previous Flooding Previous Flooding	nents coak wilt Coak was to coak was a coak was a coak was a coak was	Property  d Pt. Hazards y thers' property	f the	follo  N  X  X  X  X  X  X  X  X  X  X  X  X	Cond Previous Previous Other Rado Settlin Soil N Subs Unde Unpre Urea Wate Wete Wood Active destri	lition ous Frous R Struct ous R	oundation Repairs oundation Repairs oof Repairs ctural Repairs ctural Repairs and Storage Tanks asements d Easements didehyde Insulation etration on Property station of termites or other wo insects (WDI) eatment for termites or WDI eatment or WDI damage repaired	are aw	war
And No (N) if you Condition Aluminum Wiring Asbestos Compon Diseased Trees: Componed Trees: Co	are not aware  nents  leak wilt lead on the Propert croaching on of the Propert croaching onto the Propertical croaching onto the Propertical croaching onto the Propertical Croaching onto the Propertical Croaching on the Propertical Croaching of the Propertical Croaching on the Propertical Croac	Property  d Pt. Hazards y thers' property	f the	follo  N  X  X  X  X  X  X  X  X  X  X  X  X	Cond Previous Previous Other Rado Settlin Soil N Subs Unde Unpre Urea Wate Weste Wood Active destri	litton ous Frous R Struct ous R	tions: (Mark Yes (Y) If you oundation Repairs oof Repairs ctural Repairs s ment e Structure or Pits and Storage Tanks asements d Easements aldehyde Insulation etration on Property station of termites or other wo insects (WDI) eatment for termites or WDI	are aw	war

Concern	ing the Property at
If the a	nswer to any of the items in Section 3 is yes, explain (attach additional sheets if necessary):
	Ternedo bles tres desso damara sies interessary:
***************************************	
	*A single blockable main drain may cause a suction entrapment hazard for an individual.
VI 1006	n 4. Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need it, which has not been previously disclosed in this notice? ☐ yes ☑ no If yes, explain (attach had sheefs if necessary):
Section you are	n 5. Are you (Seller) aware of any of the following (Mark Yes (Y) if you are aware. Mark No (N) if not aware.)
Y N B	Room additions, structural modifications, or other alterations or repairs made without necessary permits or not in compliance with building codes in effect at the time.
□ XX	Homeowners' associations or maintenance fees or assessments. If yes, complete the following:  Name of association:  Manager's name:
	Name of association:  Manager's name:  Phone:  Fees or assessments are: \$ per and are: □ mandatory □ voluntary  Any unpaid fees or assessment for the Property? □ yes (\$) □ no  If the Property is in more than one association, provide information about the other associations below or attach information to this notice.
D DX	Any common area (facilities such as pools, tennis courts, walkways, or other) co-owned in undivided interest with others. If yes, complete the following:  Any optional user fees for common facilities charged?   yes  no If yes, describe:
Ω 2òX	Any notices of violations of deed restrictions or governmental ordinances affecting the condition or use of the Property.
□ <b>X</b>	Any lawsuits or other legal proceedings directly or indirectly affecting the Property. (Includes, but is not limited to: divorce, foreclosure, heirship, bankruptcy, and taxes.)
co bar	Any death on the Property except for those deaths caused by: natural causes, suicide, or accident unrelated to the condition of the Property.
	Any condition on the Property which materially affects the health or safety of an individual.
u oy	Any repairs or treatments, other than routine maintenance, made to the Property to remediate environmental hazards such as asbestos, radon, lead-based paint, urea-formaldehyde, or mold. If yes, attach any certificates or other documentation identifying the extent of the remediation (for example, certificate of mold remediation or other remediation).
	Any rainwater harvesting system connected to the property's public water supply that is able to be used for indoor potable purposes.
If the a	nswer to any of the items in Section 5 is yes, explain (attach additional sheets if necessary):
(TAR-14	06) 9-01-11 initialed by: Seller: TS by KSB and Buyer: Page 3 of 5

Concerning the Property at							
Section 6. Seller I has I has not attached a survey of the Property.							
Section 7. With persons who re permitted by law	Section 7. Within the last 4 years, have you (Seller) received any written inspection reports from persons who regularly provide inspections and who are either licensed as inspectors or otherwise permitted by law to perform inspections? If yes to lify yes, attach copies and complete the following:						
Inspection Date	Туре	Name of Inspector	y and to appear and compre	No. of Pages			
			the second secon				
Note: A buver sh	ould not rely on	the above cited reports as					
and the second second	A buyer show	ine above-cited reports as ld obtain inspections from it	a reflection of the current condinspectors chosen by the buyer,	ition of the Property.			
Section 8. Chec			er) currently claim for the Pro				
			LI Disabled	perty:			
U Wallte War	nagement	☐ Agricultural	Disabled Veteran				
The same same same same same same same sam			□ Unknown				
Section 10. Does the property have working smoke detectors installed in accordance with the smoke							
aerector tedanter	nents of Chapt	er 766 of the Health and :	Safety Code?* U unknown	Πnn Rivee Ifno			
				·			
installed in acco. including perform	rdance with the re nance, location, and	quirements of the building code I nower source requirements. If a	r two-family dwellings to have workin in effect in the area in which the o you do not know the building code req Iding official for more information.	lwelling is located			
impairment from seller to install si	eside in the dwell a licensed physicia moke detectors for	ing is hearing-impaired; (2) the n; and (3) within 10 days after the the hearing-impaired and specifi	ng impaired if: (1) the buyer or a men buyer gives the seller written evider e effective date, the buyer makes a wri ies the locations for installation. The nd of smoke detectors to install.	nce of the hearing then request for the			
Selier acknowledgincluding the broken material information	ter(s), has instr	ements in this notice are truucted or influenced Seller	ue to the best of Seller's belief to provide inaccurate informa	and that no person, tion or to omit any			
	Joseph Stark-Yathlen Scuoley 5/21/2013 Wilma Stark Kathlen Brasher Signature of Seller Printed Name: Joseph Stark by Kathleen Beasley Printed Name: Wilma B Stark - Kathleen Beasley						
(TAR-1406) 9-01-11	Initialad	by: Seller: JS by KSB a	and Ruune	T UN			
Comment CF	Пинтоп	WBS POA	asio Doyett	Page 4 of 5			

С	Concerning the Property at						
Д	ADDITIONAL NOTICES TO BUYER:						
(1	1) The Texas Department of Public Safety maintains a database that the public may search, at no cost, to determine if registered sex offenders are located in certain zip code areas. To search the database, visit <a href="https://www.txdps.state.tx.us">www.txdps.state.tx.us</a> . For information concerning past criminal activity in certain areas or neighborhoods, contact the local police department.						
(2	2) If the property is located in a coastal area that is seaward of the Gulf Intracoastal Waterway or within 1,000 feet of the mean high tide bordering the Gulf of Mexico, the property may be subject to the Open Beaches Act or the Dune Protection Act (Chapter 61 or 63, Natural Resources Code, respectively) and a beachfront construction certificate or dune protection permit may be required for repairs or improvements. Contact the local government with ordinance authority over construction adjacent to public beaches for more						

(3) If you are basing your offers on square footage, measurements, or boundaries, you should have those items independently measured to verify any reported information.

(4) The following providers currently provide service to the Trivity Valley Electric Coop, Electric:	he property: 1/C phone #: (972) 932-2214
Sewer:	phone #:
Water: <u>ide 1</u>	phone #:
Cable:	phone #:
Trash:	phone #:
	phone #:
Natural Gas: Phone Company:	> phone #:
Propane:	phone #:
(5) This Seller's Disclosure Notice was completed by S this notice as true and correct and have no reas ENCOURAGED TO HAVE AN INSPECTOR OF YO	Seller as of the date signed. The brokers have relied on on to believe it to be false or inaccurate. YOU ARE DUR CHOICE INSPECT THE PROPERTY.
The undersigned Buyer acknowledges receipt of the for	regoing notice.
Signature of Buyer Date Printed Name:	Signature of Buyer Date Printed Name:

information.