04/11/2007 11:10 AM

STATE OF TEXAS WELL REPORT for Tracking #108906

Owner:

Crenweige, Dale

Comfort, TX 78013

Owner Well #:

14

Address:

P.O. Box 717

Grid #:

57-43-8

Latitude:

30° 16' 35" N

Well Location:

RR 2721

Fredericksburg, TX 78624

Well County:

Gillespie

Longitude:

098° 41' 00" W

Elevation:

No Data

GPS Brand Used:

Garmin

Type of Work:

New Well

Proposed Use:

Domestic

Drilling Date:

Started: 4/2/2007 Completed: 4/2/2007

Hole:

Diameter of Diameter: 8.62 in From Surface To 50 ft Diameter: 6.75 in From 50 ft To 144 ft

Diameter: 6.00 in From 144 ft To 244 ft

Drilling

Air Hammer

Method:

Borehole

Straight Wall

Completion:

Annular

1st Interval: From 0 ft to 71 ft with 4 cement (#sacks and material)

Seal Data:

2nd Interval: No Data 3rd Interval: No Data

Method Used: gravity cemented

Cemented By: L & L Drilling Co.

Distance to Septic Field or other Concentrated Contamination: n/a ft

Distance to Property Line: 100 ft Method of Verification: estimated Approved by Variance: No Data

Surface

Surface Sleeve Installed

Completion:

Water

Static level: 141 ft. below land surface on 4/2/2007

Level:

Artesian flow: No Data

Packers:

poor boy 71'

Plugging

Casing or Cement/Bentonite left in well: No Data

Info:

Type Of

No Data

Pump:

http://134.125.70.235/drillers-new/insertwellreportprint.asp

04/11/2007 11:10 AM

Well Tests:

Jetted

Yield: 33.5 GPM with (No Data) ft drawdown after (No Data) hours

Water

Type of Water: 800 TDS, 34 grains hardness

Ouality:

Depth of Strata: 167, 189 ft. Chemical Analysis Made: Yes

Did the driller knowingly penetrate any strata which contained undesirable constituents: No

Data:

Certification The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being

returned for completion and resubmittal.

Company Information: L & L Drilling Co. P.O. Box 217 Hye, TX 78635

Driller

1595

License

Number:

Licensed **Gregory A. Smith**

Well Driller Signature:

Lynette Smith Registered

Driller **Apprentice** Signature:

Apprentice

1265

Registration Number:

Comments:

No Data

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #108906) on your written request.

Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 (512) 463-7880

DESC. & COLOR OF FORMATION MATERIAL

CASING, BLANK PIPE & WELL SCREEN DATA

04/11/2007 11:10 AM

From (ft) To (ft) Description

0 - 1 brown topsoil

1 - 33 yellow caliche & clay

33 - 98 gray clay & shale with gray limestone layers

98 - 107 yellow clay

107 - 113 red shale & limestone

113 - 135 gray, white & brown limestone

135 - 152 white & brown limestone with red streaks

152 - 185 gray & white limestone with brown streaks

185 - 232 brown & red limestone

232 - 244 gray limestone

167 - 174 water 1.5 gpm

189 - 191 water 32 gpm

Dia. New/Used Type 5 new plastic solid 0 - 148 0.265

Setting From/To

Dy WINDMILL

Page 1 of 2

STATE OF TEXAS WELL REPORT for Tracking #106766

Owner: Address:

Dale Crenweige

P.O. Box 717

Comfort, TX 78013

Well Location:

RR 2721

Fredericksburg, TX 78624

Well County:

Gillespie

Elevation:

New Well

No Data

Proposed Use:

Owner Well #:

Grid #:

Latitude:

Longitude:

GPS Brand Used:

2

Garmin

Domestic

57-43-8

30° 16' 36" N

098° 41' 10" W

Type of Work: Drilling Date:

Started: 2/9/2007

Completed: 2/12/2007

Diameter of Hole:

Diameter: 9.75 in From Surface To 88 ft Diameter: 6.75 in From 88 ft To 104 ft Diameter: 6.00 in From 104 ft To 510 ft

Drilling Method:

Air Hammer

Borehole

Gravel Packed From: 50 ft to 88 ft

Completion:

Gravel Pack Size: #4 pea

Annular Seal Data:

1st Interval: From 0 ft to 50 ft with 3 cement (#sacks and material)

2nd Interval: No Data 3rd Interval: No Data

Method Used: gravity cemented Cemented By: L & L Drilling Co.

Distance to Septic Field or other Concentrated Contamination: n/a ft

Distance to Property Line: 600 ft Method of Verification: estimated Approved by Variance: No Data

Surface

Completion:

Surface Sleeve installed

Water Level:

Static level: 291 ft. below land surface on 2/12/2007

Artesian flow: No Data

Packers:

none

Plugging Info

Casing or Cement/Bentonite left in well. No Data

Type Of Pump.

No Data

Well Tests.

Yield: 6.5 GPM with (No Data) ft drawdown after (No Data) hours

Water Quality,

Type of Water: 450 TDS, 17 grains hardness

Depth of Strata 210, 342 ft. Chemical Analysis Made, Yes

Did the driffer knowingly penetrate any strata which contained undestrable constituents. No

Certification Data

The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the logis) being returned for

completion and resubmittal

Page 2 of 2

Company Information:

L & L Drilling Co.

Drawer 217 Hye, TX 78635

Driller License Number:

1595

Licensed Well Driller Signature:

Gregory A. Smith

Registered Driller

Apprentice Signature:

Lynette Smith

Apprentice

1265

Registration

Comments:

Number:

No Data

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY TEX OCC. CODE Title 12, Chapter 1901 251, authorizes the owner towner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written

Please include the report's Tracking number (Tracking #106766) on your written request.

Texas Department of Licensing & Regulation P.O. Box 12157 Austin, TX 78711 (512) 463-7880

Dia. New/Used

DESC & COLOR OF FORMATION MATERIAL

CASING, BLANK PIPE & WELL SCREEN DATA

Setting From/To

Туре

6 new plastic solid +2 - 89 0.280

From (ft) To (ft) Description

0 - 1 brown topsoil

1 - 36 yellow caliche & limestone

36 - 48 gray shale

48 - 77 gray clay with yellow layers

77 - 89 yellow & white limestone

89 - 152 white & red limestone

152 - 266 yellow & white limestone

266 - 327 gray limestone with brown streaks

327 - 409 gray limestone with red streaks

409 - 431 gray limestone

431 - 477 gray & red limestone

477 - 510 red granite

210 - 211 water 0.5 gpm

342 - 343 water 6 gpm