

TEXAS ASSOCIATION OF REALTORS® SELLER'S DISCLOSURE NOTICE

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which

CONCERNING THE PROPERTY AT				2677 Bluebonnet Blvd. Brenham, TX 77833											
											_				
THIS NOTICE IS A DISC DATE SIGNED BY SEL MAY WISH TO OBTAIN AGENT.	I. IT	IS	TON	A WARRA	NTY OF ANY KIND	ANY BY	SEL	ECTIONS OR W ER, SELLER'S A	ARRANTIES TH AGENTS, OR AN	E B	THE				
Seller DVS □ is not o	_			orne	ver occupied the Pr	oper	ty			Pro	perty				
Section 1. The Proper This notice does n	ty h	as t	he it ish tt	ems marke e items to be	ed below: (Mark Ye conveyed. The contr	s (Y), No vill dete	N), or Unknown mine which items	(U).) vill & will not conve	Ψ.					
Item	Y	N	U	Item		Y	NU	Item		Y	NI				
Cable TV Wiring	11			Gas Lin	es (Nat/LP)		0		ump grinder	Ė					
Carbon Monoxide Det		V		Hot Tut		т	V	Rain Gutter		u					
Ceiling Fans	1/			Intercor	m System		1	Range/Stor		U	-				
Cooktop	V			Microw		т	1	Roof/Attic \		1	100				
Dishwasher	11			Outdoo	r Grill	\top	V	Sauna	- Grino		1				
Disposal	V			Patio/D	ecking	i.	2	Smoke Det	ector	u s					
Emergency Escape Ladder(s)		V	/	Plumbir	ng System	-			ector - Hearing		4				
Exhaust Fans	V/ Pool			Pool		10		Spa			1				
Fences	W			Pool Ed	juipment	1	/	Trash Com	pactor		1				
Fire Detection Equip.	V				aint Accessories	17	/	TV Antenna	Lanca Account		1				
French Drain		V		Pool He	ater	1	V	Washer/Dn		1	7				
			Sewer System		W	Window Sc	CONTRACTOR OF THE PARTY OF THE	4	1						
Item				YNU			Add	tional Informatio	on	_					
Central A/C			V	☐electric ☐ gas number of units:											
Evaporative Coolers			W	number of units:											
Wall/Window AC Units				V	number of units:										
Attic Fan(s)				11	if yes, describe:										
Central Heat				180	Prelectric ☐ gas number of units:										
Other Heat				1	if yes, describe:										
Oven				U	number of ovens: gas other.										
Fireplace & Chimney				W,	☐-wood ☐ gas logs ☐ mock ☐ other:										
Carport					attached not attached										
Garage			V	☐ attached ☐ not attached											
Garage Door Openers			U	number of units: number of remotes:											
Satellite Dish & Controls			1	☐ owned ☐ leased from											
Security System			1	□ owned □ leased from											
Water Heater				V	☐ electric ☐ gas		other	nu	mber of units:						
Water Softener				owned Dleas				TO SEA HILLION							
Underground Lawn Sprinkler				□ automatic □ manual areas covered:											
underground Lawn Spri	1111111			- 6	LIGHTOWING LI	Section	ACES C	CON PRACTOR		if yes, attach Information About On-Site Sewer Facility (TAR-1407)					

Water supply provided by	at							_	77833		
Was the Property built be (If yes, complete, sig	fore 1978 in, and atta	Dyes []r	conce] ur min	iknowi ig lead	h -based					
Roof Type:	overing on	the Property (shing	ge:	or roof	coveri		ce	d over existing shingles or roof	cover	nate ing)
		Itame listed in	thie S	ant	boc did	hat ore	mod to		orking condition, that have defe		
need of repair? yes	Then If y	es describe (s	ttach	arte	litional	choots	if par	I.W	orking condition, that have defe	ects, o	r ar
9,724	32.00	ou, occorrac (c	ACCORDING.	dente	ALUGNICI:	311001	5 11 1 1 COL	etro	isaly).		
				_	-						
section 2. Are you (Sel ware and No (N) if you	ller) aware are not aw	of any defec	ts or	ma	lfuncti	ons in	any o	of t	the following?: (Mark Yes (Y)	if you	ı ar
Item	YN	Item				γ	N	źΪ	Item	Te	/ N
Basement		Floors	_				7/	1	Sidewalks	1	N
Cellings		Foundati	on / S	ilah	(s)		7/	1	Walls / Fences		1
Doors		Interior V		77400	(4)		4	1	Windows	_	6
Driveways		/	Lighting Fixtures				1	7	Other Structural Components	-	4
Electrical Systems	12	Plumbing			S		4	1	Sweet Sweet and Components	_	-
Exterior Walls	1 7	Roof						1			+
		of any of the	e folio	iiwc	ig cor	dition	s: (Ma	rk	Yes (Y) if you are aware and	No.f	NN I
ou are not aware.)		of any of the	folic	iiwc	ig cor	dition	s: (Ma	irk	Yes (Y) if you are aware and	No (N) i
ou are not aware.)		of any of the	Y	N		ondition		ırk	Yes (Y) if you are aware and		_
ou are not aware.) Condition		of any of the	1.00		C	onditio	on		Yes (Y) if you are aware and tion Repairs	No (
ou are not aware.) Condition Aluminum Wiring		of any of the	1.00		C	onditio	on Foun	da	tion Repairs		_
ou are not aware.) Condition Aluminum Wiring Asbestos Components		of any of the	1.00		P	ondition revious revious	Found Roof	da Re	tion Repairs		_
Condition Aluminum Wiring Asbestos Components Diseased Trees: output output	wilt		1.00		P	ondition revious revious	Found Roof	da Re	tion Repairs		_
Condition Aluminum Wiring Asbestos Components Diseased Trees: Coak Endangered Species/Hai Fault Lines	wilt bitat on Pro		1.00		PPOR	ondition revious revious ther St	Found Roof	da Re	tion Repairs		_
Condition Aluminum Wiring Asbestos Components Diseased Trees: Condition C	wilt bitat on Pro		1.00		P P O R Si	ondition revious revious ther St adon G ettling oil Mov	Found Roof ructura ias	da Re	tion Repairs epairs Repairs		_
Condition Aluminum Wiring Asbestos Components Diseased Trees: call oak Endangered Species/Hal Fault Lines Hazardous or Toxic Was Improper Drainage	wilt bitat on Pro		1.00		P P O R Si Si	ondition revious revious ther Stadon Gattling oil Movubsurfa	Found Roof ructura ias	da Re al f	tion Repairs epairs Repairs ture or Pits		
Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hal Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S	wilt bitat on Pro		1.00		P P Si	ondition revious revious ther St adon G ettling oil Mov ubsurfa	Found Roof ructura ias ement ice Str	da Re al f	tion Repairs epairs Repairs ture or Pits rage Tanks		
Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hal Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill	wilt bitat on Pro ite Springs	operty	1.00		PP PP SS S	ondition revious ther St adon G ettling oil Mov ubsurfa ndergro	Found Roof ructuralias ement ace Str bund S d Ease	da Re al f	tion Repairs epairs Repairs ture or Pits rage Tanks ents		
Condition Aluminum Wiring Asbestos Components Diseased Trees:	wiltbitat on Protecte Springs	operty	1.00		P P O R Si Si Si Ui Ui Ui	ondition revious revious ther Stadon Gettling oil Movubsurfandergronnplatter	Found Roof ructurations is sement ice Stround	da Real f	tion Repairs epairs Repairs ture or Pits rage Tanks ents ments		
Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hal Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea Encroachments onto the	bitat on Proste Springs d-Based P	operty t. Hazards	1.00		P P O R Si	ondition revious revious ther St adon G ettling oil Movubsurfandergronplatten recorderes for rea-formeres of the state of	Found Roof ructurations in assement ice Stround S d Ease led Ease maldel	da Re al f	tion Repairs Epairs Repairs ture or Pits rage Tanks ents ments de Insulation		
Condition Aluminum Wiring Asbestos Components Diseased Trees: ak Endangered Species/Hal Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea Encroachments encroachi	bitat on Prosite Springs id-Based P Property ing on othe	operty t. Hazards	1.00		P P O R SI SI U U U U U W	ondition revious revious ther St adon G attling oil Movubsurfandergronplatter rea-formater Personal research re	Foundable Founda	da Re al F	tion Repairs epairs Repairs ture or Pits rage Tanks ents ments de Insulation		
Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Hai Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea Encroachments onto the Improvements encroachi Located in 100-year Floo	bitat on Prosite Springs id-Based P Property ing on othe	operty t. Hazards	1.00		P P O R SI SI U U U U W W	ondition revious revious ther Stadon Gettling oil Movubsurfandergron rea-former rea-formet after Poletlands	Found Roof ructuralias ement ace Stround Strou	da Re al F	tion Repairs epairs Repairs ture or Pits rage Tanks ents ments de Insulation		
Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hal Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea Encroachments onto the Improvements encroachi Located in 100-year Floo Located in Floodway	bitat on Proste Springs d-Based P Property Ing on othe	operty t. Hazards	1.00		P P O R Si	ondition revious revious ther St. adon Gettling oil Movubsurfa ndergronplatte nrecord rea-ford later Personal record reco	Foundable Foundable Found Street Faster Found Street Faster Faster Found Faster	da Real F	tion Repairs Pepairs Repairs ture or Pits rage Tanks ents ments de Insulation noerty		
Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hal Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea Encroachments onto the Improvements encroachi Located in 100-year Floo Located in Floodway Present Flood Ins. Cover	bitat on Problems Springs Id-Based P Property Ing on other Inglian	operty t. Hazards	1.00		P P O R SI SI U U U U W W W	ondition revious revious ther St. adon G ettling oil Movubsurfandergronplatter rea-formea-formed rea-formed re	Foundable Founda	da Real f	tion Repairs epairs Repairs ture or Pits rage Tanks ents ments de Insulation n party of termites or other wood-		
Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Hai Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea Encroachments onto the Improvements encroachi Located in 100-year Floo Located in Floodway Present Flood Ins. Cover (If yes, attach TAR-1414)	bitat on Protects Springs ad-Based Property ing on other adplain rage	operty t. Hazards	1.00		PP OOR SISSING UITED WWW ACCORD	ondition revious revious ther St adon G attling oil Movubsurfandergronplatten rea-formea-formea-formestroyin restroying	Found Sold Ease led E	da Real F	ture or Pits rage Tanks ents ments de Insulation n perty of termites or other wood- s (WDI)		
Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Hal Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea Encroachments onto the Improvements encroachi Located in 100-year Floo Located in Floodway Present Flood Ins. Cover (If yes, attach TAR-1414) Previous Flooding into the	bitat on Proteste Springs ad-Based P Property Ing on othe odplain rage e Structure	operty It Hazards Its' property	1.00		PP PO R Si	ondition revious revious ther St. adon Gettling oil Movubsurfa necordinate Petlands lood Roctive in estroyin revious	Foundarias Foundarias Found Strough Ease Found Strough Ease Foundarias on Prot Festatic grinse treatment of the Festatic Festatic grinse Foundarias Foundarias Festatic Festat	da Re al F ruc Sto em ise hyc ion on ects	tion Repairs Pepairs Repairs ture or Pits rage Tanks ents ments de Insulation perty of termites or other wood- s (WDI) nt for termites or WDI		
Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hal Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea Encroachments onto the Improvements encroachi Located in 100-year Floo Located in Floodway Present Flood Ins. Cover (If yes, attach TAR-1414) Previous Flooding into the Previous Flooding onto the	bitat on Proteste Springs ad-Based P Property Ing on othe odplain rage e Structure	operty It Hazards Its' property	1.00		PP Pr Pr	ondition revious revious ther St. adon G ettling oil Movubsurfandergronplatter rea-formestroyim evious revious revious revious	Foundamental Fernandamental Fernanda	da Re al f	ture or Pits rage Tanks ents ments de Insulation of termites or other wood- s (WDI) or WDI damage repaired		
Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hal Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea Encroachments onto the	bitat on Property Ing on other Ingelia	operty It Hazards Its' property	1.00		PP Pr Pr	ondition revious revious ther St. adon G ettling oil Movubsurfandergronplatter rea-formestroyim evious revious revious revious	Foundamental Fernandamental Fernanda	da Re al f	tion Repairs Pepairs Repairs ture or Pits rage Tanks ents ments de Insulation perty of termites or other wood- s (WDI) nt for termites or WDI		

Concerning the Property at	2677 Bluebonnet_lvd. Brenham, TX 77833
If the answer to any of the items i	n Section 3 is yes, explain (attach additional sheets if necessary):
necessary):	are of any item, equipment, or system in or on the Property that is in need of repair y disclosed in this notice? yes no If yes, explain (attach additional sheets in the property that is in need of repair yellows).
Section 5. Are you (Seller) aw not aware.)	are of any of the following (Mark Yes (Y) if you are aware. Mark No (N) if you are
Y N	
Room additions, struct	ural modifications, or other alterations or repairs made without necessary permits or not ding codes in effect at the time.
Name of accordation	ions or maintenance fees or assessments. If yes, complete the following:
Fees or assessmen Any unpaid fees or If the Property is in attach information to	ts are: \$ per and are: ☐ mandatory ☐ voluntary assessment for the Property? ☐ yes (\$) ☐ no in more than one association, provide information about the other associations below or bothis notice.
with others. If yes, com	cilities such as pools, tennis courts, walkways, or other) co-owned in undivided interest in in place the following: les for common facilities charged? yes no If yes, describe:
Any notices of violation Property.	ns of deed restrictions or governmental ordinances affecting the condition or use of the
Any lawsuits or other le	gal proceedings directly or indirectly affecting the Property.
Any death on the Prop	erty except for those deaths caused by: natural causes, suicide, or accident unrelated to perty.
Any condition on the Pr	roperty which materially affects the health or safety of an individual.
hazards such as asbes If yes, attach any c	ints, other than routine maintenance, made to the Property to remediate environmental tos, radon, lead-based paint, urea-formaldehyde, or mold, ertificates or other documentation identifying the extent of the remediation (for example, emediation or other remediation).
f the answer to any of the items in	Section 5 is yes, explain (attach additional sheets if necessary):
TAR-1406) 7-16-08	nitialed by: Seller: W and Buyer Page 3 of 5

		267	sluebonnet_lvd.	
Concerning the Pro	perty at	Br	enham, TX 77833	
Section 6. Seller	□has □ha	s not attached a survey of the	e Property.	
Section 7. Within	the last 4 ve	ars have you (Seller) receiv	ed any written inspection repo	who form manager with
regularly provide	inspections as	nd who are either licensed as yes, attach copies and complet	inspectors or otherwise permi	itted by law to perform
Inspection Date	Туре	Name of Inspector		[N. 15
mapocount Date	1700	maine of hispector		No. of Pages
Note: A buye	er should not i	rely on the above-cited repo	rts as a reflection of the curren	t condition of the
Pro	operty. A buye	er should obtain inspections	from inspectors chosen by the	buyer.
Homestead		ption(s) which you (Seller) cu Senior Citizen	rrantly claim for the Property:	
☐ Wildlife Mana	gement	☐ Agricultural	☐ Disabled Veteran	
Other:			☐ Unknown	
which the claim wa	as made? □y	es If yes, explain:	ng) and not used the proceeds t	to make the repairs for
Section 10. Does to requirements of Ch Attach additional sh	apter 766 of th	he Health and Safety Code?"	ors installed in accordance with ☐ unknown ☐ no ☐ yes. If r	h the smoke detector no or unknown, explain.
Attauri additional sti	eets II necessa	ry).		
*Chanter 766	of the Health	and Safaty Code maying on	ne-family or two-family dwellings	the drawn and the
which the dw know the bui	tors installed in elling is located	n accordance with the requirent, including performance, locate direments in effect in your area	nents of the building code in effe- ion, and power source requirement, you may check unknown above	ct in the area in
ioodi puliding	WHICH IN THOS	в шинанин.		
of the buyers	s family who wi	Il reside in the dwelling is hear	the hearing impaired if: (1) the buy ing-impaired; (2) the buyer gives (the seller written
the buyer ma	ne nearing impa akas a writtan	minment from a licensed physici	an; and (3) within 10 days after th ill smoke detectors for the heari	e effective date.
specifies the	locations for in	stallation. The parties may an	ree who will bear the cost of insta	ng-impaired and
detectors and	which brand o	f smake detectors to install	are who will be deat of thate	amily the smoke
eller acknowledges roker(s), has instruc	that the statem sted or influence	nents in this notice are true to the ad Seller to provide inaccurate	ne best of Seller's belief and that n information or to omit any materia	no person, including the I information.
1/	AL-DI	21/1/20	- /11/	
ignature of Seller	0	Char Dillo	Australian of Seller	5/19/09
rinted Name: Kenn	eth Felcha		ted Name: Irene Felchak	Date
AR-1406) 7-16-08		tialed by: Seller /	and Buyer.	Page 4 of 5
	7111	1400	unité adyon	rage + or 5

Produced with ZipFormS by zipLogix 18070 Fifteen Mile Road, Fraser, Michigan 48026 www.zipLogix.com

Felchak Disclo

ADDITIONAL NOTICES TO BUYER:

- The Texas Department of Public Safety maintains a database that the public may search, at no cost, to determine if registered sex offenders are located in certain zip code areas. To search the database, visit www.txdps.state.tx.us. For information concerning past criminal activity in certain areas or neighborhoods, contact the local police department.
- If the property is located in a coastal area that is seaward of the Gulf Intracoastal Waterway or within 1,000 feet of the mean high tide bordering the Gulf of Mexico, the property may be subject to the Open Beaches Act or the Dune Protection Act (Chapter 61 or 63, Natural Resources Code, respectively) and a beachfront construction certificate or dune protection permit may be required for repairs or improvements. Contact the local government with ordinance authority over construction adjacent to public beaches for more information.

(3)	If you are basing your offers on square footage, n independently measured to verify any reported informa-	neasurements, or boundaries, you should have those items
(4)	The following providers currently provide service to the Electric: Bluelennet Cl.	property:Sewer:Septc'
	Water. Well	Cable: Disk
	Trash:	Natural Gas:
	Local Phone: 919-257-9501	Propane:
feter	AN INSPECTOR OF YOUR CHOICE INSPECT THE Pi undersigned Buyer acknowledges receipt of the forego te detector requirements of Chapter 766. Health and Sa	r as of the date signed. The brokers have relied on this notice be false or inaccurate. YOU ARE ENCOURAGED TO HAVE ROPERTY. Ing notice and acknowledges the property complies with the fety Code, or, if the property does not comply with the smoke buyer's rights to have smoke detectors installed in compliance
	ture of Buyer Date	Signature of Buyer Date
111100	su mame.	Printed Name:



TEXAS ASSOCIATION OF REALTORS®

INFORMATION ABOUT ON-SITE SEWER FACILITY

USE OF THIS FORM BY PERSONS WHO ARE NOT MEMBERS OF THE TEXAS ASSOCIATION OF REALTORSS IS NOT AUTHORIZED.

(CTexas Association of REALTORSS, Inc., 2004)

co	NCERNING TH	E PROPERTY AT		2677 Bluebonnet Blvd. Brenham, TX 77833	
A.	DESCRIPTIO	N OF ON-SITE SE	WER FACILITY ON		
	(1) Type of Ti	reatment System:	Septic Tank	Aerobic Treatment	☐ Unknown
	(2) Type of D	stribution System:			4 Unknown
	(3) Approxima	ate Location of Dra	in Field or Distributio	n System:	
	(5) Approxima	ate Age:			Unknown
B.		CE INFORMATION			OHRHOWN
	Phone:	ce contracts must i	contractor;	ect for the on-site sewer facility? ation date: e aerobic treatment and certain no.	Yes And
	SOME INCH	11163.7			-Starloard Ur-Site
			vere last pumped? _		
	ii yes, expi	ain;		on-site sewer facility?	☐ Yes ☑ No
C.			ITS, AND CONTRAC	ation available for review?	Yes Ano
	(1) The following	ng items concerning	g the on-site sewer f		SSF was installed
	(2) "Planning r submitted to	materials" are the the the the	supporting material thority in order to obt	s that describe the on-site sewe ain a permit to install the on-site se	r facility that are wer facility.
	(3) It may be			ne permit to operate an on-sit	
TAD	1407) 1 7 04	1.00-			
wo S I	1407) 1-7-04 Realty 2457 Butterusp.	Initialed for ider Brenhum, TX 77833	ethication by Buyer	and Seller	Page 1 of 2
DOBE: (979) 277 - 4190	Fax:	Melanie Falk zipLogix 18070 Fifteen Mile Ro	nd Franser Michigan 48006 was nich sein som	Felchale Sewer

D. INFORMATION FROM GOVERNMENTAL AGENCIES: Pamphlets describing on-site sewer facilities are available from the Texas Agricultural Extension Service. Information in the following table was obtained from Texas Commission on Environmental Quality (TCEQ) on 10/24/2002. The table estimates daily wastewater usage rates. Actual water usage data or other methods for calculating may be used if accurate and acceptable to TCEQ.

Facility	Usage (gal/day) without water- saving devices	Usage (gal/day) with water- saving devices
Single family dwelling (1-2 bedrooms; less than 1,500 sf)	225	180
Single family dwelling (3 bedrooms; less than 2,500 sf)	300	240
Single family dwelling (4 bedrooms; less than 3,500 sf)	375	300
Single family dwelling (5 bedrooms; less than 4,500 sf)	450	360
Single family dwelling (6 bedrooms; less than 5,500 sf)	525	420
Mobile home, condo, or townhouse (1-2 bedroom)	225	180
Mobile home, condo, or townhouse (each add'l bedroom)	75	60

This document is not a substitute for any inspections or warranties. This document was completed to the best of Seller's knowledge and belief on the date signed. Seller and real estate agents are not experts about on-site sewer facilities. Buyer is encouraged to have the on-site sewer facility inspected by an inspector of Buyer's choice.

Signature of Seller-

Kenneth Felchak

Date

Signature of Seller

Irene Felchak

Receipt acknowledged by:

Signature of Buyer

Date

Signature of Buyer

Date

(TAR-1407) 1-7-04