

## TEXAS ASSOCIATION OF REALTORS® SELLER'S DISCLOSURE NOTICE

©Texas Association of REALTORS®, Inc. 2016
Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.

ONCERNING THE PROPERTY AT	HH48 count	1 Noad	28 no Koppin 1	TN 766:
HIS NOTICE IS A DISCLOSURE OF ATE SIGNED BY SELLER AND IS MAY WISH TO OBTAIN. IT IS NOT GENT. /	NOT A SUBSTITUTE FOR A	NY INSPECT	TIONS OR WARRANTIES TH	E BUYER
eler Mis is not occupying the	Property If unoccupied (by Sal	ler) how long	cince Seller has occupied the	Property?
1_23 (years)	or Theyer occupied the Pro	nerty	since Seller has occupied the	rioperty:
			or Unknown (U)	
ection 1. The Property has the ite	e items to be conveyed. The contra			ev
Item YNU	Item	YNU	Item	YNU
Cable TV Wiring	Liquid Propane Gas:	1	Pump: sump grinder	11/2
Carbon Monoxide Det.	-LP Community (Captive)		Rain Gutters	
Ceiling Fans	-LP on Property		Range/Stove	
Cooktop	Hot Tub		Roof/Attic Vents	
Dishwasher V	Intercom System	11/	Sauna	
Disposal	Microwave	1/	Smoke Detector	
Emergency Escape	Outdoor Grill		Smoke Detector - Hearing	
Ladder(s)	Cutador Cim	1	Impaired	IV
Exhaust Fans	Patio/Decking	1	Spa	
Fences	Plumbing System		Trash Compactor	HU
Fire Detection Equip.	Pool		TV Antenna	
French Drain	Pool Equipment		Washer/Dryer Hookup	
Gas Fixtures	Pool Maint, Accessories		Window Screens	
Natural Gas Lines	Pool Heater		Public Sewer System	
Item	YNU		nal Information	
Central A/C	V □ electric □ gas	number of t	units: 2	
Evaporative Coolers	number of units: _		<del>-</del>	
Wall/Window AC Units	number of units: _		<del></del>	
Attic Fan(s)	if yes, describe:	1 .	2	
Central Heat	V electric 17 gas	number of t	units:	
Other Heat	if yes, describe:	1 -		
Oven	number of ovens:			
Fireplace & Chimney			other: <u>qus</u> starter	
Carport		ot attached		
Garage		ot attached		
Garage Door Openers	number of units:	11. D	number of remotes:	
Satellite Dish & Controls		the same of the sa	irect TV	
Security System		ed from		
Water Heater	electric   gas		number of units:	2
		ed from		
Water Softener	the state of the s			
Underground Lawn Sprinkler Septic / On-Site Sewer Facility	□ automatic □ n		s covered: On-Site Sewer Facility (TAR-1	1077

Phone: 972-989-5220
Produced with zipForm® by zipLogix 18070 Fifteen Mile Road, Fraser, Michigar 48026

Fax: 972-534-1732 
www.zipLogix.com

FORMS

(TAR-1406) 01-01-16 COBB PROPERTIES, 10156 FM 219 Clifton, TX 76634 Stefanie Cobb

Concerning the Property at _	444	o coun	111/10	700	180	UE COPPOUL	110.100		-
Water supply provided by: [	city w	ell MUD	со-ор	unkn		. / /	71-1	ere en	
Vas the Property built befor									
(If yes, complete, sign,									
Roof Type: motal	5 V UU	mp	Age:	234	ear	0		roximat	
s there an overlay roof cove	ering on the	Property (sh	ningles or ro	oof cover	ing plac	ced over existin	g shingles or roof c	overing	)?
]yes ☑no ☐unknown									
Are you (Seller) aware of an need of repair?	/								
Section 2. Are you (Selle aware and No (N) if you are			s or malfur	nctions i	n any o	of the following	g?: (Mark Yes (Y) i	f you a	re
Item	YN.	Item		Y	N	Item		Y	N
Basement		Floors			V	Sidewalks			L
Ceilings			n / Slab(s)		W	Walls / Fen	ces	11	V
Doors	111	Interior W			1	Windows		$\dashv \dashv$	V
	+++						tural Components	++	_
Driveways	11/	Lighting F			1	Other Struc	tural Components	+++	
Electrical Systems	IM	Plumbing	Systems		10			$\dashv$	
				and the same of th					-
Exterior Walls  f the answer to any of the it	ems in Sec		, explain (at	itach add	itional s	sheets if necess	sary):		
f the answer to any of the it		ation 2 is yes,						No (N)	) if
Exterior Walls  f the answer to any of the it  Section 3. Are you (Selle you are not aware.)  Condition		ation 2 is yes,			ns: (M				) if
f the answer to any of the it  Section 3. Are you (Selleyou are not aware.)		ation 2 is yes,	following	conditio	ns: (M		you are aware and		
f the answer to any of the it  Section 3. Are you (Selle you are not aware.)  Condition		ation 2 is yes,	following	conditio  Conditio	ns: (M	ark Yes (Y) if y	you are aware and		
Section 3. Are you (Selle you are not aware.)  Condition  Aluminum Wiring	er) aware o	ation 2 is yes,	following	Conditio  Conditio  Previou  Previou  Other S	ns: (Mation us Four us Roof	ark Yes (Y) if y	you are aware and		
Section 3. Are you (Selle you are not aware.)  Condition Aluminum Wiring Asbestos Components	er) aware o	ation 2 is yes,	following	Condition  Condition  Previous Other Stadon	ns: (Milition us Four us Roof Structur Gas	ark Yes (Y) if y	you are aware and		
Section 3. Are you (Selle you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: □ oak v Endangered Species/Habi Fault Lines	er) aware o	ation 2 is yes,	following	Condition  Condition  Previous  Previous  Other S  Radon  Settling	ns: (Maison us Four us Roof Structur Gas	ark Yes (Y) if y  Indation Repairs If Repairs If Repairs	you are aware and		
Section 3. Are you (Selle you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees:  oak v Endangered Species/Habi Fault Lines Hazardous or Toxic Waste	er) aware o	ation 2 is yes,	following	Condition  Condition  Previous  Previous  Other S  Radon  Settling  Soil Mo	ns: (Mation us Four us Roor Structur Gas Dovemer	ark Yes (Y) if y	you are aware and		
Section 3. Are you (Selle you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees:  oak v Endangered Species/Habi Fault Lines Hazardous or Toxic Waste	er) aware o	ation 2 is yes,	following	Conditio  Conditio  Previous  Previous  Other S  Radon  Settling  Soil Mo	ns: (Massion in the contraction	ark Yes (Y) if y	you are aware and		
Section 3. Are you (Selle you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees:  ak v Endangered Species/Habi Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp	er) aware o	ation 2 is yes,	following	Condition  Condition  Previous  Other's  Radon  Settling  Soil Mo  Subsur  Underg	ns: (Maximus Four us Roof Structur Gas Dovemer face Siground	ark Yes (Y) if y  Indation Repairs FRepairs FRepairs Fal Repairs Int Int Itructure or Pits Storage Tanks	you are aware and		
Section 3. Are you (Selle you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees:  ak v Endangered Species/Habi Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp	vilttat on Prop	erty	following	Condition  Condition  Previous  Other Signature  Radon  Settling  Soil Mosubsur  Underg  Unplate	ns: (Market in the control of the co	ark Yes (Y) if y  Indation Repairs If Repair	you are aware and		
Section 3. Are you (Seller ou are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: ack v Endangered Species/Habi Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp Landfill Lead-Based Paint or Lead	vilttat on Proportings	erty	following  Y N  V  V  V  V  V  V  V  V  V  V  V  V  V	Condition  Previous Other's Radon Settling Soil Mo Subsur Underg Unplatt Unreco	ns: (M lion us Four us Roof Structur Gas liovement face Si ground ted Eas orded E	ark Yes (Y) if y  Indation Repairs If Repair	you are aware and		
Section 3. Are you (Selle you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: ack v Endangered Species/Habi Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp Landfill Lead-Based Paint or Lead Encroachments onto the F	vilttat on Proportings -Based Pt. Property	erty Hazards	following	Condition  Condition  Previous  Previous  Other S  Radon  Settling  Soil Mo  Subsum  Underg  Unplati  Unrecco  Urea-fo	ns: (Maximus Four us Roof Structure Gas Structure Face Structure Gas Structure Face Structure Gas St	ark Yes (Y) if y  Indation Repairs If Repairs If Repairs It tructure or Pits It Storage Tanks It seements It assements It seements It seem	you are aware and		
Section 3. Are you (Selle you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees:  oak v Endangered Species/Habi Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp Landfill Lead-Based Paint or Lead Encroachments onto the F Improvements encroaching	vilttat on Proportings -Based Pt. Property g on others	erty Hazards	following  Y N  V  V  V  V  V  V  V  V  V  V  V  V  V	Condition  Condition  Previous  Previous  Other S  Radon  Settling  Soil Mo  Subsuit  Underg  Unplatt  Unreco	ns: (Massion Library (M	ark Yes (Y) if y  Indation Repairs If Repair	you are aware and		
Section 3. Are you (Selle you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: oak w Endangered Species/Habi Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp Landfill Lead-Based Paint or Lead Encroachments onto the F Improvements encroachin Located in 100-year Flood	vilttat on Proportings -Based Pt. Property g on others	erty Hazards	following  Y N  V  V  V  V  V  V  V  V  V  V  V  V  V	Condition  Condition  Previous  Previous  Other's  Radon  Settling  Soil Mic  Subsun  Underg  Unplati  Unreco  Urea-fo  Water  Wetlan	ns: (Maxion last Four us Roof Structur Gas ) by emer face Siground ted East or malded Penetralds on I	ark Yes (Y) if y  Indation Repairs If Repairs If Repairs It tructure or Pits It Storage Tanks It seements It assements It seements It seem	you are aware and		
Section 3. Are you (Selle you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees:  oak v Endangered Species/Habi Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp Landfill Lead-Based Paint or Lead Encroachments onto the F Improvements encroachin Located in 100-year Flood Located in Floodway	vilttat on Properings -Based Pt. Property g on others plain	erty Hazards	following  Y N  V  V  V  V  V  V  V  V  V  V  V  V  V	Condition  Condition  Previous  Other S  Radon  Settling  Soil Mo  Subsun  Underg  Unplati  Unrecc  Urea-fo  Water  Wetlan  Wood	ns: (Maximus Fourus Roof) Structur Gas Dovement face Signound ted East orded East orded East orded Son I Rot	ark Yes (Y) if y  Indation Repairs Indation Repairs Indation Repairs Indation Repairs Indation Repairs Indation Repairs Indation Property  Indation Property	you are aware and		
Section 3. Are you (Selle you are not aware.)  Condition  Aluminum Wiring Asbestos Components Diseased Trees:  ak you Endangered Species/Habi Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Species/Habi Lead-Based Paint or Lead Encroachments onto the Felmprovements encroaching Located in 100-year Flood Located in Floodway Present Flood Ins. Covera	vilttat on Properings -Based Pt. Property g on others plain	erty Hazards	following  Y N  V  V  V  V  V  V  V  V  V  V  V  V  V	Condition  Previous Other Settling Soil Mos Subsur Undergung Unplatt Unrecounter Water Wetland Wood Active	ns: (Maximus Four us Four us Roof Structur Gas Structur Gas orded East orded East orded Penetra do on I Rot infestation	ark Yes (Y) if y  Indation Repairs If Repair	you are aware and		
Section 3. Are you (Selle you are not aware.)  Condition  Aluminum Wiring  Asbestos Components  Diseased Trees:  ak you Endangered Species/Habi Fault Lines  Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Species/Habi Lead-Based Paint or Lead Encroachments onto the Ferroachments onto the Ferroachments encroaching Located in 100-year Flood Located in Floodway  Present Flood Ins. Covera (If yes, attach TAR-1414)	vilttat on Proportings -Based Pt. Property g on others plain ge	erty  Hazards ' property	following  Y N  V  V  V  V  V  V  V  V  V  V  V  V  V	Condition  Previous Previous Other's Radon Settling Soil Mos Subsur Undergunger Unplatt Unreconstruction Water Wetland Wood Active destroy	ns: (Maximus Four us Four us Roof Structure Gas Structure	ark Yes (Y) if y  Indation Repairs If Repair	you are aware and		NUULUUVUVUUU
Section 3. Are you (Selle you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: oak v Endangered Species/Habi Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp Landfill Lead-Based Paint or Lead Encroachments onto the F Improvements encroachin Located in 100-year Flood Located in Floodway Present Flood Ins. Covera (If yes, attach TAR-1414) Previous Flooding into the	vilt tat on Proportings -Based Pt. Property g on others plain ge Structures	erty  Hazards ' property	following  Y N  V  V  V  V  V  V  V  V  V  V  V  V  V	Condition Previous Previous Other Stradon Settling Soil Mic Subsun Underg Unplat Unrecc Urea-fo Water Wetlan Wood Active destroy Previous	ns: (Malais Four us Roof Structure Gas Pround ted East pround	ark Yes (Y) if y  Indation Repairs If Repair	or other wood		
Section 3. Are you (Selle you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees:  oak v Endangered Species/Habi Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp Landfill Lead-Based Paint or Lead Encroachments onto the F Improvements encroachin Located in 100-year Flood Located in Floodway Present Flood Ins. Covera (If yes, attach TAR-1414) Previous Flooding into the	vilttat on Proportings -Based Pt. Property g on others plain ge Structures e Property	erty  Hazards ' property	following  Y N  V  V  V  V  V  V  V  V  V  V  V  V  V	Condition  Condition  Previous Previous Other S Radon Settling Soil Mr Subsun Underg Unplate Unread Urea-fo Water Wetlan Wood Active destroy Previous	ns: (Maxion last Four Last Roof Structur Gas Povemer face Signound ted East Penetra ds on I Rot infestativing insus treat us term	ark Yes (Y) if y  Indation Repairs Indation Repairs Indation Repairs Indation Repairs Indation Property  Indation Property  Ition of termites Itin of ter	or other wood		NUULUUVUVUUU
Section 3. Are you (Selle you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: oak we endangered Species/Habit Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Species/Habit Lead-Based Paint or Lead Encroachments onto the Filmprovements encroaching Located in 100-year Flood Located in Floodway Present Flood Ins. Covera (If yes, attach TAR-1414) Previous Flooding into the Previous Flooding onto the Located in Historic District	vilt	erty  Hazards ' property	following  Y N  V  V  V  V  V  V  V  V  V  V  V  V  V	Condition  Condition  Previous Previous Other's Radon Settling Soil Mic Subsun Underg Unplati Unreco Urea-fo Water Wetlan Wood Active destroy Previous Previous	ns: (Maxion last Four us Roof Structur Gas Structur face Structur face Structur face Structur face East Four alder Four alder Four face Structur face East Four alder Four face Structur face East Four face Structur face Four face Structur face Four face Structur face Four face Structur face Four	ark Yes (Y) if y  Indation Repairs Indation Repairs Indation Repairs Indation Repairs Indation Property  Indation Property  Ition of termites Itin of termites Iti	or other wood es or WDI age repaired		NUULULULULULULULULULULULULULULULULULULU
Section 3. Are you (Selle you are not aware.)  Condition Aluminum Wiring Asbestos Components Diseased Trees: oak v Endangered Species/Habi Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Sp Landfill Lead-Based Paint or Lead Encroachments onto the F Improvements encroachin Located in 100-year Flood Located in Floodway Present Flood Ins. Covera (If yes, attach TAR-1414) Previous Flooding into the	vilt	erty  Hazards ' property	following  Y N  V  V  V  V  V  V  V  V  V  V  V  V  V	Condition  Condition  Previous Previous Other's Radon Settling Soil Mo Subsur Underg Unplati Unrecc Urea-fo Water Wetlan Wood Active destroy Previous Previous Previous Termit	ns: (Maximus Fourus Roof) Structur Gas Dovement face Signound ted East orded	ark Yes (Y) if y  Indation Repairs If Repair	or other wood es or WDI age repaired		NUULULULULULULULULULULULULULULULULULULU

(TAR-1406) 01-01-16

Initialed by: Buyer: \_\_\_\_\_, and Seller: \$05, OYY

Page 2 of 5

Con	cerning	the Property at 4448 County road 2800 Roppert, T.4. 16652
If the	e answe	er to any of the items in Section 3 is yes, explain (attach additional sheets if necessary):
Market Market Mark		
		*A single blockable main drain may cause a suction entrapment hazard for an individual.
whi	ch has	Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need of repair, not been previously disclosed in this notice?   yes  no If yes, explain (attach additional sheets if
	etion 5. aware.	Are you (Seller) aware of any of the following (Mark Yes (Y) if you are aware. Mark No (N) if you are
Ö	Ø	Room additions, structural modifications, or other alterations or repairs made without necessary permits or not in compliance with building codes in effect at the time.
	0	Homeowners' associations or maintenance fees or assessments. If yes, complete the following:  Name of association:
		Manager's name: Phone: and are: mandatory voluntary  Any unpaid fees or assessment for the Property? yes (\$) no  If the Property is in more than one association, provide information about the other associations below or attach information to this notice.
	Ø	Any common area (facilities such as pools, tennis courts, walkways, or other) co-owned in undivided interest with others. If yes, complete the following:  Any optional user fees for common facilities charged?   yes  no If yes, describe:
		Any notices of violations of deed restrictions or governmental ordinances affecting the condition or use of the Property.
	03	Any lawsuits or other legal proceedings directly or indirectly affecting the Property. (Includes, but is not limited to: divorce, foreclosure, heirship, bankruptcy, and taxes.)
	Ø	Any death on the Property except for those deaths caused by: natural causes, suicide, or accident unrelated to the condition of the Property.
	THE STATE OF THE S	Any condition on the Property which materially affects the health or safety of an individual.
		Any repairs or treatments, other than routine maintenance, made to the Property to remediate environmental hazards such as asbestos, radon, lead-based paint, urea-formaldehyde, or mold.  If yes, attach any certificates or other documentation identifying the extent of the remediation (for example, certificate of mold remediation or other remediation).
	团	Any rainwater harvesting system located on the Property that is larger than 500 gallons and that uses a public water supply as an auxiliary water source.
囡		The Property is located in a propane gas system service area owned by a propane distribution system retailer.
	02	Any portion of the Property that is located in a groundwater conservation district or a subsidence district.
(T/	AR-140	6) 01-01-16 Initialed by: Buyer:, and Seller: Bob , DSY Page 3 of 5

Concerning the Pro	perty at	448 countr	1 Noad 2800, K	Copper U.T.	76652
		1	(attach additional sheets	///	
- 0	- «		vices our pr	5972 Statut-193	uk)
Section 7. Within regularly provide i	the last 4 yearnspections and	not attached a survey ars, have you (Seller) and who are either licens es, attach copies and co	received any written ins	spection reports ferwise permitted	from persons who by law to perform
Inspection Date	Туре	Name of Inspecto			No. of Pages
provider? ☐ yes Section 10. Have y insurance claim or	you (Seller)  you (Seller) ev	er received proceeds	☐ Disabled ☐ Disabled ☐ Unknown  for damage to the  for a claim for damage ceeding) and not used the ain:	Veteran  Property with	(for example, an ake the repairs for
Section 11. Does to requirements of Chapter (Attach additional shape)	napter 766 of th	e Health and Safety Co	etectors installed in acode?* □ unknown Ⅳn	cordance with the	e smoke detector unknown, explain.
smoke detect which the dw know the but	tors installed in relling is located	accordance with the re l, including performance, irements in effect in you	res one-family or two-fan equirements of the buildin location, and power soul or area, you may check u	g code in effect in rce requirements. I	the area in
A buyer may of the buyer' evidence of t the buyer m specifies the	require a seller s family who wil the hearing impa akes a written locations for in	to install smoke detecto I reside in the dwelling is irment from a licensed p request for the seller to	rs for the hearing impaired s hearing-impaired; (2) the physician; and (3) within 1 o install smoke detectors ay agree who will bear the tall.	e buyer gives the s 0 days after the eff for the hearing-in	seller written fective date, poaired and
(TAR-1406) 01-01-1	6 Init	ialed by: Buyer:	and Seller:	30,5 D4M	Page 4 of 5

Conc	erming the Property at 4448 County	2000, Kopperl, Texas 76652	
Signa	ature of Seller  Brian O. Gregory  Date	Dina H. Hugory	
ADD	ITIONAL NOTICES TO BUYER:		
(1)	registered sex offenders are located in certain zip code	atabase that the public may search, at no cost, to determine if areas. To search the database, visit <a href="www.txdps.state.tx.us">www.txdps.state.tx.us</a> . certain areas or neighborhoods, contact the local police	
(2)	Protection Act (Chapter 61 or 63, Natural Resources C	ord of the Gulf Intracoastal Waterway or within 1,000 feet of the perty may be subject to the Open Beaches Act or the Dune code, respectively) and a beachfront construction certificate or improvements. Contact the local government with ordinance or more information.	
(3)	If you are basing your offers on square footage, me independently measured to verify any reported information	easurements, or boundaries, you should have those items ion.	
(5)	Natural Gas: Graver: Has none Phone Company: Wind Stream (don't use Propane: Menigus  This Seller's Disclosure Notice was completed by Seller	phone #:	32
Signa	ture of Buyer Date	Signature of Buyer Date	
Printe	ed Name:	Printed Name:	
(T A =	1400) 04 04 40		

(TAR-1406) 01-01-16



## TEXAS ASSOCIATION OF REALTORS®

## INFORMATION ABOUT ON-SITE SEWER FACILITY

USE OF THIS FORM BY PERSONS WHO ARE NOT MEMBERS OF THE TEXAS ASSOCIATION OF REALTORS® IS NOT AUTHORIZED. ©Texas Association of REALTORS®, Inc., 2004

CO	ICERNING THE PROPERTY AT 4448 County road 2800, Kopper	C, TX 76652
A.	DESCRIPTION OF ON-SITE SEWER FACILITY ON PROPERTY:	
	(1) Type of Treatment System: Septic Tank Aerobic Treatment	Unknown
	(2) Type of Distribution System: Leaching	Unknown
	(3) Approximate Location of Drain Field or Distribution System: NW side of	Unknown
	(4) Installer:	Unknown
	(5) Approximate Age: 23 years	Unknown
B.	MAINTENANCE INFORMATION:	
	(1) Is Seller aware of any maintenance contract in effect for the on-site sewer facility?  If yes, name of maintenance contractor:	Yes No
	Phone: contract expiration date: Maintenance contracts must be in effect to operate aerobic treatment and certain nor sewer facilities.)	n-standard" on-site
	(2) Approximate date any tanks were last pumped?	
	(3) Is Seller aware of any defect or malfunction in the on-site sewer facility?  If yes, explain:	Yes I No
	(4) Does Seller have manufacturer or warranty information available for review?	Yes INO
C.	PLANNING MATERIALS, PERMITS, AND CONTRACTS:	
	(1) The following items concerning the on-site sewer facility are attached:  planning materials permit for original installation inspection when of maintenance contract manufacturer information warranty information	SSF was installed
	(2) "Planning materials" are the supporting materials that describe the on-site sewe submitted to the permitting authority in order to obtain a permit to install the on-site se	er facility that are ewer facility.
	(3) It may be necessary for a buyer to have the permit to operate an on-sit transferred to the buyer.	te sewer facility
(TAF	-1407) 1-7-04 Initialed for Identification by Buyer, and Seller BOS, Ū	066 Page 1 of 2
COBI	PROPERTIES, 10156 FM 219 Clifton, TX 76634 972-989-5220 Fax: 972-534-1732 Stefanie Cobb	info on brokerage

D. INFORMATION FROM GOVERNMENTAL AGENCIES: Pamphlets describing on-site sewer facilities are available from the Texas Agricultural Extension Service. Information in the following table was obtained from Texas Commission on Environmental Quality (TCEQ) on 10/24/2002. The table estimates daily wastewater usage rates. Actual water usage data or other methods for calculating may be used if accurate and acceptable to TCEQ.

<u>Facility</u>	Usage (gal/day) without water- saving devices	Usage (gal/day) with water- saving devices
Single family dwelling (1-2 bedrooms; less than 1,500 sf)	225	180
Single family dwelling (3 bedrooms; less than 2,500 sf)	300	240
Single family dwelling (4 bedrooms; less than 3,500 sf)	375	300
Single family dwelling (5 bedrooms; less than 4,500 sf)	450	360
Single family dwelling (6 bedrooms; less than 5,500 sf)	525	420
Mobile home, condo, or townhouse (1-2 bedroom)	225	180
Mobile home, condo, or townhouse (each add'l bedroom)	75	60

This document is not a substitute for any inspections or warranties. This document was completed to the best of Seller's knowledge and belief on the date signed. Seller and real estate agents are not experts about on-site sewer facilities. Buyer is encouraged to have the on-site sewer facility inspected by an inspector of Buyer's choice.

13dh		Ding A Angeons	
Signature of Seller	Date	Signature of Seller	Date
Receipt acknowledged by:			

Signature of Buyer Date Signature of Buyer Date