NAlAvant

For Sale ±262.25 AC Rural Land

Swygert Road Blythewood, South Carolina

CONTACT BROKERS FOR MORE INFORMATION:

Tom Milliken +1 803 744 9837

Tombo Milliken +1 803 744 9852 tmilliken@naiavant.com tombo.milliken@naiavant.com

THE INFORMATION CONTAINED HEREIN HAS BEEN GIVEN TO US BY THE OWNER OF THE PROPERTY OR OTHER SOURCES WE DEEM RELIABLE. WE HAVE NO REASON TO DOUBT ITS ACCURACY, BUT WE DO NOT GUARANTEE IT. ALL INFORMATION SHOULD BE VERIFIED PRIOR TO PURCHASE OR LEASE.

807 Gervais Street, Suite 301 Columbia, South Carolina 29201 +1 803.254.0100www.naiavant.com

Swygert Road Blythewood, South Carolina

For Sale ±262.25 AC Rural Land

Property Features

- ±262.25 acres for sale on Swygert Road in Blythewood, SC
- Frontage along Swygert Road and Mount Valley Road
- Water and sewer available
- Well timbered
- Zoning: RU, Richland County
- Sale Price: \$2,555,000





807 Gervais Street, Suite 301 Columbia, South Carolina 29201 +1 803.254.0100 www.naiavant.com



NAvant

Map Updated: Wednesday, April 4, 2018. This information submitted is not guaranteed. Although obtained from reliable sources, all information should be confirmed prior to use or reliance upon the information. This document may n



Columbia Country Club

Windemere Colf Course

Woodlands Country Club

Summit Park

Spring Valley Country Club

N Brickyard Rd

Wildewood Country Club

Dentsville Sesquicentennial State Park

Sloan Rd

VAI Avant.

Aerial





pril 4, 2018.

NAI Avant.

262.25 ± Acres 1049 Swygert Rd., Blythewood, SC 29016







of NAI Avant.

262.25 ± Acres 1049 Swygert Rd., Blythewood, SC 29016

Topographical Map: 10' Contours





IAI Avant.

262.25 ± Acres 1049 Swygert Rd., Blythewood, SC 29016

Topographical Map

nril 4 2018





f NAI Avant.

262.25 ± Acres 1049 Swygert Rd., Blythewood, SC 29016

FEMA National Flood Hazard Layer

ARD Race

SPECIAL FLOOD HAZARD AREAS

1% Annual Chance Flood Hazard Zone A, AE, A98, A Q, AH, AR, V VE

 Regulatory Floodway

 OTHER AREAS OF FLOOD HAZARD

 0.2% Annua I Chance Flood Hazard

 Zone X

 Future Conditions 1% Annual

 Chance Flood Hazard Zone X

 Area with Reduced Flood Risk due to Levee Zone X

Areas Outside the 0.2% Annual Chance Floodplain Zore X

Areas of Undetermined Flood Hazard Zone D

CROSS SECTIONS & BFES





IAI Avant.

262.25 ± Acres 1049 Swygert Rd., Blythewood, SC 29016

National Wetlands Inventory

National Wetlands Inventory







IAI Avant.

262.25 ± Acres 1049 Swygert Rd., Blythewood, SC 29016

Soil Survey



Although o



ent of NAI Avant.

n part without the express writte

262.25 ± Acres 1049 Swygert Rd., Blythewood, SC 29016

Map Unit Description (Brief, Generated)

Richland County, South Carolina

[Minor map unit components are excluded from this report]

Map unit: AtA - Altavista silt loam, 0 to 2 percent slopes

Component: Altavista (100%)

The Altavista component makes up 100 percent of the map unit. Slopes are 0 to 2 percent. This component is on coastal plains, stream terraces. The parent material consists of loamy marine deposits. Depth to a root restrictive layer49 inches, bedrock, paralithic,. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 18 inches during January, February, March, December. Organic matter content in the surface horizon is about 0 percent. Nonirrigated land capability classification is 2w. This soil does not meet hydric criteria.

Map unit: CH - Chewacla soils

Component: Chewacla (80%)

The Chewacla component makes up 80 percent of the map unit. Slopes are 0 to 2 percent. This component is on flood plains on coastal plains. The parent material consists of loamy alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is somewhat poorly drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is occasionally flooded. It is not ponded. A seasonal zone of water saturation is at 6 inches during January, February, March, April, November, December. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 3w. This soil does not meet hydric criteria.

Map unit: FuB - Fuguay sand, 2 to 6 percent slopes

Component: Fuguay (100%)

The Fuguay component makes up 100 percent of the map unit. Slopes are 2 to 6 percent. This component is on marine terraces on coastal plains. The parent material consists of plinthic loamy marine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches is low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 60 inches during January. February, March. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 2s. This soil does not meet hydric criteria.

Map unit: GeB - Georgeville silt loam, 2 to 6 percent slopes

Component: Georgeville (85%)

The Georgeville component makes up 85 percent of the map unit. Slopes are 2 to 6 percent. This component is on interfluves, piedmonts. The parent material consists of residuum weathered from metavolcanics and/or residuum weathered from metasedimentary rock and/or residuum weathered from slate. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 2e. This soil does not meet hydric criteria.



Conservation Service

Survey Area Version: 15 Survey Area Version Date: 12/23/2013 Richland County, South Carolina

[Minor map unit components are excluded from this report]

Map unit: GeC - Georgeville silt loam, 6 to 10 percent slopes

Component: Georgeville (100%)

The Georgeville component makes up 100 percent of the map unit. Slopes are 6 to 10 percent. This component is on hillslopes on uplands. The parent material consists of clayey residuum weathered from slate. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 3e. This soil does not meet hydric criteria.

Map unit: LaB - Lakeland sand, 2 to 6 percent slopes

Component: Lakeland (100%)

The Lakeland component makes up 100 percent of the map unit. Slopes are 2 to 6 percent. This component is on marine terraces on sandhills. The parent material consists of sandy marine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is excessively drained. Water movement in the most restrictive layer is high. Available water to a depth of 60 inches is low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 4s. This soil does not meet hydric criteria.

Map unit: NaB - Nason silt loam, 2 to 6 percent slopes

Component: Nason (100%)

The Nason component makes up 100 percent of the map unit. Slopes are 2 to 6 percent. This component is on hillslopes on uplands. The parent material consists of clayey residuum weathered from slate. Depth to a root restrictive layer, bedrock, paralithic, is 40 to 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 2e. This soil does not meet hydric criteria.

Map unit: NaE - Nason complex, 10 to 30 percent slopes

Component: Nason (100%)

The Nason component makes up 100 percent of the map unit. Slopes are 10 to 30 percent. This component is on hillslopes on uplands. The parent material consists of clayey residuum weathered from slate. Depth to a root restrictive layer, bedrock, paralithic, is 40 to 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 4e. This soil does not meet hydric criteria.

Map Unit Description (Brief, Generated)

Richland County, South Carolina

Map unit: PeB - Pelion loamy sand, 2 to 6 percent slopes

Component: Pelion (90%)

The Pelion component makes up 90 percent of the map unit. Slopes are 2 to 6 percent. This component is on marine terraces on sandhills. The parent material consists of loamy marine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is low. Available water to a depth of 60 inches is low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 12 inches during January, February, March, April, November, December. Organic matter content in the surface horizon is about 1 percent. Nonirrigated land capability classification is 2e. This soil does not meet hydric criteria.

Map unit: W - Water

Component: Water (100%)

Generated brief soil descriptions are created for major soil components. The Water is a miscellaneous area.

