Owner:

Ty Claiborne

Owner Well #:

Address:

P.O. Box 1315

Marble Falls, TX 78654

57-22-8

1

Grid #: Latitude:

30° 37' 50" N

Well Location: 3690 FM 1980

Burnet, TX 78611

Longitude:

098° 19' 02" W

Well County:

Burnet

Elevation:

902 ft. above sea level

Type of Work: New Well

Proposed Use:

Domestic

Drilling Start Date: 6/15/2007

Drilling End Date: 6/15/2007

Diameter (in.)

Top Depth (ft.)

Bottom Depth (ft.)

Borehole:

8

0

80

Drilling Method:

Air Hammer

Borehole Completion:

Straight Wall

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Annular Seal Data:

0

20

4 cement

Seal Method: poured slurry

Distance to Property Line (ft.): 100+

Sealed By: Driller

Distance to Septic Field or other concentrated contamination (ft.): 194

Distance to Septic Tank (ft.): No Data

Method of Verification: measuring tape

Surface Completion:

Surface Sleeve Installed

Water Level:

29 ft. below land surface on 2007-06-15

Measurement Method: Unknown

Packers:

Rubber 20'

Type of Pump:

Submersible

Well Tests:

Estimated

Yield: 100 GPM

Water Type

Water Quality:

No Data

No Data

Chemical Analysis Made:

No

Did the driller knowingly penetrate any strata which

contained injurious constituents?:

No

Certification Data:

The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the report(s) being returned for completion and resubmittal.

Company Information:

Highland Drilling, Inc.

3339 E. Hwy 29 Burnet, TX 78611

Driller Name:

Clifford Bohannon

License Number:

4386

Comments:

No Data

Lithology: **DESCRIPTION & COLOR OF FORMATION MATERIAL**

Casing: **BLANK PIPE & WELL SCREEN DATA**

Setting From/To (ft.)

Top (ft.) Bottom (ft.) Description

0 1 topsoil

Dia. (in.) New/Used Type

4 1/2 New PVC 0-60 Sch 40

1 80

granite gravel

4 1/2 New Perf PVC 60-80 Sch 40

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner:

Tyrone and Jeannie Claiborne

Owner Well #: Lot #3

Address:

PO Box 1315

Grid #:

57-22-8

Marble Fails, TX 78654

Latitude:

30° 37' 47" N

Well Location:

Lot #3 - 3630 FM 1980 Marble Falls, TX 78654

Longitude:

098° 18' 57" W

Well County:

Elevation:

No Data

Type of Work:

New Well

Burnet

Proposed Use:

Domestic

Drilling Start Date: 6/22/2005

Drilling End Date: 6/22/2005

Diameter (in.)

Top Depth (ft.)

Bottom Depth (ft.)

Borehole:

8 6.5 0

20

20

100

Drilling Method:

Air Hammer

Borehole Completion:

Straight Wall

Bottom Depth (ft.)

Description (number of sacks & material)

Annular Seal Data:

Top Depth (ft.) O

20

4 Portland

Seal Method: Slurry

Sealed By: Driller

Variance Number: n/a

Distance to Property Line (ft.): 50+

Distance to Septic Field or other

concentrated contamination (ft.): 100+

Distance to Septic Tank (ft.): No Data

Method of Verification: landowner

Surface Completion:

Surface Sleeve Installed

Water Level:

No Data

Packers:

Burlap 30', 20'

Type of Pump:

No Data

Well Tests:

Jetted

Yield: 100+ GPM

Water Type

Water Quality:

30-100

Granite

Chemical Analysis Made:

No

Did the driller knowingly penetrate any strata which

contained injurious constituents?:

No

Certification Data:

The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the report(s) being returned for completion and resubmittal.

Company Information: APEX Drilling Inc.

PO Box 867

Marble Falls, TX 78654

Driller Name:

Michael G Becker, P.G.

License Number:

54516

Comments:

No Data

Lithology: **DESCRIPTION & COLOR OF FORMATION MATERIAL**

Casing: **BLANK PIPE & WELL SCREEN DATA**

Top (ft.)	Battam (ft.)	Description	Dis. (in.) New/Used Type Setting From/To (ft.)
0	5	TopSoil	4.5" New PVC +2 to 40 Sch40
5	20	Granite Gravel with Clay	4.5" New Stotted 40 to 100
20	100	Granite Gravel	

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

STATE OF TEXAS WELL	REPORT for Tracking #45390
---------------------	----------------------------

Owner:

Tyrone & Jeannie Claiborne

Owner Well #:

Tract 5

Address:

PO Box 1315

Marble Falls, TX 78654

Grid #:

57-22-8

Well Location:

3600 FM 1980 (Tract 5)

Latitude:

30° 37' 46" N

Marble Falls, TX 78654

Longitude:

098° 18' 55" W

Well County:

Burnet

Elevation:

No Data

Type of Work: New Well

Proposed Use:

Domestic

Drilling Start Date: 7/13/2004

Drilling End Date: 7/13/2004

Diameter (in.)

Top Depth (ft.)

Bottom Depth (ft.)

Borehole:

0 20

20 100

Drilling Method:

Air Hammer

Borehole Completion:

Straight Wall

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Annular Seal Data:

Đ

20

Seal Method: Slurry

Distance to Septic Field or other

Sealed By: Driller

concentrated contamination (ft.): 100+

Distance to Property Line (ft.): 50+

Distance to Septic Tank (ft.): No Data

Method of Verification: landowner

Surface Completion:

Surface Sleeve Installed

Water Level:

No Data

Packers:

Burlap 45', 40', 20'

Type of Pump:

No Data

Well Tests:

Jetted

Yield: 100+ GPM

Water Type

Water Quality:

45-94

Granite

Chemical Analysis Made:

No

Did the driller knowingly penetrate any strata which

contained injurious constituents?:

No

Certification Data:

The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the report(s) being returned for completion and resubmittal.

Company Information:

APEX Drilling, Inc.

PO Box 867

Marble Falls, TX 78654

Driller Name:

Michael G. Becker, P.G.

License Number:

54516

Comments:

No Data

Lithology: **DESCRIPTION & COLOR OF FORMATION MATERIAL**

Casing: **BLANK PIPE & WELL SCREEN DATA**

Top (ft.)	Bottom (ft.)	Description	Die. (in.) New/Used Type Setting From/To (ft.)
0	8	TopSoil	4.5"(5"OD) New PVC +2 to 60 Sch40
8	94	Granite Gravel	4.5"(5"OD) New Slotted PVC 60 to 100 .035
94	100	Granite Bedrock	·

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner:

Tyrone & Jeannie Claiborne

Owner Well #: T

Tract 4

Address:

PO Box 1315

Marble Falls, TX 78654

Grid #:

57-22-8

Well Location:

3620 FM 1980 (Tract 4)

Latitude:

30° 37' 45" N

N

Marble Falls, TX 78654

Longitude:

098° 18' 55" W

Well County:

Burnet

Elevation:

No Data

Type of Work:

New Well

Proposed Use:

Domestic

Drilling Start Date: 7/13/2004

Drilling End Date: 7/13/2004

Diameter (in.)

Top Depth (ft.)

Bottom Depth (ft.)

Borehole:

8

0 20 20 100

Drilling Method:

Air Hammer

Borehole Completion:

Straight Wall

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Annular Seal Data:

0

20

4

Seal Method: Slurry

Sealed By: Driller

Distance to Property Line (ft.): 50+

Distance to Septic Field or other

concentrated contamination (ft.): 100+

Distance to Septic Tank (ft.): No Data

Method of Verification: landowner

Surface Completion:

Surface Sleeve Installed

Water Level:

No Data

Packers:

Burlap 45', 40', 20'

Type of Pump:

No Data

Well Tests:

Jetted

Yield: 100+ GPM

Water Type

Water Quality:

45-96

Granite

Chemical Analysis Made:

No

Did the driller knowingly penetrate any strata which

contained injurious constituents?:

Certification Data:

The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the report(s) being returned for completion and resubmittal.

Company Information: APEX Drilling, Inc.

PO Box 867

Marble Falls, TX 78654

Driller Name:

Michael G. Becker, P.G.

License Number:

54516

Comments:

No Data

Lithology:		
DESCRIPTION & COLOR OF FORMATION MATERIAL		

Casing: **BLANK PIPE & WELL SCREEN DATA**

Top (ft.)	Bottom (ft.)	Description	Dia. (in.) New/Used Type Setting From/To (ft.)
0	8	TopSoil	4.5"(5"OD) New PVC +2 to 60 Sch40
8	96	Granite Gravel	4.5"(5"OD) New Slotted PVC 60 to 100 .035
96	100	Granite Bedrock	

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner:

Tyrone and Jeannie

Owner Well #:

1

Address:

P.O. Box 1315

Marble Falls, TX 78654

57-22-8

Well Location:

Latitude:

Grid #:

30° 37' 45" N

3690 FM 1980 Marble Falls, TX 78654

Longitude:

098° 18' 55" W

Well County:

Burnet

Elevation:

No Data

Type of Work: New Well

Proposed Use:

Drilling Start Date: 1/8/2004

Irrigation

Drilling End Date: 1/8/2004

Diameter (in.)

Top Depth (ft.)

Bottom Depth (ft.)

Borehole:

8

0

10

10

100

Drilling Method:

Air Hammer

Borehole Completion:

Straight Wall

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Annular Seal Data:

0

20

Seal Method: Slurry

Sealed By: Driller

Distance to Septic Field or other concentrated contamination (ft.): 100+

Distance to Property Line (ft.): 50+

Distance to Septic Tank (ft.): No Data

Method of Verification: landowner

Surface Completion:

Surface Sleeve Installed

Water Level:

No Data

Packers:

Burlap 20'

Type of Pump:

No Data

Well Tests:

Jetted

Yield: 60 GPM

Water Type

Water Quality:

42-97

Ganite

Chemical Analysis Made:

No

Did the driller knowingly penetrate any strata which

contained injurious constituents?;

No

Certification Data:

The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the report(s) being returned for completion and resubmittal.

Company Information: APEX Drilling Inc.

PO Box 867

Marble Falls, TX 78654

Driller Name:

Michael G Becker, P.G.

License Number:

54516

Comments:

No Data

Lithology: **DESCRIPTION & COLOR OF FORMATION MATERIAL**

Casing: **BLANK PIPE & WELL SCREEN DATA**

Top (ft.)	Bottom (ft.)	Description	Dia. (in.) New/Used Type Setting From/To (ft.)
0	5	Top Soil	4.5" (5"OD) New PVC +2ft. to 100ft. Sch40
5	97	Granite Gravel	
97	100	Pink Granite	

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.