
Rifenbark

Coffey County, Kansas, 145 AC +/-







Boundary

| All Polygons 144.6 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%
8611	Apperson-Eram silty clay loams, 1 to 3 percent slopes	7.7	5.33
8775	Kenoma silt loam, 1 to 3 percent slopes	132.8	91.84
8151	Lanton silty clay loam, 0 to 2 percent slopes, occasionally flooded	3.0	2.05
8729	Eram silt loam, 1 to 3 percent slopes	0.7	0.47
8300	Verdigris silt loam, channeled, 0 to 2 percent slopes, frequently flooded	0.0	0.02
8911	Summit silty clay loam, 1 to 3 percent slopes	0.4	0.28
TOTALS		144.6	100%

| Boundary 66.4 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%
8611	Apperson-Eram silty clay loams, 1 to 3 percent slopes	7.7	11.62
8775	Kenoma silt loam, 1 to 3 percent slopes	58.7	88.38
TOTALS		66.4	100%

| Boundary 78.2 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%
8151	Lanton silty clay loam, 0 to 2 percent slopes, occasionally flooded	3.0	3.79
8729	Eram silt loam, 1 to 3 percent slopes	0.7	0.87
8775	Kenoma silt loam, 1 to 3 percent slopes	74.1	94.79
8300	Verdigris silt loam, channeled, 0 to 2 percent slopes, frequently flooded	0.0	0.05
8911	Summit silty clay loam, 1 to 3 percent slopes	0.4	0.51
TOTALS		78.2	100%

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability Class(non-irrigated)								
Class(non migated)	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$ soil limitations within the rooting zone $\left(w\right)$ excess of water