


2 fields, 175 acres in Nowata County, OK



## All fields


Source: NRCS Soil Survey

175 ac

| SOIL CODE | SOIL DESCRIPTION   | ACRES | PERCENTAGE OF FIELD | SOIL CLASS | NCCPI |
|-----------|--|-------|---------------------|------------|-------|
| NoB       | Nowata silt loam, 3 to 5 percent slopes                  | 65.12 | 37.3%               | 3          | 46.7  |
| DnB       | Dennis silt loam, 1 to 3 percent slopes                  | 30.19 | 17.3%               | 2          | 73.5  |
| SuC       | Summit silty clay loam, 3 to 5 percent slopes            | 21.96 | 12.6%               | 3          | 60.2  |
| SkD       | Shidler-Kiti-Rock outcrop complex, 1 to 8 percent slopes | 18.26 | 10.5%               | 6          | 7.8   |
| ScB       | Shidler-Claremore complex, 1 to 3 percent slopes         | 14.98 | 8.6%                | 4          | 24.1  |
| CbB       | Coweta-Bates complex, 1 to 5 percent slopes              | 10.25 | 5.9%                | 4          | 35.3  |
| W         | Water  | 8.32  | 4.8%                | 8          | N/A   |
| ReB       | Riverton loam, 1 to 3 percent slopes                     | 3.55  | 2.0%                | 2          | 60.4  |
| DAM       | Large Dam  | 2.03  | 1.2%                | 8          | N/A   |



2 fields, 175 acres in Nowata County, OK




## Field 1

Source: NRCS Soil Survey

165 ac

| SOIL CODE | SOIL DESCRIPTION   | ACRES | PERCENTAGE OF FIELD | SOIL CLASS | NCCPI |
|-----------|--|-------|---------------------|------------|-------|
| NoB       | Nowata silt loam, 3 to 5 percent slopes                  | 65.12 | 39.5%               | 3          | 46.7  |
| DnB       | Dennis silt loam, 1 to 3 percent slopes                  | 30.19 | 18.3%               | 2          | 73.5  |
| SuC       | Summit silty clay loam, 3 to 5 percent slopes            | 21.96 | 13.3%               | 3          | 60.2  |
| ScB       | Shidler-Claremore complex, 1 to 3 percent slopes         | 13.42 | 8.1%                | 4          | 24.1  |
| CbB       | Coweta-Bates complex, 1 to 5 percent slopes              | 10.25 | 6.2%                | 4          | 35.3  |
| SkD       | Shidler-Kiti-Rock outcrop complex, 1 to 8 percent slopes | 9.93  | 6.0%                | 6          | 7.8   |
| W         | Water  | 8.32  | 5.0%                | 8          | N/A   |
| ReB       | Riverton loam, 1 to 3 percent slopes                     | 3.55  | 2.2%                | 2          | 60.4  |
| DAM       | Large Dam  | 2.03  | 1.2%                | 8          | N/A   |

2 fields, 175 acres in Nowata County, OK



## Field 2

Source: NRCS Soil Survey

10 ac

| SOIL CODE | SOIL DESCRIPTION   | ACRES | PERCENTAGE OF FIELD | SOIL CLASS | NCCPI |
|-----------|--|-------|---------------------|------------|-------|
| ■ SkD     | Shidler-Kiti-Rock outcrop complex, 1 to 8 percent slopes | 8.33  | 84.2%               | 6          | 7.8   |
| ■ ScB     | Shidler-Claremore complex, 1 to 3 percent slopes         | 1.56  | 15.8%               | 4          | 24.1  |
| 9.89      |  |       |                     |            | 10.4  |