STATE OF OREGON YA	MH 56405 WELL LABEL # L	1841
(ORS 537.765 & OAR 690-205-0210)	START CARD #	994
Instructions for completing this report are on the last page of this for		
(1) LANDOWNER Owner Well I.D. First Name	(9) LOCATION OF WELL (legal description) County Thread Twp 45 Nor S Ra	
address 3501, Admond Hill Id	Sec	ax Lot E of W W.M.
City MMMMulle, State Zip97/	Tax Map Number Lat°'" or	Lot
(2) TYPE OF WORK New Conversion Deepen	Lat'" or	
Alteration (complete Sections 2a & 10) Abandonment (complete	Section 5a) Long or	DMS or DD
(2a) PRE-ALTERATION: Well Depth		2 Mile South New nd:
Seal Material	Marca 3501 (60 mead 14.11 16)	MCM MANILL OR 9712
Casing Type: Steel Plastic Other	(10) STATIC WATER LEVEL	
Casing Gauge Casing Diameter		L(psi) + SWL (ft)
	Existing Well/Pre-Alteration	
(3) DRILL METHOD KRotary Air CRotary Mud		- 86.11
Cable Cable Mud Reverse Rotary Other	Flowing Artesian? Yes D	ry Hole? 🗌 Yes
(4) PROPOSED USE Domestic Irrigation Com	WATER BEARING ZONES Depth water was	first found
□ Industrial/Commercial □ Livestock □ Dewatering □ Injecti		WL (psi) + SWL (ft)
Thermal Other	86 81 35pm	- 8614
(5) BORE HOLE CONSTRUCTION		C24 (2)
Depth of Completed Well ft. Special Standard: [] Yes (at	tach copy) 15-11-001 138 139 32-CAM	- 86 H
BORE HOLE SEAL		
Dia From To Material From To Amo	Dunt Scks/lbs (11) WELL LOG Ground Elevation	stimit 450ft
		, •
6" 38 /57	Material Fro	m To
	Braun + Uplaw clay 3	18
How was seed placed: Method $\square A \square B \square C \square D \square$	E Loca Hallow c Mart 18	31
Backfill placed from t. to t. Material	11m. Decompter Alue Straster 31	\$2
Backfill placed from ft. to ft. Material	- Itand Ison Basel	
`ilter pack from ft. to ft. Material Size	CEIVED DY OWDER ANIAS 32	150
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	CEIVED BY OWRD Ayeas 32	/50
(5a) ABANDONMENT USING UNHYDRATED BENTONITE:		/50
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used:		/50
(5a) ABANDONMENT USING UNHYDRATED BENTONITE:		/50
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used:	_sacks/lbs _sacks/lbs1 5 2012	/50
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used:	_sacks/lbs _sacks/lbs1 5 2012	
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used: (6) CASING/LINER Csng Linr Dia + From To Gauge Steel Plastic W ✓ 60 CASING/LINER Csng Linr Dia + From To Gauge Steel Plastic	_sacks/lbs _sacks/lbs1 5 2012	/50
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used:	sacks/lbs sacks/	
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used: (6) CASING/LINER Csng Linr Dia + From To Gauge Steel Plastic W ✓ 60 CASING/LINER Csng Linr Dia + From To Gauge Steel Plastic	sacks/lbs sacks/lbs sacks/lbs 2012 (eldes Ahne M, OR Date Started (cf 9, 2012 Completed Oc	
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used: (6) CASING/LINER Csng Linr Dia + From To Gauge Steel Plastic W ✓ 60 CASING/LINER Csng Linr Dia + From To Gauge Steel Plastic	sacks/lbs sacks/lbs sacks/lbs feldes SALEM, OR Date Started (ct 9, 2012 Completed (unbonded) Water Well Constructor Certification	+11, 2012
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used: (6) CASING/LINER Csng Linr Dia + From To Gauge Steel Plastic W Csng Linr Dia + From To Gauge Steel Plastic W Csng Linr Dia + From To Gauge Steel Plastic W Csng Linr Dia + From To Gauge Steel Plastic W Csng Linr Dia + From To Gauge Steel Plastic W Csng Linr Dia + From To Gauge Steel Plastic W Csng Linr Dia + From To Gauge Steel Plastic W Csng Linr Dia + From To Gauge Steel Plastic W Csng Linr Dia + From To Gauge Steel Plastic W Csng Linr Dia + From To Gauge Steel Plastic W	sacks/lbs sacks/lbs sacks/lbs 2012 2012 2012 Date Started Date Started Completed	tion, deepening, alteration, or water supply well
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used: (6) CASING/LINER Csng Linr Dia + From To Gauge Steel Plastic W ✓ ✓	sacks/lbs sacks/lbs sacks/lbs 2012 eldes Ahre M, OR Date Started ()c/9, 2012 Date Started ()c/9, 2012 (unbonded) Water Well Constructor Certification I certify that the work I performed on the construct abandonment of this well is in compliance with Oregor construction standards. Materials used and information	tion, deepening, alteration, or water supply well
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used: (6) CASING/LINER Csngl Linr Dia + From To Gauge Steel Plastic W ✓ 60 CASING/LINER Csngl Linr Dia + From To Gauge Steel Plastic W ✓ Steel Plastic Shoe Inside Outside Other Location of shoe(s)	sacks/lbs sacks/lbs sacks/lbs 2012 2012 2012 Date Started Date Started Completed	tion, deepening, alteration, or water supply well
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used:	sacks/lbs sacks/lbs sacks/lbs 2012 eldes Ahre M, OR Date Started Det 9 2012 Completed Det (unbonded) Water Well Constructor Certification I certify that the work I performed on the construct abandonment of this well is in compliance with Oregor construction standards. Materials used and information	ion, deepening, alteration, or water supply well reported above are true to
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used: (6) CASING/LINER Csng Linr Dia + From To Gauge Steel Plastic W - Actual Amount Used: - (6) CASING/LINER - Csng Linr Dia + + Stoe + Inside Outside Other Location of shoe(s) Temporary casing Yes Ves Diameter From To (7) PERFORATIONS/SCREENS Actual Screens Type Material -	sacks/lbs sacks/lbs sacks/lbs 2012 2012 Date Started Determination Date Started Determination Licertify that the work I performed on the construct abandonment of this well is in compliance with Oregor construction standards. Materials used and information the best of my knowledge and belief. License Number Date	tion, deepening, alteration, or water supply well reported above are true to
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used: (6) CASING/LINER Csng Linr Dia + From To Gauge Steel Plastic W - Steel Plastic W - Steel Plastic W - Steel Plastic W - Shoe Inside Outside Other Consider From Temporary casing Yes Versions Method Screens Type Material Screen/	sacks/lbs sacks/lbs sacks/lbs sacks/lbs Sacks/lbs	tion, deepening, alteration, or water supply well reported above are true to
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used: (6) CASING/LINER Csng Linr Dia + From To Gauge Steel Plastic W - Steel Plastic Steel Plastic W - Steel Plastic W - Steel Dial Steel Steel Plastic - Comport - Temporary casing Yes Dia From	sacks/lbs sacks/lbs sacks/lbs sacks/lbs Sacks/lbs	tion, deepening, alteration, or water supply well reported above are true to
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used: (6) CASING/LINER Csngl Linr Dia + From To Gauge Steel Plastic W - Steel Plastic Steel Plastic Shoe Inside Outside Other Location of shoe(s) - Temporary casing Yes Yes Diameter - From To - Calif - - Screens Type Material Perf Scrn Csng Linr Dia From To Sot - - -	sacks/lbs sacks/lbs sacks/lbs sacks/lbs Sacks/lbs	ion, deepening, alteration, or water supply well reported above are true to
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used: (6) CASING/LINER Csngl Linr Dia + From To Gauge Steel Plastic W - Steel Plastic Steel Plastic Shoe Inside Outside Other Location of shoe(s) - Temporary casing Yes Yes Diameter - From To - Calif - - Screens Type Material Perf Scrn Csng Linr Dia From To Sot - - -	sacks/lbs sacks/lbs sacks/lbs sacks/lbs Sacks/lbs	ion, deepening, alteration, or water supply well reported above are true to
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used: (6) CASING/LINER Csngl Linr Dia + From To Gauge Steel Plastic W - Steel Plastic Steel Plastic Shoe Inside Outside Other Location of shoe(s) - Temporary casing Yes Yes Diameter - From To - Calif - - Screens Type Material Perf Scrn Csng Linr Dia From To Sot - - -	sacks/lbs sacks/lbs sacks/lbs sacks/lbs sacks/lbs 52012 Date Started <i>Cr9 2012</i> Completed <i>Cacher</i> Date Started <i>Cr9 2012</i> Completed <i>Cacher</i> <i>Cacher</i> Date Started <i>Cr9 2012</i> Completed <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>Cacher</i> <i>C</i>	ion, deepening, alteration, or water supply well reported above are true to ng, alteration, or onstruction dates reported liance with Oregon water
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used: (6) CASING/LINER Csng Linr Dia + From To Gauge Steel Plastic W - Actual Amount Used: - (6) CASING/LINER Csng Linr Dia + 1/2 232 257 X + Y 4 Y 4 Y 1/2 Y 1/	sacks/lbs sacks/lbs sacks/lbs sacks/lbs 52012 Date Started <i>Cr9 2012</i> Completed <i>Cacher</i> Date Started <i>Cr9 2012</i> Completed <i>Cacher</i> (unbonded) Water Well Constructor Certification I certify that the work I performed on the construct abandonment of this well is in compliance with Oregor construction standards. Materials used and information the best of my knowledge and belief. License Number Date fooded) Water Well Constructor Certification I accept responsibility for the construction, deepend abandonment work performed on this well during the c	ion, deepening, alteration, or water supply well reported above are true to ng, alteration, or onstruction dates reported liance with Oregon water
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used: (6) CASING/LINER Csngl Linr Dia + From To Gauge Steel Plastic W - Steel Plastic Steel Plastic Shoe Inside Outside Other Location of shoe(s) - Temporary casing Yes Yes Diameter - From To - Calif - - Steerens Type Material Perf Scrn Csng Linr Dia From To Stot Slot -	sacks/lbs sacks/lbs sacks/lbs sacks/lbs sacks/lbs sacks/lbs 2012 Date Started (cry 2012 Completed Co (unbonded) Water Well Constructor Certification I certify that the work I performed on the construct abandonment of this well is in compliance with Oregor construction standards. Materials used and information the best of my knowledge and belief. License Number Date food d) Water Well Constructor Certification I accept responsibility for the construction, deepend abandonment work performed on this well during the c above. All work performed during this time is in comp supply well construction standards. This report is true and belief.	ion, deepening, alteration, or water supply well reported above are true to ng, alteration, or onstruction dates reported liance with Oregon water
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used: (6) CASING/LINER Csng Linr Dia + From To Gauge Steel Plastic W 6 Actual Amount Used:	sacks/lbs sacks/lbs sacks/lbs sacks/lbs sacks/lbs sacks/lbs 2012 Date Started (cry 2012 Completed Co (unbonded) Water Well Constructor Certification I certify that the work I performed on the construct abandonment of this well is in compliance with Oregor construction standards. Materials used and information the best of my knowledge and belief. License Number Date food Date Signed Date (bonded) Water Well Constructor Certification I accept responsibility for the construction, deepend abandonment work performed on this well during the c above. All work performed during this time is in comp supply well construction standards. This report is true and belief. License Number Date un tion (hr)	ion, deepening, alteration, or water supply well reported above are true to ng, alteration, or onstruction dates reported liance with Oregon water
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used: (6) CASING/LINER Csngl Linr Dia + From To Gauge Steel Plastic W - Actual Amount Used: - (6) CASING/LINER - Csngl Linr Dia + - Stoe + Inside Outside Other Location of shoe(s) Temporary casing Yes Yes Diameter From To Waterial - Case Constructions Screen Screens Type Material - Perf Scrn Csng Linr Dia From To Sold Slot Slot Slot Slot Slot Screens Type Screen - Sold Slot Slot - Bailer Air	sacks/bs sacks/bs sacks/bs sacks/bs sacks/bs sacks/bs Subs Subs Subs Signed	ion, deepening, alteration, or water supply well reported above are true to ng, alteration, or onstruction dates reported liance with Oregon water
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used: (6) CASING/LINER Csngl Linr Dia + From To Gauge Steel Plastic W - Actual Amount Used: - (6) CASING/LINER - Csngl Linr Dia + 11/2 Stoe + Inside Outside Other Location of shoe(s) Temporary casing Yes Yes Diameter From To Screens Type Material - Perf Scrn Csng Linr Dia From To Slot Slot Slot Slot Slot Slot WELL TESTS: Minimum testing time is 1 hour Pump Bailer Air Yield sulfmin Drawdown Drill stem/Pump depth Dura	sacks/lbs sacks/lbs sacks/lbs sacks/lbs sacks/lbs sacks/lbs 2012 Date Started (cf.9, 2012) Date Started (cf.9, 2012) Completed (cf.9) Date Started (cf.9, 2012) Completed (cf.9) Construction Standards. Materials used and information the best of my knowledge and belief. License Number Date abandonment work performed on this well during the c above. All work performed during this time is in comp supply well construction standards. This report is true and belief. License Number Date (cf.9) Signed Date (cf.9) Contact Info. (optional)	ion, deepening, alteration, or water supply well reported above are true to ing, alteration, or onstruction dates reported liance with Oregon water to the best of my knowledge
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used: (6) CASING/LINER Csng Linr Dia 4 2 38 257 2 38 2 257 2 4 2 38 38 257 2 4 2 38 38 257 2 4 2 38 38 257 2 4 2 38 38 257 38 257 38 257 38 257 38 257 38 257 38 257 39 257 30 258 30 350 30 10 4 10 4 10 5 10 5 10 5 10	sacks/lbs sacks/lbs sacks/lbs sacks/lbs sacks/lbs sacks/lbs 2012 Date Started (cf.9, 2012) Date Started (cf.9, 2012) Completed (cf.9) Date Started (cf.9, 2012) Completed (cf.9) Construction Standards. Materials used and information the best of my knowledge and belief. License Number Date abandonment work performed on this well during the c above. All work performed during this time is in comp supply well construction standards. This report is true and belief. License Number Date (cf.9) Signed Date (cf.9) Contact Info. (optional)	ion, deepening, alteration, or water supply well reported above are true to ing, alteration, or onstruction dates reported liance with Oregon water to the best of my knowledge
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used: (6) CASING/LINER Csng Linr Dia + From To Gauge Stoe Hastic Shoe Inside Outside Other Comport From Temporary casing Yes Yes Yes Generations Method Screens Type Material Material Perf Screen Screens Type Material Material Screens Type Material Material Screens Type Material Material Screens Screen Screens Stot Sc	sacks/lbs sacks/lbs sacks/lbs sacks/lbs sacks/lbs sacks/lbs 2012 Date Started (cf.9, 2012) Date Started (cf.9, 2012) Completed (cf.9) Date Started (cf.9, 2012) Completed (cf.9) Construction Standards. Materials used and information the best of my knowledge and belief. License Number Date abandonment work performed on this well during the c above. All work performed during this time is in comp supply well construction standards. This report is true and belief. License Number Date (cf.9) Signed Date (cf.9) Contact Info. (optional)	ion, deepening, alteration, or water supply well reported above are true to ing, alteration, or onstruction dates reported liance with Oregon water to the best of my knowledge
(5a) ABANDONMENT USING UNHYDRATED BENTONITE: Calculated Amount Proposed to be Used: Actual Amount Used: (6) CASING/LINER Csng Linr Dia + From To Gauge Stoe Inside Outside Other Location of shoe(s)	sacks/lbs sacks/lbs sacks/lbs sacks/lbs sacks/lbs sacks/lbs 2012 Date Started (cf 9 2012 Completed Co (unbonded) Water Well Constructor Certification I certify that the work I performed on the construct abandonment of this well is in compliance with Oregor construction standards. Materials used and information the best of my knowledge and belief. License Number Date slots size 180 180 180 180 180 180 180 180	ion, deepening, alteration, or water supply well reported above are true to ing, alteration, or onstruction dates reported liance with Oregon water to the best of my knowledge

ORIGINAL – WATER RESOURCES DEPARTMENT ONE COPY FOR CONSTRUCTOR ONE COPY FOR CUSTOMER SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK

•

01/02/2009

			yamh 50662				
	State of Oregon WELL REPORT (as		-	Page 1 c	• • • • • • • • • • • • • • • • • • •		
Ad Ci (2) TY	une RUTH CUR Idress 3501 SW ty MCMINNVI IPE OF WORK: NEW	REDMOND HILL ILLE WELL		0. 1675 (9) LOCATION OF WELL by legal description: County YAMHILL Lat. ' Long. ' " RECENV 0R Zip 97128 Township 4 S Range 5 W WH. Section 23 SE 1/4 NE 1/4 Tax Lot R4523 Lot 0200 Block Subdivision Street Address of Well (or nearest Address) 3501 SW REDWORD HILL RD NCHINNVILLE, OR MAY 2 9 1991 VATER RESOURCES SALEM, OREGO			
	ILL METHOD: ROT				(10) STATIC WATER LEVEL:		
	OPOSED USE: DOM RE HOLE CONSTRU				# 78 ft. below land surface. Date $05/22/97Artesian pressure lb per square in. Date$		
Sp Ex	ecial Construct plosives used N HOLE Diam. From T 10 0 1	ion Approval 1 10 Type 10 Material	And SEAL From To	upl. Well 450 ft ount Amount 8 SAX	(11) WATER BEARING ZONES: Depth at which water was first found 130 From To Est Flow Rate SWL 130 131 3.5 - 4 <u>78</u> 		
1	al placement me Backfill: from Gravel: from	ft to	ft Material		(12) WELL LOG: Ground elevation Material From To SWL TOP SOIL 0 2		
(6) CAS Casing	SING/LINER: Dian. From 6 +1	To Gauge 19 .25	e Material STEEL	Connection WELDED	TOP SULL02TAN CLAY213GRAY MARINE ROCK13130HARD GRAY CLAYSTONE SHALE130424GRAY SANDSTONE, HARD424441GRAY CLAYSTONE SHALE, SOFTER THAN ABOVE441450		
Liner	4 2	450 SDR26	PLASTIC	WELDED			
Final Location of shoe(s) NO SHOE (7) PERPORATIONS/SCREENS: [X] Perf. Method ELECTRIC SAW					DAVE PAYSINGER, BLUE WATER DRILLING CO. DAYTON, OR. 97114		
[_]	Screens Type	lot	<u>Material</u> Tele/pi Dian. Size	pe			
Fro 150 430) 170 6"	ize Number * 36 * 36	Dian. Size	Casing/liner LINER LINER	Date started 05/21/97 Completed 05/22/97		
					(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or aband-		
Test type AIR Draw- Dri Yield GPM down at 4 450	Draw- Drill stem eld GPM down at Time			onment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to my best knowledge and belief. WWC Number Signed Date			
	450 200	1 hr. 1 	(bonded) Water Well Constructor Certification: I accept respon- sibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported				
Was Rea	perature of wat water analysis son for water n th of strata	done? NO	Depth Artesian Fl By whom Dr use		above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief. WWC Number 1438 Signed Date 05/22/97		
ORIGIN	AL & FIRST COPY	- WATER RESO	JRCES DEPTARTMENT	SECOND C	OPY - CONSTRUCTOR THIRD COPY - CUSTOMER 9809C 10/91		

Grantors:

James A. and Patricia Ann Bingenheimer 3501 SW Redmond Hill Rd McMinnville, OR 97128

Grantees:

Hadless B. MARCOM

3507 SW Redmond Hill Rd McMinnville, OR 97128

After recording, return to:

Barbara Lee Marcom 3507 SW Redmond Hill Rd McMinnville, OR 97128 OFFICIAL YAMHILL COUNTY RECORDS REBEKAH STERN DOLL, COUNTY CLERK

2012-16836

\$41.00



11/20/2012 11:58:07 AM

DMR-EDMR Cnt=1 Stn=2 ANITA \$10.00 \$5.00 \$11.00 \$15.00

EASEMENT ··

We, JAMES A. BINGENHEIMER and PATRICIA ANN BINGENHEIMER, husband and wife, hereinafter referred to as Grantors, do hereby grant to BARBARA LEE MARCOM, hereinafter referred to as Grantee, an exclusive easement for water from a well located on Grantors' real property more particularly described as Parcel 2 of Minor Partition Plat No. 2009-18, Yamhill County Deed Records.

This easement is given for the purpose of Grantee obtaining and exclusively using water from a well located on Grantors' above described real property, and includes the existing well site, enclosed pressure tank, and underground piping across Granters' said real property to transport the water from the well to Grantée's property. Grantee shall also have access across Grantors' said real property to said well, tank, and piping, including the supplying of electricity by Grantors at Grantee's sole expense to operate said well pump, for the purpose of repairs, improvements, inspections, and maintenance and operation, all of which shall be Grantee's sole responsibility and expense. The easement shall be located along the existing pipelines, pumphouse, and well site.

Grantors and Grantee agree that this easement is appurtenant to and for the perpetual, exclusive benefit of Grantee's real property described as Parcel 1 of Minor Partition Plat No. 2009-18, Yamhill County Deed Records.

This easement shall be binding upon the parties hereto and their future heirs, assigns, and successors.

1 - Easement

8

November

harmark).

Patricia Ann Bingenheimer

State of Oregon))ss.

County of Yamhill

November

On this <u>147</u> day of Getuder, 2012, James A. Bingenheimer and Patricia Ann Bingenheimer, husband and wife, personally appeared before me and acknowledged the foregoing instrument to be their voluntary act and deed.



Notary Public for Oregon My commission expires:

2 - Easement.