

STATE ENGINEER
Salem, Oregon

KLAM **KLAMATH** **Well Record**
1221'8


STATE WELL NO. 39/10-22H(1)
COUNTY Klamath
APPLICATION NO. U-319

OWNER: L. M. & Lloyd L. Hankins MAILING ADDRESS: Route 1

LOCATION OF WELL: Owner's No. 10 CITY AND STATE: Bonanza, Oregon

1/4 1/4 Sec. T. N. E.
S., R. W., W.M.

Bearing and distance from section or subdivision
corner S. 8 21 1/2 W. 1842'



Section 22

Altitude at well

TYPE OF WELL: Drilled Date Constructed

Depth drilled 348 Depth cased 100

CASING RECORD:

18-inch

FINISH:

AQUIFERS:

WATER LEVEL:

105' on Sept. 11, 1956 (owners air line)

PUMPING EQUIPMENT: Type Johnston turbine H.P. 100
Capacity G.P.M.

WELL TESTS:
Drawdown ft. after hours G.P.M.
Drawdown ft. after hours G.P.M.

USE OF WATER Irrigation Temp. °F., 19.....

SOURCE OF INFORMATION U-319
DRILLER or DIGGER W. L. Hartley & son

ADDITIONAL DATA:
Log X Water Level Measurements X Chemical Analysis Aquifer Test

REMARKS:

9-185
(October 1950)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
WATER RESOURCES DIVISION

pg 3 of 7

WELL SCHEDULE

Date June 16, 1959 Field No. 38/10-22 H1
Record by RCW Office No. _____
Source of data Obs.

1. Location: State Oregon County Klamath
Map _____

_____ $\frac{1}{4}$ _____ $\frac{1}{4}$ sec. _____ T _____ N _____ R _____ E _____
S _____ W _____

2. Owner: _____ Address _____
Tenant: _____ Address _____
Driller: _____ Address _____

3. Topography plain

4. Elevation ±195 ft. above sea (map) below

5. Type: Dug, drilled, driven, bored, jetted 1957±

6. Depth: Rept. _____ ft. Meas. _____ ft.

7. Casing: Diam. _____ in., to _____ in., Type _____
Depth _____ ft., Finish _____

8. Chief Aquifer _____ From _____ ft. to _____ ft.
Others _____

9. Water level _____ ft. rept. _____ 19 _____ above _____
meas. _____ below _____
_____ which is _____ ft. above _____
below surface


10. Pump: Type turbine Capacity _____ G. M.
Power: Kind electric Horsepower 100

11. Yield: Flow _____ G. M., Pump _____ G. M., Meas., Rept. Est.
Drawdown _____ ft. after _____ hours pumping _____ G. M.

12. Use: Dom., Stock, PS., RR., Ind., Irr., Oba. _____
Adequacy, permanence _____

13. Quality _____ Temp _____ °F.
Taste, odor, color _____ Sample Yes _____
No _____
Unfit for _____

14. Remarks: (Log, Analyses, etc.) _____



KLAM 12218

WRD Exp. (GW)
April 1966

Klam
12218

Well No. 38/10-22H(1)

WELL SCHEDULE

could not measure (see below)

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

A.B. Harris

7-28-69

pg 4 of 7

Record by W. Y. Log Source of data Dr. Log Date 7/9/69 Map

State Ore Country (or town) Klamath

Latitude: 42° 7' 11" N Longitude: 121° 13' 11" W

Loc-long accuracy: 30' T. 38 S. R. 10 E. Sec. 22 NE SE NE

Local well number: 31 Other number: 34

Local use: 33 Owner or name: Mike Short (at well)

Owner or name: 35 Address: 40

Ownership: (C) County, (F) Fed Gov't, (M) City, Corp or Co, (P) Private, (S) State Agency, (W) Water Dist

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Irr, (H) Med, (I) Ind, (J) P S, (K) Rec, (L) Stock, (M) Inert, (N) Unused, (O) Recharge, (P) Desal-P S, (Q) Desal-other, (R) Other

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed

DATA AVAILABLE: Well data 70 Freq. W/L meas.: 71 Field aquifer char. 72

Hyd. lab. data: 73

Qual. water data: type: 74

Freq. sampling: 75 Pumpage inventory: yes 76 no: period: 77

Aperture cards: 78

Log data: 79

WELL-DESCRIPTION CARD

NAME AS ON MASTER CARD Depth well: 342 ft

Depth cased: (first perf.) 100 ft Casing type: steel

Finish: (C) porous concrete, (F) gravel w. screen, (G) gravel w. gallery, (H) horis. open hole, (I) other

Method: (A) air bored, (B) cable, (C) aug, (D) hyd jetted, (E) air percussion, (F) rotary, (G) reverse trenching, (H) driven, (I) drive wash, (J) other

Date Drilled: July 1955 Pump intake setting: 35 ft

Driller: W.L. Hartley & Son, Bonanza, Ore

Life: (A) air, (B) bucket, (C) cent, (D) multiple, (E) multiple, (F) none, (G) piston, (H) rot, (I) submerg, (J) turb, (K) other

Power: (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) E.P. 100 3ph

Trans. or meter no. 893163

Descript. MP 1/2 Plug to column 1.6 ft below LSD, Alt. MP

Alt. LSD: 4195 Accuracy: (source) Map

Water level: 109 ft above MP; Ft below LSD 40 Accuracy: 31

Date: 6/20/55 Yield: 3000 gpm Method determined 41

Drawdown: 42 Accuracy: 43 Pumping period: 44 hrs 45

QUALITY OF WATER DATA: Iron 46 Sulfate 47 Chloride 48 Hard. 49

Sp. Conduct 195 X 10⁶ Temp. 61.6 °F Date sampled 7/28/69

Yaste, color, etc. 92 and clear

Note in base of pump on west side is blocked

Irrigates about 500 acres, grain & hay some pasture by flooding

* Meter for water level 1/2 plug to colic could not remove (north side)

July 1956
inscribed in
concrete base

10-28-70
Cater
44x120

110.00
6.74
3.26

75 Horiz
102.51
1.60 Vert.

100.91 RWC

12" Dish
for gravel
distrib.

Meter
8364
X120
4-18-70

US Mob

Removed 4-18-70

Johnston Pump
#893163

#2028333

107.00
7.03

99.97

75 Horiz

99.22 ABH

1.6

97.62

ABH

KLAM 12218

Well No. _____

Klam 12218

Pg 5 of 7

HYDROGEOLOGIC CARD

NAME AS ON MASTER CARD _____

Physiographic Province: _____

Section: _____

Drainage Basin: _____

Subbasin: _____

Topo of well site: (D) (C) (E) (F) (H) (K) (L)
depression, stream channel, dunes, flat, hilltop, sink, swamp,
(S) (P) (G) (T) (U) (V)
offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR
AQUIFER: _____

system _____ series _____ aquifer, formation, group _____

Lithology: _____

Origin: _____

Thickness: _____ ft

Length of well open to: _____ ft

Depth to top of: _____ ft

MINOR
AQUIFER: _____

system _____ series _____ aquifer, formation, group _____

Lithology: _____

Origin: _____

Thickness: _____ ft

Length of well open to: _____ ft

Depth to top of: _____ ft

Intervals Screened:

Depth to consolidated rock: _____ ft

Source of data: _____

Depth to basement: _____ ft

Source of data: _____

Surficial material: _____

Infiltration characteristics: _____

Coefficient Trans: _____

Coefficient Storage: _____


Perm: _____

Spec cap: _____

Number of geologic cards: _____

Shown on topo map - 200 ft no. of black top
and 150' NW of Haystack in grove of pines


(Bernardo Torres)
Farmman says irrig 400-500 acres



Ada

Well No.

KLAM 12218



Klam
12218

Pg 7 of 7

STATE ENGINEER
Salem, Oregon

OBSERVATION WELL

Well Record

STATE WELL NO. 38/10-22C(1)
COUNTY Klamath
APPLICATION NO. U-319

OWNER: L. M. & Lloyd L. Hankins

MAILING

ADDRESS: Route 1

LOCATION OF WELL: Owner's No. 9


CITY AND

STATE: Bonanza, Oregon

NE 1/4 NW 1/4 Sec. 22 T. 38 N. S. R. 10 E. W.M.

Bearing and distance from section or subdivision

corner S 81° 37' E. 2496' from NW cor. Sec. 22



Section 22

Altitude at well

TYPE OF WELL: Drilled Date Constructed

Depth drilled 460 Depth cased 100

CASING RECORD:

18 inch set to 100 feet

FINISH:

AQUIFERS:

Lava rock

WATER LEVEL:

107 feet below land surface

PUMPING EQUIPMENT: Type None

H.P.

Capacity G.P.M.

WELL TESTS:

Drawdown 2.5 ft. after 1 hours pumping 1275 G.P.M.

Drawdown 4.5 ft. after 2 hours pumping 2000 G.P.M.

USE OF WATER Irrigation

Temp. °F. 19

SOURCE OF INFORMATION

DRILLER or DIGGER W. L. Hartley & Son

ADDITIONAL DATA:

Log X Water Level Measurements Chemical Analysis Aquifer Test

REMARKS:

Drawdown 5.5 after 2½ hours pumping 2350 gpm

Drawdown 6.0 after 3 hours pumping 2550 gpm

Drawdown 7.5 after 3½ hours pumping 2750 gpm

Test by Interstate Pump Co. Klamath Falls

STATE ENGINEER
Salem, Oregon

State Well No. 38/10-22C(1)

CountyKlamath.....

Application No. U-319

Well Log

Owner: L. M. & Lloyd L. Hankins Owner's No. 9

Driller: **W. L. Hartley & Son** Date Drilled

[illegible]

State Well No. 38/10-22 C(1)
County Klamath
Application No. _____

OWNER: Hankins OWNER'S NO. #9

Lip of Hole on east side of casing which is .6 foot
above L.S.D.

[illegible]

REMARKS: _____

WATER WELL REPORT
STATE OF OREGON

Per DWK
#2 Klamath
COW 5/27/82
KLA M
12204

RECEIVED

State Well No. 385/10E-1466

MAY 9 1982

State Permit No.

WATER RESOURCES DEPT.
SALEM, OREGON

(1) OWNER:

Name Frank H. Wallace
Address Box 3
City Dairy State Oregon

(2) TYPE OF WORK (check):

New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air ☒ Driven ☐
Rotary Mud ☐ Dug ☐
Cable ☐ Bored ☐

(4) PROPOSED USE (check):

Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☒ Test Well ☐ Other ☐
Thermal ☐ Withdrawal ☐ ReInjection ☐

(5) CASING INSTALLED:

Steel ☒ Plastic ☐
Threaded ☐ Welded ☐
10 3/4" Diam. from +1 ft. to 38 ft. Gauge 250
" Diam. from ft. to ft. Gauge

LINER INSTALLED:

" Diam. from ft. to ft. Gauge

(6) PERFORATIONS:

Perforated? ☐ Yes ☒ No

Type of perforator used

Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name

Type Model No.

Diam. Slot Size Set from ft. to ft.

Diam. Slot Size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? ☐ Yes ☒ No If yes, by whom?

gal./min. with ft. drawdown after hrs.

Air test 150 gal./min. with drill stem at 100 ft. 1 hrs.

Bailer test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m.

Temperature of water 46° Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Special standards: Yes ☐ No ☒

Well seal—Material used cement

Well sealed from land surface to 38 ft.

Diameter of well bore to bottom of seal 15 in.

Diameter of well bore below seal 9 7/8 in.

Number of sacks of cement used in well seal 16 sacks

How was cement grout placed? PUMPED

Was pump installed? Type HP Depth ft.

Was a drive shoe used? ☒ Yes ☐ No Plug Size: location ft.

Did any strata contain unusable water? ☐ Yes ☒ No

Type of Water? depth of strata

Method of sealing strata off

Was well gravel packed? ☐ Yes ☒ No Size of gravel: ft.

Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Klamath Driller's well number
NW 1/4 SW 1/4 Section 14 T. 38.5 R. 10 E W.M.
Tax Lot # Lot Blk Subdivision
Address at well location:

(11) WATER LEVEL: Completed well.

Depth at which water was first found 285 ft.
Static level 54 ft. below land surface. Date 4/23/82
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 9 7/8

Depth drilled 312 ft. Depth of completed well 312 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
SANDY BROWN TOPSOIL	0	6	
BROWN SANDSTONE	6	10	
YELLOW CLAY	10	18	
GREEN CLAY	18	94	
GRAY SANDSTONE	94	135	
GRAY CLAY	135	273	
GRAY SANDSTONE	273	285	
BLACK BASALT	285	291	
BUBBLY BLACK BASALT	291	312	

Work started 4/21 1982 Completed 4/23 1982

Date well drilling machine moved off of well 4/23 1982

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

(Signed) Don M. Stang Date 4/30, 1982
(Drilling Machine Operator)

Drilling Machine Operator's License No. 656

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name E.E. STANG & SONS WELL DRILLING INC.
(Person, firm or corporation) (Type or print)

Address 3047 HOPE ST. K. FALLS

(Signed) Don M. Stang
(Water Well Contractor)

Contractor's License No. 601 Date 4/30, 1982

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date of well completion.

SP*12658-690

STATE OF OREGON
COUNTY OF KLAMATH
CERTIFICATE OF WATER RIGHT

THIS IS TO CERTIFY, that

LLOYD RAY GOLBEK
CAROL D GOLBEK
of ROUTE 2, BOX 809A KLAMATH FALLS OR 97601
has a right to the use of the waters of CARL WELL in the
SWAN LAKE basin for the purpose of
IRRIGATION.

The right has been perfected under Permit G 5146. The
date of priority is MARCH 9, 1973. The right is limited to
not more than 1.140 CUBIC FEET PER SECOND or its equivalent in
case of rotation, measured at the well. The well is located in the

SE 1/4 NW 1/4, Section 23, T 38 S, R 10 E, WM;
50 FEET NORTH & 190 FEET WEST FROM CENTER 1/4 CORNER, SECTION 23

The amount of water used for irrigation, together with the
amount secured under any other right existing for the same lands,
shall be limited to ONE-EIGHTIETH of one cubic foot per second per
acre, or its equivalent for each acre irrigated and shall be further
limited to a diversion of not to exceed 3 acre-feet per acre for
each acre irrigated during the irrigation season of each year.

The right shall conform to such reasonable rotation system
as may be ordered by the proper state officer.

A description of the place of use under the right, and to
which such right is appurtenant, is as follows:

	ACRES	1/4	1/4	SECTION	TOWNSHIP	RANGE,	WM
primary	22.00	NE	NW	23	38 S	10 E	
primary	9.00	NW	NW	23	38 S	10 E	
primary	31.40	SW	NW	23	38 S	10 E	
primary	28.90	SE	NW	23	38 S	10 E	
Total:	91.30		acres.				

The right to the use of the water for the above purpose is
restricted to beneficial use on the lands or place of use described.

WITNESS the signature of the Water Resources Director,
affixed this date, FEBRUARY 26, 1988.

/S/ WILLIAM H. YOUNG

Water Resources Director

Recorded in State Record of Water Right Certificates number 56746
G 6024

BASIN 14 VOL 2


SWAN L & MISC

WELLS DIS

4-5146

56746

T.38S. R.10E W.M.



FINAL PROOF SURVEY
UNDER

Application No. G-6024 Permit No. G-5146
IN NAME OF

Lloyd Ray & Carol D. Golbek.....

Surveyed Sept..20. 1979., by C.R.RODRIGUEZ

STATE OF OREGON

COUNTY OF

KLAMATH

CERTIFICATE OF WATER RIGHT

This Is to Certify, That

MIKE & BESSIE SHORT

of Rt. 2, Box 809E, Klamath Falls, State of Oregon, 97601, has made proof to the satisfaction of the Water Resources Director, of a right to the use of the waters of Hill Well

a tributary of Swan Lake
irrigation of 444.0 acres

for the purpose of

under Permit No.G-4968 and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from May 7, 1971 that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 5.55 cubic feet per second

or its equivalent in case of rotation, measured at the point of diversion from the well. The well is located in the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Section 22, T. 38 S., R. 10 E., W. M., 375 feet South and 175 feet West from the N $\frac{1}{4}$ Corner, Section 22

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to one-eightieth of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall conform to such reasonable rotation system as may be ordered by the proper state officer. A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

39.0 acres NE $\frac{1}{4}$ SE $\frac{1}{4}$
39.0 acres NW $\frac{1}{4}$ SE $\frac{1}{4}$
40.0 acres SW $\frac{1}{4}$ SE $\frac{1}{4}$
40.0 acres SE $\frac{1}{4}$ SE $\frac{1}{4}$
Section 10

40.0 acres NE $\frac{1}{4}$ NE $\frac{1}{4}$
40.0 acres NW $\frac{1}{4}$ NE $\frac{1}{4}$
40.0 acres SW $\frac{1}{4}$ NE $\frac{1}{4}$
40.0 acres SE $\frac{1}{4}$ NE $\frac{1}{4}$
40.0 acres NE $\frac{1}{4}$ SE $\frac{1}{4}$
40.0 acres NW $\frac{1}{4}$ SE $\frac{1}{4}$
23.0 acres SW $\frac{1}{4}$ SE $\frac{1}{4}$
23.0 acres SE $\frac{1}{4}$ SE $\frac{1}{4}$


Section 15

T. 38 S., R. 10 E., W. M.

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described.


WITNESS the signature of the Water Resources Director, affixed

this date. May 25, 1979


Water Resources Director

T.38S. R.10E. W.M.

G-4968
48023



FINAL PROOF SURVEY
UNDER

Application No. G-5504 Permit No. G-4968
IN NAME OF

MIKE and BESSIE SHORT

Surveyed AUG. 23, 1977, by D. NORBY

STATE OF OREGON
COUNTY OF KLAMATH
CERTIFICATE OF WATER RIGHT

This Is to Certify, That **MIKE and BESSIE SHORT**

of P. O. Box 117, Macdoel, State of California, has made proof to the satisfaction of the STATE ENGINEER of Oregon, of a right to the use of the waters of a well

a tributary of Anderson Creek (Swan Lake) for the purpose of irrigation of 416.5 acres

under Permit No. U-343 of the State Engineer, and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from July 19, 1949

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 5.21 cubic feet per second

or its equivalent in case of rotation, measured at the point of diversion from the stream. The point of diversion is located in the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 22, T. 38 S., R. 10 E., W. M. Well located 3480 feet North and 5540 feet West from SE Corner, Section 23.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to one-eightieth of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

36.6 acres NE $\frac{1}{4}$ SW $\frac{1}{4}$
35.0 acres NW $\frac{1}{4}$ SW $\frac{1}{4}$
36.7 acres SW $\frac{1}{4}$ SW $\frac{1}{4}$
38.6 acres SE $\frac{1}{4}$ SW $\frac{1}{4}$
Section 10

40.0 acres NE $\frac{1}{4}$ NW $\frac{1}{4}$
38.0 acres NW $\frac{1}{4}$ NW $\frac{1}{4}$
38.0 acres SW $\frac{1}{4}$ NW $\frac{1}{4}$
40.0 acres SE $\frac{1}{4}$ NW $\frac{1}{4}$
39.8 acres NE $\frac{1}{4}$ SW $\frac{1}{4}$
37.8 acres NW $\frac{1}{4}$ SW $\frac{1}{4}$
5.7 acres SW $\frac{1}{4}$ SW $\frac{1}{4}$
6.0 acres SE $\frac{1}{4}$ SW $\frac{1}{4}$
10.3 acres SW $\frac{1}{4}$ SE $\frac{1}{4}$
14.0 acres SE $\frac{1}{4}$ SE $\frac{1}{4}$
Section 15

T. 38 S., R. 10 E., W. M.

The right to the use of the water for the purposes herein resaid is restricted to the lands or place of use herein described.

WITNESS the signature of the State Engineer, affixed

this date. July 26, 1968

CHRIS L. WHEELER

State Engineer

T.37&38S.R.10&11E.W.M.

FINAL PROOF SURVEY


UNDER

APPLICATION NO U-319, PERMIT NO. U-343

IN NAME OF

NEVIN CATTLE CO.
GENE & VERA L. CARL
MIKE & BESSIE SHORT

SURVEYED OCT. 6, 1925 BY R. JACKSON
JUN. 20, 1927 BY V. GARNER



STATE OF OREGON
COUNTY OF KLAMATH
CERTIFICATE OF WATER RIGHT

This Is To Certify, That GENE and VERA L. CARL

of Route 1, Box 106 D, Bonanza, State of Oregon, has made proof to the satisfaction of the STATE ENGINEER of Oregon, of a right to the use of the waters of a well tributary of Anderson Creek (Swan Lake) for the purpose of irrigation of 505.1 acres under Permit No. U-343 of the State Engineer, and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from July 19, 1949

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 6.31 cubic feet per second

or its equivalent in case of rotation, measured at the point of diversion from the stream. The point of diversion is located in the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Section 23, T. 38 S., R. 10 E., W. M. Well located 2690 feet North and 2830 feet West from SE Corner, Section 23.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to one-eightieth of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

36.6 acres NE $\frac{1}{4}$ SW $\frac{1}{4}$
35.3 acres NW $\frac{1}{4}$ SW $\frac{1}{4}$
36.5 acres SW $\frac{1}{4}$ SW $\frac{1}{4}$
37.8 acres SE $\frac{1}{4}$ SW $\frac{1}{4}$
Section 11

39.2 acres NE $\frac{1}{4}$ NW $\frac{1}{4}$
37.6 acres NW $\frac{1}{4}$ NW $\frac{1}{4}$
37.9 acres SW $\frac{1}{4}$ NW $\frac{1}{4}$
37.9 acres SE $\frac{1}{4}$ NW $\frac{1}{4}$
37.8 acres NE $\frac{1}{4}$ SW $\frac{1}{4}$
36.1 acres NW $\frac{1}{4}$ SW $\frac{1}{4}$
34.1 acres SW $\frac{1}{4}$ SW $\frac{1}{4}$
36.9 acres SE $\frac{1}{4}$ SW $\frac{1}{4}$
Section 14

18.0 acres NE $\frac{1}{4}$ NW $\frac{1}{4}$
31.0 acres NW $\frac{1}{4}$ NW $\frac{1}{4}$
1.4 acres SW $\frac{1}{4}$ NW $\frac{1}{4}$
11.0 acres SE $\frac{1}{4}$ NW $\frac{1}{4}$
Section 23
T. 38 S., R. 10 E., W. M.


The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described.

WITNESS the signature of the State Engineer, affixed

this 26 day of July, 1968.

.....CHRIS L. WHEELER.....
State Engineer

Recorded in State Record of Water Right Certificates, Volume 27, page 35150




REVISED 05-30-2017

THIS MAP WAS PREPARED FOR
ASSESSMENT PURPOSE ONLY

T.38S. R.10E. W.M.
KLAMATH COUNTY

38 10
&
INDEX



COMPLIMENTS OF
AmeriTitle

This sketch is furnished
for information purposes
only to assist in property
location with reference to
the map shown. No
warranty is made as to accuracy and
the Company assumes no
liability for any loss
suffered by any person
relying thereon.

38 10
&
INDEX

LP 26-94
PAR. PARCEL 1