
Hopkins County, Texas, 3 AC +/-











| All Polygons 95.6 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CAP |
|-----------|--|-------|-------|------|
| WoC | Wolfpen loamy fine sand, 2 to 5 percent slopes | 35.3 | 36.88 | 3e |
| WtD | Woodtell loam, 5 to 12 percent slopes | 27.0 | 28.24 | 6e |
| WtC | Woodtell loam, 2 to 5 percent slopes | 1.9 | 1.99 | 3e |
| Na | Nahatche soils, frequently flooded | 28.2 | 29.52 | 5w |
| FrB | Freestone fine sandy loam, 1 to 3 percent slopes | 3.2 | 3.36 | 3e |
| TOTALS | | 95.6 | 100% | 4.44 |

| Boundary 34.3 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CAP |
|-----------|--|-------|-------|------|
| WoC | Wolfpen loamy fine sand, 2 to 5 percent slopes | 24.9 | 72.67 | 3e |
| WtD | Woodtell loam, 5 to 12 percent slopes | 7.0 | 20.46 | 6e |
| WtC | Woodtell loam, 2 to 5 percent slopes | 0.4 | 1.14 | 3e |
| Na | Nahatche soils, frequently flooded | 2.0 | 5.73 | 5w |
| TOTALS | | 34.3 | 100% | 3.73 |

| Boundary 30.2 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CAP |
|-----------|--|-------|-------|------|
| WoC | Wolfpen loamy fine sand, 2 to 5 percent slopes | 10.4 | 34.29 | 3e |
| WtD | Woodtell loam, 5 to 12 percent slopes | 14.8 | 49.05 | 6e |
| WtC | Woodtell loam, 2 to 5 percent slopes | 0.2 | 0.72 | 3e |
| Na | Nahatche soils, frequently flooded | 4.8 | 15.93 | 5w |
| TOTALS | | 30.2 | 100% | 4.79 |

| Boundary 31.2 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CAP |
|-----------|--|-------|-------|------|
| WtD | Woodtell loam, 5 to 12 percent slopes | 5.2 | 16.64 | 6e |
| WtC | Woodtell loam, 2 to 5 percent slopes | 1.3 | 4.17 | 3e |
| Na | Nahatche soils, frequently flooded | 21.5 | 68.87 | 5w |
| FrB | Freestone fine sandy loam, 1 to 3 percent slopes | 3.2 | 10.32 | 3e |
| TOTALS | | 31.2 | 100% | 4.88 |

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

| Land, Capability | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 'Wild Life' | • | • | • | • | • | • | • | • |
| Forestry | • | • | • | • | • | • | • | |
| Limited | • | • | • | • | • | • | • | |
| Moderate | • | • | • | • | • | • | | |
| Intense | • | • | • | • | • | | | |
| Limited | • | • | • | • | | | | |
| Moderate | • | • | • | | | | | |
| Intense | • | • | | | | | | |
| Very Intense | • | | | | | | | |

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$ soil limitations within the rooting zone $\left(w\right)$ excess of water