

ALBEMARLE ROAD

LEMME
DB 226/684
T 071 01 009

ERRI IN SOLN

N02°53'27"W

N02°53'27"W

EIP

EIP

EIP

LOT 7
PC C SL 101

LOT 8
PC C SL 101

0.36 AC. IN DRAINAGE
EASEMENT

A=58.40' Rc=100.00'
S13°50'22"W Lc=57.57'

LEMME
DB 226/684
T 071 01 009

A=208.84' Rc=50.00'
S30°59'44"W Lc=86.60'

SECOND TRACT IS SHOWN ON PLAT C&B SL. 129-B AS THE HANCOCK
THE PLAT IS OF THE FIRST PARCEL IN THE DEED FOR THE 44.803.

CL 46' R/H PRIVATE
GRAVEL RD
PC C SL 101-102

N.96°52'56W

A=237.87' Rc=50.00'
N70°37'14"W Lc=34.24'

REMAINDER OF
THE FIRST PARCEL IN
DEED BK 195 PG 536
IS FOR THE 44.803 ACRES,
AS SHOWN ON PLAT
RECORDED IN C&B SL. 129-B.

L.W. BARTLEY
DB 195 PG 536
T 070 01 008
PC B SL 129 B
PC C SL. 229
PC C SL. 167
5.72 AC. LOT
EXCLUDING EASEMENT

2.30 AC.

L.W. BARTLEY
DB 195 PG 536
T 070 01 007
PC B SL 129 B
PC C SL. 229
PC C SL. 167

N15°29'40"E
274.01'

284.77'
N63°100'47"W

365.99'
N50°59'57"W

570.89'
N47°34'56"W

SHIFTS SANDS
ROAD PC C SL 101

N19°33'08"E
125.22'

33.17'
S16°33'43"W

LEMME
DB 226/684
T 071 01 009

BRIAN HOPKINS

Site Sketch

PIN: N/A Permit Number: N/A

Improvement Permit

~~X~~ Construction Authorization

Larry Bartley
Applicant's Name

End of Shifting Sands Rd., take right, lot at end on right
Subdivision/Section/Lot Number

Mitchell E. Adams, REHS
Authorized State Agent

7-2-2020
Date

System components represent approximate contours on . The contractor must flag the system prior to beginning the installation to ensure that the proper grade is maintained.

Scale = 1" = 60' (system & repair area)

Conditions:

1. 18" Mound System
2. Install first 6 inches of fill, disc in, then install remaining 12 inches of fill.
3. Install trenches 18 inches deep from top of fill.
4. Install 1,000 gallons septic tank.
5. No reduction for synthetic trenches.
6. Slope mound to shed water and seed with grass.

Albemarle Sound

