Stahl 80 and 90

Kansas, AC +/-









| All Polygons 168.5 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
3561	Hobbs silt loam, occasionally flooded	0.1	0.05	2w
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	32.4	19.25	2s
3842	Geary silt loam, 0 to 1 percent slopes	18.6	11.03	1
5893	Farnum loam, 1 to 3 percent slopes	6.1	3.61	2c
5728	Buhler-Blazefork silty clay loams, rarely flooded	81.7	48.5	2w
3725	Detroit silty clay loam, rarely flooded	5.9	3.48	1
3891	Ladysmith silty clay loam, 1 to 3 percent slopes	11.6	6.9	3s
3843	Geary silt loam, 1 to 3 percent slopes	12.1	7.18	2e
TOTALS		168.5	100%	1.92

| Boundary 90.4 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
3561	Hobbs silt loam, occasionally flooded		0.09	2w
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	5.7	6.35	2s
3842	Geary silt loam, 0 to 1 percent slopes	18.6	20.56	1
5893	Farnum loam, 1 to 3 percent slopes	6.1	6.73	2c
5728	Buhler-Blazefork silty clay loams, rarely flooded	54.1	59.8	2w
3725	Detroit silty clay loam, rarely flooded	5.9	6.48	1
TOTALS		90.4	100%	1.73

| Boundary 78.1 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
3891	Ladysmith silty clay loam, 1 to 3 percent slopes	11.6	14.89	3s
3843	Geary silt loam, 1 to 3 percent slopes	12.1	15.5	2e
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	26.7	34.18	2s
5728	Buhler-Blazefork silty clay loams, rarely flooded	27.7	35.43	2w
TOTALS		78.1	100%	2.15

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$ soil limitations within the rooting zone $\left(w\right)$ excess of water