



Tillable Soils Map



Soils data provided by USDA and NRCS.



State: **Iowa**
County: **Fayette**
Location: **3-91N-9W**
Township: **Jefferson**
Acres: **71.28**
Date: **3/14/2021**



Maps Provided By:



| Area Symbol: IA065, Soil Area Version: 25 | | | | | | | | |
|---|--|-------|------------------|-------------|------------------|--------------|--------|------------------|
| Code | Soil Description | Acres | Percent of field | CSR2 Legend | Non-Irr Class *c | Irr Class *c | CSR2** | *n NCCPI Overall |
| 198B | Floyd loam, 1 to 4 percent slopes | 19.12 | 26.8% | | IIw | | 89 | 85 |
| 83B | Kenyon loam, 2 to 5 percent slopes | 10.55 | 14.8% | | IIe | | 90 | 90 |
| 84 | Clyde clay loam, 0 to 3 percent slopes | 9.99 | 14.0% | | IIw | | 88 | 90 |
| 391B | Clyde-Floyd complex, 1 to 4 percent slopes | 8.92 | 12.5% | | IIw | | 87 | 88 |
| 177 | Saude loam, 0 to 2 percent slopes | 7.89 | 11.1% | | IIs | | 60 | 78 |
| 407B | Schley loam, 1 to 4 percent slopes | 6.63 | 9.3% | | IIw | | 81 | 86 |
| 284B | Flagler sandy loam, 2 to 5 percent slopes | 4.87 | 6.8% | | IIIe | | 49 | 66 |
| 285 | Burkhardt sandy loam, 0 to 2 percent slopes | 1.89 | 2.7% | | IIIs | IIs | 22 | 46 |
| C135 | Coland clay loam, channeled, 0 to 2 percent slopes | 0.93 | 1.3% | | Vw | | 18 | 33 |
| 784B | Riceville loam, 1 to 4 percent slopes | 0.49 | 0.7% | | IIe | | 69 | 78 |
| Weighted Average | | | | | | | 79.2 | *n 83.1 |

**IA has updated the CSR values for each county to CSR2.

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.