760± acs Arabi Crisp County, Georgia, AC +/-





jason forehand





The information contained herein was obtained from sources deemed to be reliable. MapRight Services makes no warranties or guarantees as to the completeness or accuracy thereof.

| 🗁 Boundary 759.91 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	NCCPI	CAP
FsB	Fuquay loamy sand, 0 to 5 percent slopes	179.66	23.64	42	2s
Ah	Alapaha loamy sand, 0 to 2 percent slopes, occasionally flooded	159.1	20.94	33	5w
TfB	Tifton loamy sand, 2 to 5 percent slopes	112.88	14.85	<mark>65</mark>	2e
DoB	Dothan loamy sand, 2 to 5 percent slopes	86.01	11.32	59	2e
CoC	Cowarts loamy sand, 5 to 8 percent slopes	47.86	6.3	44	3e
CoC2	Cowarts sandy loam, 5 to 8 percent slopes, moderately eroded	43.6	5.74	42	4e
Se	Stilson loamy sand, 0 to 2 percent slopes	36.58	4.81	58	2w
CoB	Cowarts loamy sand, 2 to 5 percent slopes	35.1	4.62	45	2e
CoB2	Cowarts sandy loam, 2 to 5 percent slopes, eroded	12.02	1.58	46	3e
EuB	Esto sandy loam, 2 to 5 percent slopes	11.95	1.57	67	3e
TfC	Tifton loamy sand, 5 to 8 percent slopes	9.65	1.27	<mark>6</mark> 4	3e
LaB	Lakeland sand, 0 to 5 percent slopes	7.84	1.03	25	3s
Le	Leefield loamy sand, 0 to 2 percent slopes	6.61	0.87	53	2w
Cn	Clarendon loamy sand	3.81	0.5	<mark>6</mark> 4	2w
StD2	Sunsweet sandy loam, 5 to 12 percent slopes, eroded	2.84	0.37	48	6e
ArA	Ardilla loamy sand, 0 to 2 percent slopes	2.52	0.33	42	2w
W	Water	1.44	0.19	-	-
KO	Kinston and Osier soils	0.44	0.06	27	<mark>6</mark> w
TOTALS		759.88(*)	100%	47.19	2.88

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability									
	1	2	3	4	5	6	7	8	
'Wild Life'	٠	٠	•	•	٠	•	•	•	
Forestry	٠	٠	٠	٠	٠	٠	٠		
Limited	٠	٠	•	•	٠	•	•		
Moderate	٠	٠	٠	•	٠	٠			
Intense	٠	٠	•	•	٠				
Limited	٠	٠	٠	٠					
Moderate	٠	٠	•						
Intense	٠	٠							
Very Intense	•								

very Intense •

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water