


Appanoose County 430

Iowa, AC +/-



Boundary Boundary

|  Boundary 101.15 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CSR2	CPI	NCCPI	CAP
587	Chequest silty clay loam, 0 to 2 percent slopes, occasionally flooded	28.8	28.47	62.0	0	79	2w
65F2	Lindley loam, 18 to 25 percent slopes, moderately eroded	16.87	16.68	10.0	0	54	7e
425C2	Keswick loam, 5 to 9 percent slopes, moderately eroded	13.41	13.26	27.0	0	56	3e
94E2	Mystic-Caleb complex, 14 to 18 percent slopes, moderately eroded	11.96	11.82	16.0	0	68	6e
220	Nodaway silt loam	9.17	9.06	82.0	0	90	2w
132C2	Weller silt loam, 5 to 9 percent slopes, moderately eroded	6.41	6.34	59.0	0	87	3e
467	Radford silt loam	4.81	4.75	78.0	0	96	2w
132B2	Weller silt loam, 2 to 5 percent slopes, moderately eroded	3.23	3.19	67.0	0	80	3e
592C2	Mystic silt loam, 5 to 9 percent slopes, moderately eroded	3.03	3.0	31.0	0	73	3e
13B	Olmitz-Vesser-Colo complex, 2 to 5 percent slopes	2.95	2.92	79.0	0	86	2e
406	Kennebec-Amana silt loams complex	0.31	0.31	88.0	0	92	1
W	Water	0.2	0.2	-	0	-	-
TOTALS		101.15(*)	100%	45.31	-	72.73	3.56









(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability

								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water