JUL 2 4 1990

45/2w	/2/aa
1/2/4	

STATE OF OREGON WATER WELL REP (as required by ORS 537.7	JARAHU
WATER WELL REP	ORTHO
(as required by ORS 537.7	5) 3002

WATER RESOURCES DESTART CARD) # 16/47

(as required by ORS 537.765)		<u> </u>
(1) OWNER: Name FRANK SCHUETZ Well Number: SA	(9) LOCATION OF WELL by legal des	cription:
Address 20384 FRENCH PRAIRIE RD.	County MARTON Latitude Lot Township 4S N or S, Range 2W	E or W, WM.
City ST. PAUL State OR Zip 97137	Section 21 NE 1/4 NE	1/4
(2) TYPE OF WORK:	Tax Lot <u>00700</u> Lot Block	Subdivision
XX New Well Deepen Recondition Abandon	Street Address of Well (or nearest address)SAME	
(3) DRILL METHOD		
	(10) STATIC WATER LEVEL:	
☐ Rotary Air ☐ Rotary Mud And Cable ☐ Other ☐ Other ☐ Cable ☐ Other ☐	45 ft. below land surface.	Date 7-13-90
(4) PROPOSED USE:	Artesian pressure lb. per square inch.	Date
Domestic Community Industrial Irrigation	(11) WATER BEARING ZONES:	
☐ Thermal ☐ Injection ☐ Other	1 ' '	
(5) BORE HOLE CONSTRUCTION:	Depth at which water was first found 46	
Special Construction approval Yes No Depth of Completed Well 148 ft.	From To Estimat	ted Flow Rate SWL
Yes No └ X\X	133 148	60 45
Explosives used Type Amount Amount		
HOLE SEAL Amount Diameter From To Material From To sacks or pounds		
Diameter From To Material From To sacks or pounds 10 0 25 BENTONTTE 0 25+ 19		
8 25 35	(12) WELL LOG: Ground elevation	
6 35 148	Material	From To SWL
	TOP-SOIL	0 1
How was seal placed: Method A B C D E	CLAY BROWN	1 22
XX Other POURED DOWN DRY GRANULES	BROWN SILTY CLAY	22 46
Backfill placed fromft. toft. Material	GREY SILTY CLAY	46 52
Gravel placed fromft. toft. Size of gravel	GREY CLAY	52 63
(6) CASING/LINER:	STLTY GREY SAND	63 92
Diameter From To Gauge Steel Plastic Welded Threaded	CLAY GREEN-GREY	92 96
Casing: 6 +2 148 250 XIX XIX	SAND GREY FINE WITH WOOD	96 101
	SILTY GREY SAND	101 133
	Direction of the contract of t	133 145 45
Liner:	GRAVEL 1" TO PEA WITH SAND	145 148 45
Liner:		
Final location of shoe(s) 148		
(7) PERFORATIONS/SCREENS:		
Perforations Method NO	<u> </u>	
Screens Type Material	WESTERBERG DRILLING INC.	
Slot Tele/pipe From To size Number Diameter size Casing Liner	31850 S. Hwy. 213	
	P.O. Box 562	
	Molalla, OR 97038	
	829-2526	
	Date started 7-10-90 Completed 7-	13-90
	(unbonded) Water Well Constructor Certification	n;
(8) WELL TESTS: Minimum testing time is 1 hourFlowing	I certify that the work I performed on the cons	struction, alteration, or
XX Pump	abandonment of this well is in compliance with Or standards. Materials used and information reported ab	
Yield gal/min Drawdown Drill stem at Time	knowledge and belief.	VC Number
1 hr.	Signed Dat	
60		
	(bonded) Water Well Constructor Certification:	
Temperature of water N/A Depth Artesian Flow Found	I accept responsibility for the construction, alter work performed on this well during the construction of	lates reported above, al
Was a water analysis done? Yes By whom NO	work performed during this time is in complian	ice with Oregon well
Did any strata contain water not suitable for intended use? ☐ Too little ☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other	construction standards. This report is true to the best	
	At n Styl WV	VC Number <u>688</u>
Depth of strata:	Date Date Date Date Date Date Date Date	te <u>7-14-90</u>