STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

DE GE BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resource 15 1978 within 30 days after the completion or abandonment of the well.

	Department of the art the services							
1. WELL OWNER	7. WATER LEVEL Eastern District Office							
Name Ronold Celder	Static water levelfeet below land surface.							
Name Ronold alder Address tenday Lake		Flowing? ☐ Yes ☐ No G.P.M. flow						
Owner's Permit No.		Contro	olled by	y:		P)ug		ļ
Owner's Permit INO.		(ciriporature adding)						
2. NATURE OF WORK	8. WELL TEST DATA							
New well □ Deepened □ Replacement □ Abandoned (describe method of abandoning)	☐ Pump ☐ Bailer					Other		!
☐ ADBITIONIST (DESCRIPE METHOD OF BUSINGSMETS)		Discharge	e G.P.M.		Pumping Level	Hours Pu	mped	
		<u>/</u>						
3. PROPOSED USE	<u> </u>							_
☑ Domestic □ Irrigation □ Test □ Municipal	9.	LITH	OLOGIO	C LC	DG .			_
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other (specify type)	Hole			<u> </u>	Material		Wat	
	6	From	10	<u> </u>	Gan Was d	0: <u>#</u> _		No 人
4. METHOD DRILLED	-6-	10	40	<u> </u>	Lagel		92	-
ØRotary Mair □ Hydraulic □ Reverse rotary		40	60	<u> </u>	Francis	x		K
☐ Cable ☐ Dug ☐ Other				_				
	 -	 	 				+	-
5. WELL CONSTRUCTION							1	
Casing schedule: Steel Concrete Other	$\vdash \vdash$	ļļ	1				+-'	
Thickness Diameter From To	<u> </u>			Γ_			1_	<u></u>
inches inches feet 60 feet inches feet feet 60 feet				_				'
inches feet feet	<u> </u>	ļ!						ــ
inches feetfeet	 	 	 	 			+	
Was casing drive shoe used? ₩ Yes □ No	<u> </u>	ļ!		ſ <u></u>			+	<u> </u>
Was a packer or seal used? ☐ Yes ☐ No				二				
Perforated?	<u> </u>	<u> </u>					Ţ'	<u> </u>
Size of perforation inches by inches	<u></u>			 	····		+	
Number From To				<u> </u>			+	+-
30 perforations 30 feet 40 feet								
perforations feet feet feet feet feet	<u></u> '		$\overline{\Box}$	<u> </u>			<u> </u>	
Well screen installed? ☐ Yes ☐ No	<u> </u>	 -					+-	\vdash
Manufacturer's name							-	-
Type Model No Diameter Slot size Set from feet to feet								
Diameter Slot size Set from feet to feet			1				<u> </u>	匚
Gravel packed? 🗆 Yes 🗆 No 🔘 Size of gravel		$\vdash \vdash \vdash$					+	
Placed from feet to feet							+	
Surface seal depth Material used in seal:							1	
Sealing procedure used:		 					<u> </u>	<u> </u>
··· - Overbore to seal depth	\vdash	 			T		+-	├-
Method of joining casing: Threaded Welded Solvent							+	一
Weld ☐ Cemented between strata								
Describe access port	10.					3.4		
	1	Wor	rk start	red _	11-6-78 finished	11-7-	<u>-78</u>	سنم
6. LOCATION OF WELL	11							
	L ""				TIFICATION			
Sketch map location must agree with written location, N	N				t all minimum well constru the time the rig was remov		rds we	ere
Subdivision Name	complied with at the time the rig was removed.							
well	Firm Name (exesternam O Dist) Firm No. 334							
w								
Lot No Block No	Address Box 177 Chair Date 11-7-18							
	Signed by (Firm Official)							
S	Signed by (Firm Official) Sear A (2) outside of and (Operator) San A-(2) outside of the strength of the streng							
County	(Operator) Ar A. 1.22							
AW & NE & Sec. 28, T. 19 (NS, R. 24 (EW.)	i		*	~ p	Charles of the	18-4-1-19-0	helenge.	