

## EXHIBIT "A"

STATE OF TEXAS COUNTY OF WILSON

## FIELD NOTES FOR 11.03 ACRES OF LAND

BEING 11.03 acres of land out of the Daniel Bird Survey, Abstract No. 41 and the Catarina Zepeda Survey, Abstract No. 362, Wilson County, Texas, being a part or portion of the land described in a conveyance to Robert M. Rice in a deed of record in Volume 481, Page 882, Deed Records of Wilson County, Texas and being more particularly described by metes and bounds as follows:

COMMENCING at a set ½ inch rebar with a "Pollok & Sons" cap at the intersection of the northeasterly right-of-way line of FM Highway No. 3335 and the northwesterly right-of-way line of County Road No. 442;

THENCE North 61° 43' 27" West, distance of 1306.47 feet to a right-of-way monument for a PC of a curve to the left, North 68° 00' 46" West, with chord of curve, a distance of 327.31 feet to a right-of-way monument, North 74° 15' 48" West, distance of 225.99 feet to a set ½ inch rebar with a "Pollok & Sons" cap for the westerly corner of a 11.02 acre tract also surveyed this day, the southerly corner and POINT OF BEGINNING of this tract;

THENCE North 74° 15' 48" West, with said Highway right-of-way line, a distance of 115.84 feet to a found right-of-way monument for the PC of a curve to the right;

THENCE with said curve having a radius of 1372.69 feet, chord bearing of North 68° 53' 07" West, chord distance of 261.68 feet and arc length of 262.08 feet to a set ½ inch rebar with a "Pollok & Sons" cap for the westerly corner of this tract and southerly corner of a 11.04 acre tract also surveyed this day;


THENCE North 28° 55' 12" East, with the common line of the 11.04 acre tract and of this tract, a distance of 1312.00 feet to a set ½ inch rebar with a "Pollok & Sons" cap for a common corner on the southerly line of a 11.10 acre tract also surveyed this day;

THENCE South 62° 12' 04" East, with the southerly line of the 11.10 acre tract and a 11.11 acre tract also surveyed this day, total distance of 372.12 feet to a set ½ inch rebar aforementioned 11.02 acre tract;

THENCE South 28° 55' 12" West, with the common line of the 11.02 acre tract and of this tract, a distance of 1257.33 feet to the POINT OF BEGINNING containing 11.03 acres of land as shown on a plat that accompanies this description.

THE bearing system is based on WGS'84.

POLLOK & SONS SURVEYING INC



#### STATE OF TEXAS COUNTY OF WILSON

# EXHIBIT "B"

### FIELD NOTES FOR 11.04 ACRES OF LAND

BEING 11.04 acres of land out of the Daniel Bird Survey, Abstract No. 41 and the Catarina Zepeda Survey, Abstract No. 362, Wilson County, Texas, being a part or portion of the land described in a conveyance to Robert M. Rice in a deed of record in Volume 481, Page 882, Deed Records of Wilson County, Texas and being more particularly described by metes and bounds as follows:

COMMENCING at a found ½ inch pin at the westerly corner of the Rice land on the southeasterly line of the Mary Ann Freasier land described in Volume 429, Page 305, Wilson County Deed Records;

THENCE South 59° 47' 26" East, with the southwesterly line of the Rice land, a distance of 253.44 feet to a set ½ inch rebar with a "Pollok & Sons" cap on the curve of FM Highway No. 3335;

THENCE South 67° 48' 47" East, with chord of said curve having a radius of 1206.28 feet, chord distance of 314.26 feet and arc length of 315.16 feet to a found right-of-way monument for the PT of said curve;

THENCE South 60° 23' 08" East, continuing with said Highway right-of-way line, a distance of 169.71 feet to a set ½ inch rebar with a "Pollok & Sons" cap for the southerly corner of a 11.05 acre tract also surveyed this day, the westerly corner and POINT OF BEGINNING of this tract;

THENCE North 28° 55' 12" East, with the common line of the 11.05 acre tract and of this tract, a distance of 1302.27 feet to a set ½ inch rebar with a "Pollok & Sons" cap for a common corner on the southerly line of a 11.09 acre tract also surveyed this day;

THENCE South 62° 12' 04" East, with the northerly line of this tract, southerly line of the 11.09 and a 11.10 acre tract also surveyed this day, total distance of 367.84 feet to a set ½ inch rebar with a "Pollok & Sons" cap for the easterly corner of this tract and northerly corner of a 11.03 acre tract also surveyed this day:

THENCE South 28° 55' 12" West, with the common line of the 11.03 acre tract and of this tract, a distance of 1312.00 feet to a set ½ inch rebar with a "Pollok & Sons" cap for a common corner on a curve of the northeasterly right-of-way line of FM Highway No. 3335:

THENCE with a curve to the right of said Highway right-of-way line having a radius of 1372.69 feet, chord bearing of North 61° 52' 15" West, chord distance of 74.02 feet and arc length of 74.03 feet to a found right-of-way monument for the PT of said curve;

THENCE North 60° 23' 08" West, continuing with said Highway right-of-way line, a distance of 293.78 feet to the POINT OF BEGINNING containing 11.04 acres of land as shown on a plat that accompanies this description.

THE bearing system is based on WGS'84.

POLLOK & SONS SURVEYING, INC.