





| All Polygons 84.42 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	СРІ	NCCPI	CAP
НоВ	Houston Black clay, 1 to 3 percent slopes	80.06	94.84	0	44	2e
FeE3	Ferris-Heiden clay, 5 to 12 percent slopes, severely eroded	4.31	5.11	0	32	6e
HcD2	Heiden clay, 5 to 8 percent slopes, eroded	0.05	0.06	0	33	4e
TOTALS		84.42(100%	-	43.38	2.21

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Boundary 27.11 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
НоВ	Houston Black clay, 1 to 3 percent slopes	24.92	91.92	0	44	2e
FeE3	Ferris-Heiden clay, 5 to 12 percent slopes, severely eroded	2.19	8.08	0	32	6e
TOTALS		27.11(100%	-	43.03	2.32

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

| Boundary 57.31 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	СРІ	NCCPI	CAP
НоВ	Houston Black clay, 1 to 3 percent slopes	55.14	96.21	0	44	2e
FeE3	Ferris-Heiden clay, 5 to 12 percent slopes, severely eroded	2.12	3.7	0	32	6e
HcD2	Heiden clay, 5 to 8 percent slopes, eroded	0.05	0.09	0	33	4e
TOTALS		57.31(*)	100%	-	43.55	2.15

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$ soil limitations within the rooting zone $\left(w\right)$ excess of water