


THIS SKETCH IS PROVIDED, WITHOUT CHARGE, FOR YOUR INFORMATION. IT IS NOT INTENDED TO SHOW ALL MATTERS RELATED TO THE PROPERTY INCLUDING, BUT NOT LIMITED TO, AREA, DIMENSIONS, EASEMENTS, ENCROACHMENTS, OR LOCATIONS OF BOUNDARIES. IT IS NOT A PART OF, NOR DOES IT MODIFY, THE COMMITMENT OR POLICY TO WHICH IT IS ATTACHED. THE COMPANY ASSUMES NO LIABILITY FOR ANY MATTER RELATED TO THIS SKETCH, UNLESS SUCH COVERAGE IS SPECIFICALLY PROVIDED BY THE COVERED RISKS OF THE POLICY. REFERENCE SHOULD BE MADE TO AN ACCURATE SURVEY FOR FURTHER INFORMATION.



RECORD OF SURVEY SE 1/4, NW 1/4 SEC. 29, TWP. 20N., R4E. 10W., W.M. GRAYS HARBOR COUNTY, WASHINGTON


LEGAL DESCRIPTION:

PARCEL A:
THE SOUTH 1/2 OF TRACT 1, SPRINGFIELD TRACTS AS PER PLAT RECORDED IN THE PUBLIC LANDS OFFICE, PAGE 11, RECORDS OF GRAYS HARBOR COUNTY, WASHINGTON, EXCEPT WHERE SHOWN OTHERWISE, SITUATE IN THE COUNTY OF GRAYS HARBOR, STATE OF WASHINGTON.

PARCEL B:
THE SOUTHEAST QUARTER OF THE NORTHWEST QUARTER, AND THE WEST 1/2 OF THE SOUTHWEST QUARTER OF SECTION 29, TOWNSHIP 20 NORTH, RANGE 10 WEST OF THE WILLAMETTE MERIDIAN.

EXCEPT THAT PORTION DESCRIBED AS FOLLOWS:
BEING 30' OF ABOVE DASED UPON THE PLAT OF SPRINGFIELD TRACTS, NORTH 89° 54' 54\"/>

SCALE: 1" = 200'



LEGEND:

METHOD USED: FIELD TRAVERSE
EQUIP USED: TOPCON-4750B-TOTAL STATION-6"
0- SET 3/4" I.P./CAP # 196412
1- ACCEPTED POSITION OF #4 REBAR/CAP # 54615671
2- SET BY STEVE SCHMIDT, PLS.
3- FOUND CORNERS AS NOTED

NOTE:

-SEE LARGE LOT #30-184 FOR SECTION SUBDIVISION- THE E 1/4 SECTION CORNER WAS CALCULATED FROM P.O.B. VOL. 16, P. 35 (NOT SHOWN)
-PARCEL 3 AREA WAS ADDED TO TAX LOT # 20102943000 NOT A SEPARATE TRACT OF LAND FOR SALE PURPOSES - A GRAYS HARBOR COUNTY PLAT SHOULD BE REQUIRED TO SELL AS A SEPARATE PARCEL.
-SEE ALSO P.O.B. VOL. 3, P. 35 SHOWING ROAD R/W AND PLAT OF SPRINGFIELD TRACTS

APPROVE CERTIFICATE
Rodney E. Salsman, Professional Land Surveyor, No. 126432, State of Washington, is hereby certifying that the foregoing is a true and correct copy of the original survey as shown to me by the owner of the land surveyed.

PREPARED BY:
JERRIE EATON
P.O. BOX 360
ELIWA, WA 98541 (360) 482-2747

DATE: SEPT. 1999

BY: J.E.

SPRINGFIELD TRACT
VOLUME 5 OF PLATS,
PAGE 11


DATE _____

SUBDIVISION ADMINISTRATOR

TAXES HERETO FOR LEVIED AGAINST THE BOUNDARY LINE ADJUSTMENT DESCRIBED HEREON, ACCORDING TO THE BOOKS AND RECORDS OF MY OFFICE, HAVE BEEN FULLY PAID AND DISCHARGED.

DEPUTY TREASURER DATE

2.1.3



FILED FOR RECORD THIS 2ND DAY OF OCT., 2002 AT 2:15 PM IN BOOK 60 OF SURVEYS, PAGE 173, AT THE REQUEST OF Wm. S. Brock

BY *[Signature]*
COUNTY AUDITOR DEPUTY

THIS MAP CORRECTLY REPRESENTS A SURVEY MADE
NAME OR UNDER MY DIRECTION IN CONFORMANCE WITH
THE REQUIREMENTS OF THE SURVEY RECORDING ACT
AT THE REQUEST OF WAYNE BROOKS
IN AUGUST, 2022.

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
DATE 10-3-2022 BY 60322
10-3-2022

BOUNDARY LINE ADJUSTMENT 22-18366

S. WAYNE SPROCKS
D. C. SPROCKS

7.0.0.0000
APACHE JUNCTION, AZ 85110

BY	DATE	SEC
BY	DATE	SEC


210 BAY APT#101R
MOORELAND WY. 98003

UDITOR'S INDEXING DATA

QUARTER	SECTION	TOWNSHIP	RANGE
SW			

[illegible]

RECORD OF SURVEY PORTION OF THE SE 1/4 OF THE NW 1/4, SECTION 29, T. 20 N., R. 10 W., W.M.



LINE TABLE

LINE NO.	BEARING	DISTANCE
1	N 88°42'30\"	70.00
2	N 88°42'30\"	40.00
3	N 88°42'30\"	40.00
4	N 88°42'30\"	40.00
5	N 88°42'30\"	40.00
6	N 88°42'30\"	40.00
7	N 88°42'30\"	40.00
8	N 88°42'30\"	40.00
9	N 88°42'30\"	40.00
10	N 88°42'30\"	40.00
11	N 88°42'30\"	40.00
12	N 88°42'30\"	40.00
13	N 88°42'30\"	40.00
14	N 88°42'30\"	40.00
15	N 88°42'30\"	40.00
16	N 88°42'30\"	40.00
17	N 88°42'30\"	40.00
18	N 88°42'30\"	40.00
19	N 88°42'30\"	40.00
20	N 88°42'30\"	40.00
21	N 88°42'30\"	40.00
22	N 88°42'30\"	40.00
23	N 88°42'30\"	40.00
24	N 88°42'30\"	40.00
25	N 88°42'30\"	40.00
26	N 88°42'30\"	40.00
27	N 88°42'30\"	40.00
28	N 88°42'30\"	40.00
29	N 88°42'30\"	40.00
30	N 88°42'30\"	40.00
31	N 88°42'30\"	40.00
32	N 88°42'30\"	40.00
33	N 88°42'30\"	40.00
34	N 88°42'30\"	40.00
35	N 88°42'30\"	40.00
36	N 88°42'30\"	40.00
37	N 88°42'30\"	40.00
38	N 88°42'30\"	40.00
39	N 88°42'30\"	40.00
40	N 88°42'30\"	40.00
41	N 88°42'30\"	40.00
42	N 88°42'30\"	40.00
43	N 88°42'30\"	40.00
44	N 88°42'30\"	40.00
45	N 88°42'30\"	40.00
46	N 88°42'30\"	40.00
47	N 88°42'30\"	40.00
48	N 88°42'30\"	40.00
49	N 88°42'30\"	40.00
50	N 88°42'30\"	40.00
51	N 88°42'30\"	40.00
52	N 88°42'30\"	40.00
53	N 88°42'30\"	40.00
54	N 88°42'30\"	40.00
55	N 88°42'30\"	40.00
56	N 88°42'30\"	40.00
57	N 88°42'30\"	40.00
58	N 88°42'30\"	40.00
59	N 88°42'30\"	40.00
60	N 88°42'30\"	40.00
61	N 88°42'30\"	40.00
62	N 88°42'30\"	40.00
63	N 88°42'30\"	40.00
64	N 88°42'30\"	40.00
65	N 88°42'30\"	40.00
66	N 88°42'30\"	40.00
67	N 88°42'30\"	40.00
68	N 88°42'30\"	40.00
69	N 88°42'30\"	40.00
70	N 88°42'30\"	40.00
71	N 88°42'30\"	40.00
72	N 88°42'30\"	40.00
73	N 88°42'30\"	40.00
74	N 88°42'30\"	40.00
75	N 88°42'30\"	40.00
76	N 88°42'30\"	40.00
77	N 88°42'30\"	40.00
78	N 88°42'30\"	40.00
79	N 88°42'30\"	40.00
80	N 88°42'30\"	40.00
81	N 88°42'30\"	40.00
82	N 88°42'30\"	40.00
83	N 88°42'30\"	40.00
84	N 88°42'30\"	40.00
85	N 88°42'30\"	40.00
86	N 88°42'30\"	40.00
87	N 88°42'30\"	40.00
88	N 88°42'30\"	40.00
89	N 88°42'30\"	40.00
90	N 88°42'30\"	40.00
91	N 88°42'30\"	40.00
92	N 88°42'30\"	40.00
93	N 88°42'30\"	40.00
94	N 88°42'30\"	40.00
95	N 88°42'30\"	40.00
96	N 88°42'30\"	40.00
97	N 88°42'30\"	40.00
98	N 88°42'30\"	40.00
99	N 88°42'30\"	40.00
100	N 88°42'30\"	40.00

LEGEND

• FOUND MONUMENTS AS NOTED

⊗ x CALCULATED PER R.O.S. VOL. 20, PG. 134

===== SET LINE AND REBORN ON LINE

SCALE OF MERIDIAN: R.O.S. RECORDED IN
VOL. 20 OF SURVEYS, PG. 134, RECORDS OF
GRAY'S HARBOR, WASHINGTON.

SCALE: 1"=200 FEET

0 100 200 400

RECORD OF SURVEY DESCRIPTION:
PARCEL 1 AS RECORDED IN VOL. 20 OF SURVEYS, PG. 134
UNDER AUDITORS FILE NO. 1989-11160021 DATED NOV. 15,
1989 RECORDS OF GRAY'S HARBOR, WASHINGTON.

SURVEY REFERENCES:
R.O.S. BY RODNEY E. SALSMAN 154 19842 VOL. 20, PG. 134
R.O.S. BY STEVAN A. SCHMIDT 154 19571 VOL. 19, PG. 116
LT. R.O.S. BY STEVAN A. SCHMIDT 154 16671 VOL. 1, PG. 23
STATUTORY WARRANTY DEED A.F.N. 2004-0120065

METHOD OF SURVEY: FIELD TRANSFER USING A TOPCON GTS 602
ODD005" TOTAL STATION. THIS SURVEY MEETS OR EXCEEDS THE
PRECISION AND ACCURACY STANDARDS AS OUTLINED IN M.A.C.
332-39-080.

R.E. ZENKNER AND ASSOCIATES LAND SURVEYING INC. MAKES NO
WARRANTY AS TO MATERIALS OR METHODS USED IN THIS SURVEY
NOT LIMITED TO ADVERSE POSSESSION, ACQUISITION, ESTOPPEL
OR BONA FIDE RIGHTS.

CERTIFICATE NO. _____

AUDITOR'S CERTIFICATE
FILED FOR RECORD THIS 4th DAY OF April, 2008
AT 2:46 PM IN BOOK 29 OF SURVEYS PAGE 22
AT THE REQUEST OF ZENKNER & ASSOCIATES LAND SURVEYING, INC.

Joseph Groes
County Auditor
Coun. Curie

SURVEYOR'S CERTIFICATE
THIS MAP CORRECTLY REPRESENTS A SURVEY MADE BY ME
OR UNDER MY SUPERVISION IN CONFORMANCE WITH THE
REQUIREMENTS OF THE ACT, ACCORDING NOT AT THE
REQUEST OF JOSEPH GROES IN NOVEMBER, 2007.

Joseph Groes
License No. 40518

R.E. ZENKNER & ASSOC.
LAND SURVEYING INC.
Greenville, WI 53031
Phone No. (920) 777-9727

CHK'D BY D. STUEDEMANN
DATE 2-04-08
JOB NO. 07-319
SCALE 1"=300'
SHEET 1 OF 1



AUDITORS INDEXING:
SE 1/4 NW 1/4 SEC. 29, T. 20 N., R. 10 W., W.M.