



CRP SOILS





Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

Code	Description	Acres	% of field	IA CSR2	Overall NCCPI	Soil Class (Non- Irr)	Drainage Class
1152 🗌	Marshan clay loam, 0 to 2 percent slopes, rarely flooded	17.60	72.55 %	54	81	2	Poorly drained
141 📃	Watseka loamy fine sand, 1 to 3 percent slopes	2.08	8.57 %	48	69	3	Somewhat poorly drained
408B 🗌	Olin sandy loam, 2 to 5 percent slopes	1.43	5.89 %	64	72	2	Well drained
1585 📕	Spillville-Coland complex, 0 to 2 percent slopes, frequently flooded	0.85	3.50 %	22	65	5	Somewhat poorly drained
391B 📃	Clyde-Floyd complex, 1 to 4 percent slopes	0.77	3.17 %	87	89	2	Poorly drained
1226 🗌	Lawler loam, 0 to 2 percent slopes, rarely flooded	0.50	2.06 %	59	86	2	Somewhat poorly drained
8041 📃	Sparta loamy sand, terrace, 0 to 2 percent slopes, rarely flooded	0.40	1.65 %	48	61	4	Excessively drained
63B 📕	Chelsea loamy fine sand, 2 to 5 percent slopes	0.31	1.28 %	19	50	4	Excessively drained
2153 📕	Shandep clay loam, 0 to 2 percent slopes, ponded, occasionally flooded	0.17	0.70 %	21	7	5	Very poorly drained
626 🗌	Hayfield loam, 0 to 2 percent slopes, rarely flooded	0.17	0.70 %	53	81	2	Somewhat poorly drained
				53.3	78.0		

IA has updated the CSR values for each county to CSR2. Soils data provided by USDA and NRCS.