

PARMELY FARM (235 AC TOTAL, 222.97 AC TILLABLE)

TILLABLE SOILS





Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LC for any inaccuracies or inconsistencies in the information and/or data.

Code	Description	Acres	% of field	IA CSR2	Soil Class (Non-Irr)	Drainage Class
471	Oran loam, 1 to 3 percent slopes	69.81	31.31 %	74	1	Somewhat poorly drained
171B 📃	Bassett loam, 2 to 5 percent slopes	52.63	23.60 %	85	2	Moderately well drained
391B 📃	Clyde-Floyd complex, 1 to 4 percent slopes	50.95	22.85 %	87	2	Poorly drained
83B 📃	Kenyon loam, 2 to 5 percent slopes	27.48	12.32 %	90	2	Moderately well drained
84	Clyde clay loam, 0 to 3 percent slopes	10.15	4.55 %	88	2	Poorly drained
198B 📃	Floyd loam, 1 to 4 percent slopes	9.84	4.41 %	89	2	Somewhat poorly drained
399 📃	Readlyn silt loam, 1 to 3 percent slopes	2.12	0.95 %	91	1	Somewhat poorly drained
Average:				83.0		

IA has updated the CSR values for each county to CSR2. Soils data provided by USDA and NRCS.