

TILLABLE SOILS





County: Buchanan County, IA

Location: **09-88N-9W**Township: **Sumner**Acres: **51.88**

Date: 06/24/2024



Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

Code	Description	Acres	% of field	IA CSR2	Overall NCCPI	Soil Class (Non- Irr)	Drainage Class
1226 🗌	Lawler loam, 0 to 2 percent slopes, rarely flooded	20.32	39.17 %	59	86	2	Somewhat poorly drained
175B 🔲	Dickinson fine sandy loam, 2 to 5 percent slopes	13.13	25.31 %	50	61	3	Well drained
177 🔲	Saude loam, 0 to 2 percent slopes	5.85	11.28 %	60	78	2	Well drained
178 🔲	Waukee loam, 0 to 2 percent slopes	4.32	8.33 %	69	83	2	Well drained
1152 🔲	Marshan clay loam, 0 to 2 percent slopes, rarely flooded	3.64	7.02 %	54	81	2	Poorly drained
41B 📙	Sparta loamy sand, 2 to 5 percent slopes	3.17	6.11 %	42	60	4	Excessively drained
175 🔲	Dickinson fine sandy loam, 0 to 2 percent slopes	1.12	2.16 %	55	63	3	Well drained
1585 📕	Spillville-Coland complex, 0 to 2 percent slopes, frequently flooded	0.32	0.62 %	22	65	5	Somewhat poorly drained
			Average:	56.0	76.0		

IA has updated the CSR values for each county to CSR2. Soils data provided by USDA and NRCS.