





FarmWorth

Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

| ▼ FarmWorth | |
|--------------------|--|
|--------------------|--|

| Code | Description | Acres | % of field | IA CSR2 | Overall NCCPI | Soil Class (Non- Irr) | Drainage Class |
|--------|--|-------|---------------|------------|------------------|--------------------------|----------------------------|
| 1226 🗌 | Lawler loam, 0 to 2 percent slopes, rarely flooded | 20.52 | 26.63 % | 59 | 86 | 2 | Somewhat poorly drained |
| 175B 📃 | Dickinson fine sandy loam, 2 to 5 percent slopes | 19.24 | 24.97 % | 50 | 61 | 3 | Well drained |
| 41B 📃 | Sparta loamy sand, 2 to 5 percent slopes | 9.82 | 12.74 % | 42 | 60 | 4 | Excessively drained |
| 1585 📕 | Spillville-Coland complex, 0 to 2 percent slopes, frequently flooded | 9.67 | 12.55 % | 22 | 65 | 5 | Somewhat poorly drained |
| 177 📃 | Saude loam, 0 to 2 percent slopes | 8.37 | 10.86 % | 60 | 78 | 2 | Well drained |
| 178 📃 | Waukee loam, 0 to 2 percent slopes | 4.32 | 5.61 % | 69 | 83 | 2 | Well drained |
| 1152 📃 | Marshan clay loam, 0 to 2 percent slopes, rarely flooded | 3.65 | 4.74 % | 54 | 81 | 2 | Poorly drained |
| 175 📃 | Dickinson fine sandy loam, 0 to 2 percent slopes | 1.11 | 1.44 % | 55 | 63 | 3 | Well drained |
| 2153 📕 | Shandep clay loam, 0 to 2 percent slopes, ponded, occasionally flooded | 0.34 | 0.44 % | 21 | 7 | 5 | Very poorly drained |
| | | | Average: | 50.1 | 71.9 | | |

IA has updated the CSR values for each county to CSR2. Soils data provided by USDA and NRCS.