



## TRACT 2 (153.61 AC TOTAL, 22.07 AC TILLABLE)

## **TILLABLE SOILS**





County: Greene County, IA

Location: 26-83N-30W

Township: Grant Acres: 22.07

Date: 07/01/2024



Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

| Code    | Description  | Acres | % of<br>field | IA<br>CSR2 | Overall<br>NCCPI | Soil Class (Non-<br>Irr) | Drainage Class               |
|---------|--|-------|---------------|------------|------------------|--------------------------|------------------------------|
| 34B     | Estherville sandy loam, 2 to 6 percent slopes                    | 8.79  | 39.83 %       | 27         | 46               | 3                        | Somewhat excessively drained |
| 34      | Estherville sandy loam, 0 to 2 percent slopes                    | 7.75  | 35.12 %       | 23         | 47               | 3                        | Somewhat excessively drained |
| 108C2 🔲 | Wadena loam, 6 to 12 percent slopes, moderately eroded           | 1.90  | 8.61 %        | 44         | 60               | 3                        | Well drained                 |
| 566C    | Moingona loam, 2 to 7 percent slopes                             | 1.16  | 5.26 %        | 85         | 89               | 3                        | Moderately well drained      |
| 203     | Cylinder loam, 0 to 2 percent slopes                             | 1.10  | 4.98 %        | 58         | 72               | 2                        | Somewhat poorly drained      |
| L256G 📕 | Lester-Belview complex, Bemis moraine, 22 to 40 percent slopes   | 0.79  | 3.58 %        | 9          | 17               | 7                        | Well drained                 |
| 34C2    | Estherville sandy loam, 5 to 9 percent slopes, moderately eroded | 0.29  | 1.31 %        | 13         | 43               | 4                        | Somewhat excessively drained |
| 108     | Wadena loam, 0 to 2 percent slopes                               | 0.24  | 1.09 %        | 56         | 62               | 2                        | Well drained                 |
| 6 🔲     | Okoboji silty clay loam, 0 to 1 percent slopes                   | 0.06  | 0.27 %        | 59         | 75               | 3                        | Very poorly drained          |
|         |  |       | Average:      | 31.2       | 50.3             |                          |                              |

IA has updated the CSR values for each county to CSR2. Soils data provided by USDA and NRCS.