


APPROVED PLAT
 14226
 APRIL 4, 1991
 REF B-2 CASE # 1175-V

THIS LOT MEETS LUSTINE MINIMUM
 HEALTH REQUIREMENT STANDARDS
 FOR A 1/2 ACRE LOT
 FOR 2 PERSONS ONLY

11:14
 400-191-45
 1:31

APPROVALS AND R.M.C. STAMPS




N
 MAG.

WADMALAW ISLAND LAND CO. INC.

- REFERENCES
1. PLAT BOOK 8W, PAGE 67
 2. PLAT BOOK AF, PAGE 26
 3. PLAT BOOK U, PAGE 20
 4. PLAT BOOK AT, PAGE 26
 5. PLAT BOOK AT, PAGE 13
 6. T.M.S. 187-00-00-29 AND 44

LEGEND

1.0 INDICATES IRON PIPE, OLD
 1 N INDICATES IRON PIPE, NEW



PLAT

SHOWING THE RE-SUBDIVISION OF LOTS 9
 AND 10 SITUATE ON WADMALAW ISLAND,
 PRESENTLY OWNED BY ALBERT F. FUCHS
 AND FRANCIS G. FUCHS, CONTAINING 13.75
 ACRES.

SCALE: 1" = 100'
 DATE: SEPT. 18, 1990

CHARLESTON COUNTY
 SOUTH CAROLINA

ROBERT L. ANDERSON
 S.C.R.L.S. NO. 12240
 802 RT. 1, BOX 12240
 F.W. 29317-0240



ROBERT L. ANDERSON, A REGISTERED LAND SURVEYOR
 OF THE STATE OF SOUTH CAROLINA, DO HEREBY CERTIFY
 THAT I HAVE EXAMINED THE PROPERTY BOOK RECORDS,
 THAT THIS PLAT SHOWS THE TRUE BOUNDING OF THE
 PROPERTY, THAT ALL NECESSARY MEASUREMENTS HAVE BEEN
 MADE, AND THAT THE PLAT IS CORRECT AND ACCURATE
 THE AREA HAS BEEN DETERMINED BY THE COORDINATE METHOD.

Albert J. Pickering, P.E.
Wadmalaw Island Land Co., Inc.

10:40

22 2 BR 3 87' fine 8"
22 2 BR 3 87' fine 8"
Chas. Co. Planning Board



LOT - II
GELOGTIS

LOT - 10

6.83 AC.

LOT - 9

6.82 AC.

LOT - 8

6.81 AC.

PETER WILLIAMS

VOSS

BRUORTON


BEE

LOT 10 FOR AGRICULTURAL USE ONLY;
NOT TO BE USED FOR BUILDING PURPOSES

PLAT OF 20.46 ACRES (LOTS 8, 9 & 10)
PROPERTY OF WADMALAW ISLAND LAND CO.
WADMALAW ISLAND, CHARLESTON COUNTY, SOUTH CAROLINA

SCALE 1" = 100'

MARCH, 1987



LOCATION MAP
NO SCALE

FINAL PLAT
E. J. Pickering, P.E.
DIRECTOR OF PLANNING
JUNE 2, 1987
#12180

LEGEND

O.I. - OLD IRON
O.C.P. - OLD CONCRETE POST

T.M.S. 157 - 0 - 029

I, H. Eno Hilton, a registered surveyor of the State of South Carolina do hereby certify that I have surveyed the property shown herein, that this plat shows the true dimensions of the property and that all necessary markers have been installed and the precision is 1:10,000

100 0 100 200

REF BOOK U PAGE 20

BOOK 087 PAGE 186

