



TOTAL SOILS





Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

Code	Description	Acres	% of field	IA CSR2	Overall NCCPI	Soil Class (Irr)	Soil Class (Non- Irr)	Drainage Class
355	Luther loam, 0 to 2 percent slopes	65.19	42.03 %	84	84	-	1	Somewhat poorly drained
356G 📕	Storden-Hayden loams, 25 to 50 percent slopes	38.01	24.51 %	13	16	-	7	Well drained
107	Webster clay loam, 0 to 2 percent slopes	30.67	19.77 %	86	83	-	2	Poorly drained
168B 📃	Hayden loam, 2 to 6 percent slopes	19.84	12.79 %	76	86	-	2	Well drained
236B 📃	Lester loam, 2 to 6 percent slopes	1.39	0.90 %	85	80	-	2	Well drained
Average:					67.4			

IA has updated the CSR values for each county to CSR2. Soils data provided by USDA and NRCS.