


Aerial Map




Aerial Map




Topography Map




Topography Contours




Topography Hillshade



Soils Map





State: **Kansas** County: Marion Location: 3-20S-5E Township: Grant Acres: 632.27 Date: 2/16/2025







| Soils | data | provided | by | USDA and | NRCS. |
|-------|------|----------|----|----------|-------|
|-------|------|----------|----|----------|-------|

| Area Symbol: KS115, Soil Area Version: 22 | | | | | | | | | | |
|---|---|--------|------------------|-------------------------|---------------------|--------------|-------------------|--|--|--|
| Code | Soil Description | Acres | Percent of field | Non-Irr Class Legend | Non-Irr Class *c | Irr Class *c | *n NCCPI Soybeans | | | |
| 4746 | Labette-Sogn silty clay loam, 0 to 8 percent slopes | 231.39 | 36.6% | | IVe | Ille | 33 | | | |
| 4783 | Tully silty clay loam, 3 to 7 percent slopes | 227.43 | 36.0% | | IIIe | Ille | 60 | | | |
| 8300 | Verdigris silt loam, channeled, 0 to 2 percent slopes, frequently flooded | 69.20 | 10.9% | | Vw | | 41 | | | |
| 4750 | Sogn silty clay loam, 0 to 10 percent slopes | 54.59 | 8.6% | | VIs | | 17 | | | |
| 4740 | Labette silty clay loam, 1 to 3 percent slopes | 49.66 | 7.9% | | lle | lle | 43 | | | |
| Weighted Average | | | | | | *- | *n 43 | | | |

^{*}n: The aggregation method is "Weighted Average using all components"

^{*}c: Using Capabilities Class Dominant Condition Aggregation Method
*- Irr Class weighted average cannot be calculated on the current soils data due to missing data.