
From: Stephanie Justmann <sjustmann@mayvillecity.com>
Sent: Friday, July 12, 2024 3:31 PM
To: Jones Auction & Realty Service <Info@jonesauctionservice.com>
Subject: RE: 111 N Mayville

This Library was opened February 1968.

I have already checked the posting out on the website. Nice Job!

Stephanie Justmann

City Administrator
15 South School Street
PO Box 273
Mayville, WI 53050
Phone: 920-387-7900 X1207
Fax: 920-387-7919
www.mayvillecity.com



From: Jones Auction & Realty Service <Info@jonesauctionservice.com>
Sent: Friday, July 12, 2024 12:39 PM
To: Stephanie Justmann <sjustmann@mayvillecity.com>
Subject: RE: 111 N Mayville

Stephanie,

Would someone in the City office know the age of the building? What year it was built?

Date	Ref No	Jrnl Co	Description	Debit
1/20/2023	31-1	AP	ALLIANT ENERGY/WP&L	865.7
2/20/2023	56-1	AP	ALLIANT ENERGY/WP&L	799.73
3/15/2023	545-1	AP	ALLIANT ENERGY/WP&L	561.66
4/20/2023	16-1	AP	ALLIANT ENERGY/WP&L	226.73
5/31/2023	58-1	AP	ALLIANT ENERGY/WP&L	134.03
6/27/2023	498-1	AP	ALLIANT ENERGY/WP&L	38.81
7/31/2023	33-1	AP	ALLIANT ENERGY/WP&L	16.99
8/31/2023	54-1	AP	ALLIANT ENERGY/WP&L	17.9
9/21/2023	57-1	AP	ALLIANT ENERGY/WP&L	14.16
10/24/2023	61-1	AP	ALLIANT ENERGY/WP&L	36.8
10/24/2023	5-1	AP	ALLIANT ENERGY/WP&L	85.15
11/29/2023	57-1	AP	ALLIANT ENERGY/WP&L	902.46
12/20/2023	136-1	AP	ALLIANT ENERGY/WP&L	1416.78
				\$5,116.9

Natural Gas 2023

Date	Ref No	Jrnl Co	Description	Debit
1/20/2022	56-1	AP	ALLIANT ENERGY/WP&L	627.63
2/18/2022	581-1	AP	ALLIANT ENERGY/WP&L	1229.47
3/22/2022	522-1	AP	ALLIANT ENERGY/WP&L	268.02
4/21/2022	336-1	AP	ALLIANT ENERGY/WP&L	330.23
5/23/2022	51-1	AP	ALLIANT ENERGY/WP&L	139.62
6/22/2022	641-1	AP	ALLIANT ENERGY/WP&L	49.34
7/21/2022	18-1	AP	ALLIANT ENERGY/WP&L	13.75
8/22/2022	609-1	AP	ALLIANT ENERGY/WP&L	15.97
9/21/2022	497-1	AP	ALLIANT ENERGY/WP&L	33.01
10/24/2022	50-1	AP	ALLIANT ENERGY/WP&L	198.47
11/21/2022	52-1	AP	ALLIANT ENERGY/WP&L	289.99
12/19/2022	548-1	AP	ALLIANT ENERGY/WP&L	541.51
				\$3,737.01

Natural Gas 2022

Date	Ref No	Jrnl Co	Description	Debit
1/20/2023	29-1	AP	ALLIANT ENERGY/WP&L	47.08--
1/20/2023	30-1	AP	ALLIANT ENERGY/WP&L	647.8
2/20/2023	54-1	AP	ALLIANT ENERGY/WP&L	45.23---
2/20/2023	55-1	AP	ALLIANT ENERGY/WP&L	666.06
3/15/2023	543-1	AP	ALLIANT ENERGY/WP&L	47.18--
3/15/2023	544-1	AP	ALLIANT ENERGY/WP&L	676.6
4/20/2023	14-1	AP	ALLIANT ENERGY/WP&L	41.77--
4/20/2023	15-1	AP	ALLIANT ENERGY/WP&L	584.5
5/31/2023	57-1	AP	ALLIANT ENERGY/WP&L	714.34
5/31/2023	56-1	AP	ALLIANT ENERGY/WP&L	46.62 --
6/27/2023	496-1	AP	ALLIANT ENERGY/WP&L	44.86 --
6/27/2023	497-1	AP	ALLIANT ENERGY/WP&L	765.36
7/31/2023	31-1	AP	ALLIANT ENERGY/WP&L	40.48 --
7/31/2023	32-1	AP	ALLIANT ENERGY/WP&L	844.41
8/31/2023	52-1	AP	ALLIANT ENERGY/WP&L	42.97 --
8/31/2023	53-1	AP	ALLIANT ENERGY/WP&L	867.17
9/21/2023	55-1	AP	ALLIANT ENERGY/WP&L	42.39 --
9/21/2023	56-1	AP	ALLIANT ENERGY/WP&L	784.2
10/24/2023	59-1	AP	ALLIANT ENERGY/WP&L	45.62 --
10/24/2023	60-1	AP	ALLIANT ENERGY/WP&L	642.93
10/24/2023	4-1	AP	ALLIANT ENERGY/WP&L	1819.51--
11/29/2023	56-1	AP	ALLIANT ENERGY/WP&L	1633.27--
11/29/2023	53-1	AP	ALLIANT ENERGY/WP&L	694.98
12/20/2023	133-1	AP	ALLIANT ENERGY/WP&L	952.98 --
12/20/2023	135-1	AP	ALLIANT ENERGY/WP&L	1519.89
				\$14,258.2

Electric 2023

9408.25

Date	Ref No	Jml Co	Description	Debit
1/20/2022	54-1	AP	ALLIANT ENERGY/WP&L	43.62
1/20/2022	55-1	AP	ALLIANT ENERGY/WP&L	535.37
2/18/2022	579-1	AP	ALLIANT ENERGY/WP&L	73.7
2/18/2022	580-1	AP	ALLIANT ENERGY/WP&L	978.89
3/22/2022	520-1	AP	ALLIANT ENERGY/WP&L	23.08
3/22/2022	521-1	AP	ALLIANT ENERGY/WP&L	303.53
4/21/2022	334-1	AP	ALLIANT ENERGY/WP&L	44.35
4/21/2022	335-1	AP	ALLIANT ENERGY/WP&L	573.58
5/23/2022	49-1	AP	ALLIANT ENERGY/WP&L	45.82
5/23/2022	50-1	AP	ALLIANT ENERGY/WP&L	607.46
6/22/2022	639-1	AP	ALLIANT ENERGY/WP&L	44.55
6/22/2022	640-1	AP	ALLIANT ENERGY/WP&L	729.86
7/21/2022	16-1	AP	ALLIANT ENERGY/WP&L	39.75
7/21/2022	17-1	AP	ALLIANT ENERGY/WP&L	780.94
8/22/2022	607-1	AP	ALLIANT ENERGY/WP&L	46.83
8/22/2022	608-1	AP	ALLIANT ENERGY/WP&L	813.22
9/21/2022	495-1	AP	ALLIANT ENERGY/WP&L	43.07
9/21/2022	496-1	AP	ALLIANT ENERGY/WP&L	732.18
10/24/2022	48-1	AP	ALLIANT ENERGY/WP&L	43.07
10/24/2022	49-1	AP	ALLIANT ENERGY/WP&L	578.42
11/21/2022	50-1	AP	ALLIANT ENERGY/WP&L	41.99
11/21/2022	51-1	AP	ALLIANT ENERGY/WP&L	594.14
12/19/2022	546-1	AP	ALLIANT ENERGY/WP&L	36.55
12/19/2022	547-1	AP	ALLIANT ENERGY/WP&L	546.99
				\$8,300.96

Electric 2022

Water + sewer

CITY OF MAYVILLE
WATER AND WASTEWATER

Customer Inquiry - Credit History
1-0490-00, CITY OF MAYVILLE-LIBRARY, 111 N MAIN ST

Period	Charges	Due Date	Balance	Delinquent	Shutoff	Collection Code
09/30/2021	46.83	10/20/2021	46.83			
10/31/2021	46.83	11/20/2021	46.83			
11/30/2021	46.83	12/20/2021	46.83			
12/31/2021	54.62	01/20/2022	54.62			
01/31/2022	47.58	02/20/2022	47.58			
02/28/2022	47.58	03/20/2022	47.58			
03/31/2022	55.46	04/20/2022	55.46			
04/30/2022	47.58	05/20/2022	47.58			
05/31/2022	55.46	06/20/2022	55.46			
06/30/2022	47.58	07/20/2022	47.58			
07/31/2022	55.46	08/20/2022	55.46			
08/31/2022	47.58	09/20/2022	47.58			
09/30/2022	55.46	10/20/2022	55.46			
10/31/2022	47.58	11/20/2022	47.58			
11/30/2022	55.46	12/20/2022	55.46			
12/31/2022	63.34	01/20/2023	63.34			
01/31/2023	47.58	02/20/2023	47.58			
02/28/2023	71.22	03/20/2023	71.22			
03/31/2023	55.46	04/20/2023	55.46			
04/30/2023	63.34	05/20/2023	63.34			
05/31/2023	63.34	06/20/2023	63.34			
06/30/2023	55.46	07/20/2023	55.46			
07/31/2023	55.46	08/20/2023	55.46			
08/31/2023	47.58	09/20/2023	47.58			
09/30/2023	47.58	10/20/2023	47.58			
10/31/2023	47.58	11/20/2023	47.58			
11/30/2023	55.46	12/20/2023	55.46			
12/31/2023	55.46	01/20/2024	55.46			

CITY OF MAYVILLE
WATER AND WASTEWATER

Customer Inquiry - Credit History
1-0490-00, CITY OF MAYVILLE-LIBRARY, 111 N MAIN ST

8/2/2024
Page: 2

Period	Charges	Due Date	Balance	Delinquent	Shutoff	Collection Code
01/31/2024	55.46	02/20/2024	55.46			
02/29/2024	31.82	03/20/2024	31.82			
03/31/2024	31.82	04/20/2024	31.82			
04/30/2024	31.82	05/20/2024	31.82			
05/31/2024	31.82	06/20/2024	31.82			
06/30/2024	36.58	07/20/2024	36.58			
07/31/2024	36.58	08/20/2024	36.58			
08/31/2024	.00	09/20/2024	36.58			
				0	0	0