



## **CRP SOILS**





County: Chickasaw County, IA

Location: **01-94N-11W**Township: **Fredericksburg** 

Acres: **69.18** 

Date: 05/22/2025



Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

Code	Description	Acres	% of field	IA CSR2	Overall NCCPI	Soil Class (Irr)	Soil Class (Non-Irr)	Drainage Class
84	Clyde clay loam, 0 to 3 percent slopes	21.59	31.21 %	88	90	-	2	Poorly drained
284B 📙	Flagler sandy loam, 2 to 5 percent slopes	9.03	13.06 %	49	62	-	3	Somewhat excessively drained
198B 📙	Floyd loam, 1 to 4 percent slopes	8.86	12.81 %	89	88	-	2	Somewhat poorly drained
391B	Clyde-Floyd complex, 1 to 4 percent slopes	7.72	11.16 %	87	89	-	2	Poorly drained
621B	Houghton muck, 1 to 4 percent slopes	7.36	10.64 %	35	94	-	3	Very poorly drained
1152	Marshan clay loam, 0 to 2 percent slopes, rarely flooded	6.37	9.21 %	54	81	-	2	Poorly drained
776D2 📕	Lilah sandy loam, 5 to 14 percent slopes, moderately eroded	2.10	3.04 %	5	38	-	6	Excessively drained
394B 🔲	Ostrander loam, 2 to 5 percent slopes	2.06	2.98 %	88	78	-	2	Well drained
284C2 🔲	Flagler sandy loam, 5 to 9 percent slopes, moderately eroded	1.26	1.82 %	41	54	-	3	Somewhat excessively drained
407B 📙	Schley loam, 1 to 4 percent slopes	1.00	1.45 %	81	94	-	2	Somewhat poorly drained
394C2 🔲	Ostrander loam, 5 to 9 percent slopes, eroded	0.79	1.14 %	73	65	-	3	Well drained
221B 📙	Klossner muck, 1 to 4 percent slopes	0.77	1.11 %	48	89	-	3	Very poorly drained
798B 🔲	Protivin loam, 1 to 4 percent slopes	0.13	0.19 %	61	79	-	2	Somewhat poorly drained
177	Saude loam, 0 to 2 percent slopes	0.07	0.10 %	60	78	-	2	Well drained
175B 🔲	Dickinson fine sandy loam, 2 to 5 percent slopes	0.04	0.06 %	50	61	-	3	Well drained
399	Readlyn silt loam, 1 to 3 percent slopes	0.01	0.01 %	91	80	-	1	Somewhat poorly drained
Average:				70.0	82.7			