

## Sales Plat Only



## Final Plat of the Gavin Ventures, LLC Property

Being a Subdivision of the Property Described in Deed Book 350, Page 171 Ten Parcels of Land Lying in Butler County, Greenville, Alabama



PARCEL CONTAINS 218,851 SQUARE FEET OR 5.02 ACRES, MORE OR LESS

PARCEL CONTAINS 218,859 SQUARE FEET OR 5.02 ACRES, MORE OR LESS.

SAID QUARTER—QUARTER SECTION SOUTH 070774\*WEST, A DISTANCE OF 1280.66 FEET TO A SET 1/2 INCH IRON ROO AND CAP STAMPED "AR. BUTTS LSCASOO42", BEING THE POINT OF BEGINNING OF THE PARCEL HEREN DESCRIBED. THENCE CONTINUE WITH THE EAST QUARTER—QUARTER LINE SOUTH 070774\*WEST, A DISTANCE OF 250.27 FEET TO A SET 1/2 INCH IRON ROO AND CAP STAMPED "AR. BUTTS LSCASOO42": THENCE WITH THE SOUTH OF SAID QUARTER—QUARTER SECTION NORTH 89'26'07\*WEST, A DISTANCE OF 888.55 FEET TO A SET 1/2 INCH IRON ROO AND CAP STAMPED "AR. BUTTS LSCASOO42" ON THE EAST RIGHT—OF—WAY OF HALSO MILL ROAD (COUNTY ROAD 99): THENCE WITH THE LEAST RIGHT—OF—WAY OF HALSO MILL ROAD (COUNTY ROAD 99): THENCE WITH THE LEAST RIGHT—OF—WAY OF HALSO MILL ROAD (NORTH) 00'39'29'TEST, A DISTANCE OF 236.46 FEET TO A SET 1/2 INCH IRON DINNAMED AS ATMEDIT TO THE PARCE AND THE CONTROL OF THE PARCE AND THE COUNTY OF THE PARCE AND THE COUNTY OF THE PARCE AND THE COUNTY OF THE PARCE AND T ROD AND CAP STAMPED "J.R. BUTS LSCASOO42"; THENCE DEPARTING SAID RIGHT-OF-WAY NORTH 89'48'14"EAST, A DISTANCE OF 916.82 FEET TO THE POINT OF BEGINNING

LOT 1 LEGAL DESCRIPTION

COMMENCING AT A FOUND 1/2 INCH IRON PIPE AT A 4 INCH SQUARE CONCRETE MONUMENT, BEING THE NORTHEAST CORNER OF THE
SOLITHMENT CLUARTER OF THE SOUTHEAST QUARTER OF SECTION 1, TOWNSHIP B NORTH, RANGE 15 EAST, BUTLER COUNTY, ALABAMA; THENCE

PARCEL CONTAINS 69,695 SQUARE FEET OR 1.60 ACRES, MORE OR LESS.

LOT 3 LEGAL DESCRIPTION
COMMERCING AT A FOUND 1/2 INCH IRON PIPE AT A 4 INCH SQUARE CONCRETE MONUMENT, BBING THE NORTHEAST CORNER OF THE
SQUITHEST OUR THE SQUITHEAST QUARTER OF SECTION 1, TOWNSHIP 8 NORTH, RANGE 15 EAST, BUTLER COUNTY, ALABAMA, THENCE
WITH THE NORTH LINE OF SAID QUARTER—QUARTER SECTION SQUITH 89702/35\*WEST, A DISTANCE OF 78.302 FEET TO A FOUND 1/2 INCH IRON
ROO ON THE EAST RIGHT—OF-WAY OF HALSO MILL ROAD COUNTY ROAD 59); THENCE CONTINUE WITH NEORTH LINE OF SAID
QUARTER—QUARTER SECTION NORTH 8918/20\*WEST, A DISTANCE OF 84.37 FEET TO A FOUND 1/2 INCH IRON ROO AND CAP STAMPED "AR.
BUTTS LSCASO042" ON THE WEST RIGHT—OF-WAY OF HALSO MILL ROAD SOUTH 1913/03\*WEST, A DISTANCE OF 413.02 FEET TO A SET 1/2 INCH IRON ROO AND CAP STAMPED "AR. BUTTS LSCASO042", BOTH THE PARCEL HERDEN DESCRIBED; THENCE CONTINUE WITH THE WEST RIGHT—OF-WAY OF HALSO MILL ROAD SOUTH
1913/03\*WEST, A DISTANCE OF 208.67 FEET TO A POINT; THENCE CONTINUE WITH THE WEST RIGHT—OF-WAY OF HALSO MILL ROAD AND A
CHORD DISTANCE OF 49.68 FEET TO A SET 1/2 INCH IRON ROO AND CAP STAMPED "AR. BUTTS LSCASO042", THENCE SOUTH 182\*373 "WEST AND A
CHORD DISTANCE OF 49.68 FEET TO A SET 1/2 INCH IRON ROO AND CAP STAMPED "AR. BUTTS LEGASO042", THENCE CONTINUE WITH THE WEST RIGHT—OF-WAY OF HALSO MILL ROAD AND A
CHORD DISTANCE OF 49.68 FEET TO A SET 1/2 INCH IRON ROO AND CAP STAMPED "AR. BUTTS LEGASO042", THENCE COPPARTNO SAID
CHORD DISTANCE OF 49.68 FEET TO A SET 1/2 INCH IRON ROO AND CAP STAMPED "AR. BUTTS LSCASO042", THENCE DEPARTNO SAID
RIGHT—OF-WAY SOUTH 182\*373 "WEST AND A
CHORD DISTANCE OF 49.68 FEET TO A SET 1/2 INCH IRON ROO AND CAP STAMPED "AR. BUTTS LSCASO042", THENCE DEPARTNO SAID
RIGHT—OF-WAY SOUTH 182\*373 "WEST AND A
CHORD INSTANCE OF 49.68 FEET TO A SET 1/2 INCH IRON ROO AND CAP STAMPED "AR. BUTTS
LSCASO042" ON THE WEST TILLING OF THE APPREMENTIONED QUARTER—QUARTER—OUARTER LINE
DEPARTNO SAID QUARTER—QUARTER LINE NORTH 889\*4814" REAST, A DISTANCE OF 312.28 FEET TO THE POINT OF BEGINNING.

COT 4 LEGAL DESCRIPTION

COMMENCING AT A FOUND 1/2 INCH IRON PIPE AT A 4 INCH SQUARE CONCRETE MONUMENT, BEING THE NORTHLAST CORNER OF THE

SOUTHWEST OLIVATED'S OF THE SOUTHEAST QUARTER OF SECTION 1, TOWNSHIP 8 NORTH, RANGE 15 EAST, BUTLER COUNTY, ALASAMA: THENCE
WITH THE NORTH LINE OF SAID QUARTER—QUARTER SECTION SOUTH 89/02/35 "MEST, A DISTANCE OF 78/3.02 FEET TO A FOUND 1/2 INCH IRON ROO ON THE EAST RIGHT—OF—WAY OF HALSO MILL ROAD SOUTH HENCE CONTINUE WITH HE NORTH LINE OF SAID

QUARTER—QUARTER SECTION NORTH 89/18/20 "WEST, A DISTANCE OF 84.37 FEET TO A FOUND 1/2 INCH IRON RO AND CAP STAMPED "LR

BUTTS ISCRIPTION SOUTH 189/18/20 "WEST, A DISTANCE OF 84.37 FEET TO A FOUND 1/2 INCH IRON RO AND CAP STAMPED "LR

BUTTS ISCRIPTION OF 18/18/20 "WEST, A DISTANCE OF 18/18/20 "WEST, A DISTANCE OF 50/18/20 "LR SUTTON OF SOUTH 18/25 "MEST, A DISTANCE OF 62/18/9 FEET TO A POINT; THENCE CONTINUE WITH THE WEST RIGHT—OF—WAY OF HALSO MILL ROAD SOUTH

19/13/20 "MEST, A DISTANCE OF 62/18/9 FEET TO A POINT; THENCE CONTINUE WITH THE WEST RIGHT—OF—WAY OF HALSO MILL ROAD AND A

CHORD DISTANCE OF 49/68 FEET TO A SET 1/2 INCH IRON ROD AND CAP STAMPED "LR. BUTTS ISCRIPTION OF SOUTH 18/25/37" WEST AND A

CHORD DISTANCE OF 18/06/6 FEET TO A SET 1/2 INCH IRON ROD AND CAP STAMPED "LR. BUTTS ISCRIPTION OF SOUTH 18/25/37" WEST AND A

CHORD DISTANCE OF 18/06/6 FEET TO A SET 1/2 INCH IRON ROD AND CAP STAMPED "LR. BUTTS ISCRIPTION OF SOUTH 09/39/29" WEST, A DISTANCE OF

318/9 FEET TO A POINT; ITENDEC CONTINUE WITH THE WEST RIGHT—OF—WAY OF HALSO MILL ROAD SOUTH 09/39/29" WEST, A DISTANCE OF

318/9 FEET TO A POINT; ITENDEC CONTINUE WITH THE WEST RIGHT—OF—WAY OF HALSO MILL ROAD SOUTH 09/39/29" WEST, A DISTANCE OF

318/9 FEET TO A POINT; ITENDEC CONTINUE WITH THE WEST RIGHT—OF—WAY OF HALSO MILL ROAD SOUTH 09/39/29" WEST, A DISTANCE OF

318/9 FEET TO A FOUND 1/2 INCH IRON ROD AND CAP STAMPED "LR. BUTTS ISCRIPTOON" WEST, AD DISTANCE OF 28/19/7 FEET TO A FOUND 3/4


A SET 1/2 NOH IRON ROD AND CAP STAMPED "LR. BUTTS ISCRIPTOON" WEST, AD DISTANCE OF 28/

PARCEL CONTAINS 218,857 SQUARE FEET OR 5.02 ACRES, MORE OR LESS.

COMPRIANCE AT A FOUND 1/2 INCH IRON PIPE AT A 4 INCH SQUARE CONCRETE MONUMENT, BEING THE NORTH-EAST CORNER OF THE SOUTH-MEST LOUARITER DUARITER SOUTH-MEST LOUARITER DUARITER SOUTH-MEST LOUARITER COUNTINE WITH THE EAST QUARITER-QUARITER THE SOUTH-MEST LOUARITER-QUARITER LOUARITER LOUARITER SOUTH-MEST LOUARITER-QUARITER LOUARITER LOUARIT







	LINE TAB	Œ	
LINE	DIRECTION	DISTANCE	
L1	S89"18"20"E	84.37	
L2	S89"26"07"E	80.00	

CURVE TABLE						
CURVE	LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD DISTANCE	
C1	49.68	1800.61	1"34"51"	S18"25"37"W	49.68	







GAVIN VENTURES, LLC PROPERTY SI-T8N-R15E BUTLER COUNTY

3/11/2024

