



## WEEHLER FARM (152.60 AC TOTAL, 105.00 AC TILLABLE)

## **TILLABLE SOILS**





County: Ringgold County, IA

 Location:
 01-67N-31W

 Township:
 Clinton

 Acres:
 105.00

 Date:
 05/06/2025



Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

| Code         | Description   | Acres | % of<br>field | IA<br>CSR2 | Overall<br>NCCPI | Soil Class<br>(Irr) | Soil Class<br>(Non-Irr) | Drainage Class             |
|--------------|---|-------|---------------|------------|------------------|---------------------|-------------------------|----------------------------|
| 792D2 📕      | Armstrong clay loam, 9 to 14 percent slopes, moderately eroded                | 11.05 | 10.52 %       | 7          | 58               | -                   | 4                       | Somewhat poorly drained    |
| 179F2        | Gara loam, 18 to 24 percent slopes, moderately eroded                         | 10.04 | 9.57 %        | 12         | 54               | -                   | 6                       | Well drained               |
| 269          | Humeston silty clay loam, 0 to 2 percent slopes, occasionally flooded         | 9.67  | 9.21 %        | 70         | 89               | -                   | 3                       | Poorly drained             |
| 179E2        | Gara loam, 14 to 18 percent slopes, moderately eroded                         | 8.32  | 7.93 %        | 24         | 62               | -                   | 6                       | Well drained               |
| 13B          | Olmitz-Zook-Humeston complex, 0 to 5 percent slopes                           | 7.76  | 7.39 %        | 78         | 77               | -                   | 2                       | Poorly drained             |
| 76C 🔲        | Ladoga silt loam, 5 to 9 percent slopes                                       | 7.70  | 7.34 %        | 81         | 88               | -                   | 3                       | Moderately well<br>drained |
| S179F        | Gara loam, 18 to 25 percent slopes  | 6.78  | 6.46 %        | 19         | 54               | -                   | 6                       | Well drained               |
| 175C         | Dickinson fine sandy loam, 5 to 9 percent slopes                              | 6.53  | 6.22 %        | 46         | 58               | -                   | 3                       | Well drained               |
| 451F2        | Caleb loam, 14 to 25 percent slopes, moderately eroded                        | 6.25  | 5.96 %        | 20         | 68               | -                   | 7                       | Moderately well<br>drained |
| S54 <u> </u> | Zook silty clay loam, heavy till, 0 to 2 percent slopes, occasionally flooded | 5.00  | 4.76 %        | 68         | 74               | -                   | 2                       | Poorly drained             |
| S993D2 📕     | Gara-Armstrong complex, 9 to 14 percent slopes, moderately eroded             | 4.87  | 4.64 %        | 32         | 64               | -                   | 4                       | Well drained               |
| 175D         | Dickinson fine sandy loam, 9 to 14 percent slopes                             | 2.89  | 2.75 %        | 19         | 55               | -                   | 4                       | Well drained               |

| Code         | Description   | Acres | % of<br>field | IA<br>CSR2 | Overall<br>NCCPI | Soil Class<br>(Irr) | Soil Class<br>(Non-Irr) | Drainage Class             |
|--------------|---|-------|---------------|------------|------------------|---------------------|-------------------------|----------------------------|
| 94D2         | Mystic-Caleb complex, 9 to 14 percent slopes, moderately eroded                   | 2.64  | 2.52 %        | 20         | 72               | -                   | 4                       | Somewhat poorly<br>drained |
| 592D         | Mystic loam, 9 to 14 percent slopes   | 2.57  | 2.45 %        | 10         | 67               | -                   | 4                       | Somewhat poorly drained    |
| S273C        | Olmitz loam, heavy till, 5 to 9 percent slopes                                    | 2.54  | 2.42 %        | 77         | 84               | -                   | 3                       | Moderately well drained    |
| S54+ <u></u> | Zook silt loam, heavy till, 0 to 2 percent slopes, occasionally flooded, overwash | 2.29  | 2.18 %        | 68         | 73               | -                   | 2                       | Poorly drained             |
| 179D         | Gara loam, 9 to 14 percent slopes   | 2.25  | 2.14 %        | 42         | 70               | -                   | 4                       | Well drained               |
| S220 🔲       | Nodaway silt loam, heavy till, 0 to 2 percent slopes, occasionally flooded        | 1.98  | 1.89 %        | 77         | 86               | -                   | 2                       | Moderately well drained    |
| 792C         | Armstrong loam, 5 to 9 percent slopes   | 1.95  | 1.86 %        | 35         | 66               | -                   | 3                       | Somewhat poorly drained    |
| S172 🔲       | Wabash silty clay, 0 to 2 percent slopes, occasionally flooded                    | 1.00  | 0.95 %        | 57         | 62               | -                   | 3                       | Very poorly drained        |
| 179E         | Gara loam, 14 to 18 percent slopes  | 0.65  | 0.62 %        | 30         | 66               | -                   | 6                       | Well drained               |
| 76C2         | Ladoga silty clay loam, 5 to 9 percent slopes, moderately eroded                  | 0.12  | 0.11 %        | 73         | 84               | -                   | 3                       | Moderately well drained    |
| 592C2        | Mystic clay loam, 5 to 9 percent slopes, moderately eroded                        | 0.11  | 0.10 %        | 31         | 70               | -                   | 3                       | Somewhat poorly drained    |
| W            | Water   | 0.00  | 0.00 %        | 0          | 0                | -                   | -                       | -                          |
|              | Average:  |       |               |            | 68.3             |                     |                         |                            |

IA has updated the CSR values for each county to CSR2. Soils data provided by USDA and NRCS.