
Place Family Farms

Auglaize County, Ohio, 74 AC +/-







| Boundary 73.97 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	СРІ	NCCPI	CAP
Ble1B1	Blount silt loam, end moraine, 2 to 4 percent slopes	48.87	66.08	0	67	2e
Gwe1B1	Glynwood silt loam, end moraine, 2 to 6 percent slopes	8.53	11.53	0	66	2e
Gwd5C2	Glynwood clay loam, 6 to 12 percent slopes, eroded	6.7	9.06	63	56	4e
Mnl3A	Minster silty clay loam, till substratum, 0 to 1 percent slopes	5.96	8.06	79	63	3w
Pt	Pewamo silty clay loam, 0 to 1 percent slopes	2.22	3.0	0	76	2w
Blg1B1	Blount silt loam, ground moraine, 2 to 4 percent slopes	1.27	1.72	0	67	2e
Sho1AO	Shoals silt loam, 0 to 2 percent slopes, occasionally flooded	0.18	0.24	0	74	2w
BdUXB	Blount-Urban land complex, 2 to 4 percent slopes	0.11	0.15	0	67	2e
Ble1A1	Blount silt loam, end moraine, 0 to 2 percent slopes	0.1	0.14	0	69	2w
Blg1A1	Blount silt loam, ground moraine, 0 to 2 percent slopes	0.02	0.03	0	69	2w
GdUXB	Glynwood-Urban land complex, 2 to 6 percent slopes	0.01	0.01	0	67	2e
TOTALS		73.97(*)	100%	12.07	65.87	2.26

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$ soil limitations within the rooting zone $\left(w\right)$ excess of water