



SELLER'S DISCLOSURE NOTICE

©Texas Association of REALTORS®, Inc. 2022

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.

CONCERNING THE PROPERTY AT 8998 Winslow Lane, Menard, TX 76859

THIS NOTICE IS A DISCLOSURE OF SELLER'S KNOWLEDGE OF THE CONDITION OF THE PROPERTY AS OF THE DATE SIGNED BY SELLER AND IS NOT A SUBSTITUTE FOR ANY INSPECTIONS OR WARRANTIES THE BUYER MAY WISH TO OBTAIN. IT IS NOT A WARRANTY OF ANY KIND BY SELLER, SELLER'S AGENTS, OR ANY OTHER AGENT.

Seller ☒ is ☐ is not occupying the Property. If unoccupied (by Seller), how long since Seller has occupied the Property? ☐ (approximate date) or ☐ never occupied the Property *Part time occupant*

Section 1. The Property has the items marked below: (Mark Yes (Y), No (N), or Unknown (U).)

This notice does not establish the items to be conveyed. The contract will determine which items will & will not convey.

Item	Y	N	U
Cable TV Wiring	☒	☐	☐
Carbon Monoxide Det.	☒	☐	☐
Ceiling Fans	☒	☐	☐
Cooktop	☐	☒	☐
Dishwasher	☒	☐	☐
Disposal	☐	☒	☐
Emergency Escape Ladder(s)	☐	☒	☐
Exhaust Fans	☒	☐	☐
Fences	☒	☐	☐
Fire Detection Equip.	☐	☐	☐
French Drain	☐	☒	☐
Gas Fixtures <i>Pool</i>	☒	☐	☐
Liquid Propane Gas:	☒	☐	☐
-LP Community (Captive)	☐	☐	☒
-LP on Property	☒	☐	☐

Item	Y	N	U
Natural Gas Lines	☐	☒	☐
Fuel Gas Piping:	☐	☒	☐
-Black Iron Pipe	☐	☐	☒
-Copper	☐	☐	☒
-Corrugated Stainless Steel Tubing	☐	☐	☒
Hot Tub	☐	☒	☐
Intercom System	☐	☒	☐
Microwave	☒	☐	☐
Outdoor Grill	☒	☐	☐
Patio/Decking	☒	☐	☐
Plumbing System	☒	☐	☐
Pool	☒	☐	☐
Pool Equipment	☒	☐	☐
Pool Maint. Accessories	☒	☐	☐
Pool Heater	☒	☐	☐

Item	Y	N	U
Pump: ☒ sump ☐ grinder	☒	☐	☐
Rain Gutters	☒	☐	☐
Range/Stove	☒	☐	☐
Roof/Attic Vents	☒	☐	☐
Sauna	☐	☒	☐
Smoke Detector	☒	☐	☐
Smoke Detector - Hearing Impaired	☐	☒	☐
Spa	☐	☒	☐
Trash Compactor	☐	☒	☐
TV Antenna	☒	☐	☐
Washer/Dryer Hookup	☒	☐	☐
Window Screens	☒	☐	☐
Public Sewer System	☐	☒	☐

Item	Y	N	U	Additional Information
Central A/C	☒	☐	☐	☒ electric ☐ gas number of units: <i>4</i>
Evaporative Coolers	☐	☒	☐	number of units:
Wall/Window AC Units	☐	☒	☐	number of units:
Attic Fan(s)	☐	☒	☐	if yes, describe:
Central Heat	☒	☐	☐	☒ electric ☐ gas number of units: <i>4</i>
Other Heat	☒	☐	☐	if yes describe: <i>Electric Heater in main Den</i>
Oven	☒	☐	☐	number of ovens: <i>2</i> ☒ electric ☐ gas ☐ other:
Fireplace & Chimney	☒	☐	☐	☒ wood ☐ gas logs ☐ mock ☐ other:
Carport	☒	☐	☐	☐ attached ☒ not attached
Garage	☒	☐	☐	☐ attached ☒ not attached
Garage Door Openers	☐	☒	☐	number of units: number of remotes:
Satellite Dish & Controls	☒	☐	☐	☐ owned ☒ leased from <i>Dish</i>
Security System	☐	☒	☐	☐ owned ☐ leased from

(TXR-1406) 07-10-23

Initialed by: Buyer: *[Signature]* and Seller: *[Signature]*

Page 1 of 7

Previous Roof Repairs	☒	☒	Termite or WDI damage needing repair	☐	☒
Previous Other Structural Repairs	☐	☒	Single Blockable Main Drain in Pool/Hot Tub/Spa*	☐	☒
Previous Use of Premises for Manufacture of Methamphetamine	☐	☒			

If the answer to any of the items in Section 3 is yes, explain (attach additional sheets if necessary):

New roof installed on main lodge 2019

*A single blockable main drain may cause a suction entrapment hazard for an individual.

Section 4. Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need of repair, which has not been previously disclosed in this notice? ☐ yes ☒ no If yes, explain (attach additional sheets if necessary):

Section 5. Are you (Seller) aware of any of the following conditions?* (Mark Yes (Y) if you are aware and check wholly or partly as applicable. Mark No (N) if you are not aware.)

- Y N**
- ☐ ☒ Present flood insurance coverage.
- ☐ ☒ Previous flooding due to a failure or breach of a reservoir or a controlled or emergency release of water from a reservoir.
- ☐ ☒ Previous flooding due to a natural flood event.
- ☒ ☐ Previous water penetration into a structure on the Property due to a natural flood.
- ☐ ☒ Located ☐ wholly ☐ partly in a 100-year floodplain (Special Flood Hazard Area-Zone A, V, A99, AE, AO, AH, VE, or AR).
- ☐ ☒ Located ☐ wholly ☐ partly in a 500-year floodplain (Moderate Flood Hazard Area-Zone X (shaded)).
- ☐ ☒ Located ☐ wholly ☐ partly in a floodway.
- ☐ ☒ Located ☐ wholly ☐ partly in a flood pool.
- ☐ ☒ Located ☐ wholly ☐ partly in a reservoir.

If the answer to any of the above is yes, explain (attach additional sheets as necessary):

A small amount of water came under the back door during July 2025 flooding event

***If Buyer is concerned about these matters, Buyer may consult Information About Flood Hazards (TXR 1414).**

For purposes of this notice:

"100-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a special flood hazard area, which is designated as Zone A, V, A99, AE, AO, AH, VE, or AR on the map; (B) has a one percent annual chance of flooding, which is considered to be a high risk of flooding; and (C) may include a regulatory floodway, flood pool, or reservoir.

"500-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a moderate flood hazard area, which is designated on the map as Zone X (shaded); and (B) has a two-tenths of one percent annual chance of flooding, which is considered to be a moderate risk of flooding.

"Flood pool" means the area adjacent to a reservoir that lies above the normal maximum operating level of the reservoir and that is subject to controlled inundation under the management of the United States Army Corps of Engineers.

- ☒ ☐ The Property is located in a propane gas system service area owned by a propane distribution system retailer.
- ☐ ☒ Any portion of the Property that is located in a groundwater conservation district or a subsidence district.

If the answer to any of the items in Section 8 is yes, explain (attach additional sheets if necessary):

*Propane tank on site is for heated pool. WTB
fills the tank on request.*

Section 9. Within the last 4 years, have you (Seller) received any written inspection reports from persons who regularly provide inspections and who are either licensed as inspectors or otherwise permitted by law to perform inspections? ☐ yes ☒ no If yes, attach copies and complete the following:

Inspection Date	Type	Name of Inspector	No. of Pages

*Note: A buyer should not rely on the above-cited reports as a reflection of the current condition of the Property.
A buyer should obtain inspections from inspectors chosen by the buyer.*

Section 10. Check any tax exemption(s) which you (Seller) currently claim for the Property:

- | | | |
|---|---|---|
| ☐ Homestead | ☐ Senior Citizen | ☐ Disabled |
| ☒ Wildlife Management | ☐ Agricultural | ☐ Disabled Veteran |
| ☐ Other: _____ | | ☐ Unknown |

Section 11. Have you (Seller) ever filed a claim for damage, other than flood damage, to the Property with any insurance provider? ☐ yes ☒ no

Section 12. Have you (Seller) ever received proceeds for a claim for damage to the Property (for example, an insurance claim or a settlement or award in a legal proceeding) and not used the proceeds to make the repairs for which the claim was made? ☐ yes ☒ no If yes, explain: _____

Section 13. Does the Property have working smoke detectors installed in accordance with the smoke detector requirements of Chapter 766 of the Health and Safety Code?* ☐ unknown ☐ no ☒ yes. If no or unknown, explain. (Attach additional sheets if necessary): _____

**Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to have working smoke detectors installed in accordance with the requirements of the building code in effect in the area in which the dwelling is located, including performance, location, and power source requirements. If you do not know the building code requirements in effect in your area, you may check unknown above or contact your local building official for more information.*

A buyer may require a seller to install smoke detectors for the hearing impaired if: (1) the buyer or a member of the buyer's family who will reside in the dwelling is hearing-impaired; (2) the buyer gives the seller written evidence of the hearing impairment from a licensed physician; and (3) within 10 days after the effective date, the buyer makes a written request for the seller to install smoke detectors for the hearing-impaired and specifies the locations for installation. The parties may agree who will bear the cost of installing the smoke detectors and which brand of smoke detectors to install.

(7) This Seller's Disclosure Notice was completed by Seller as of the date signed. The brokers have relied on this notice as true and correct and have no reason to believe it to be false or inaccurate. YOU ARE ENCOURAGED TO HAVE AN INSPECTOR OF YOUR CHOICE INSPECT THE PROPERTY.

The undersigned Buyer acknowledges receipt of the foregoing notice.

--	--

Signature of Buyer

Date

Printed Name: _____

--	--

Signature of Buyer

Date

Printed Name _____



INFORMATION ABOUT ON-SITE SEWER FACILITY

USE OF THIS FORM BY PERSONS WHO ARE NOT MEMBERS OF THE TEXAS ASSOCIATION OF REALTORS®, INC. IS NOT AUTHORIZED.
©Texas Association of REALTORS®, Inc., 2026

CONCERNING THE PROPERTY AT 8998 Winslow Lane, Menard, TX 76859

A. DESCRIPTION OF ON-SITE SEWER FACILITY ON PROPERTY:

- (1) Type of Treatment System: ☒ Septic Tank ☐ Aerobic Treatment ☐ Unknown
- (2) Type of Distribution System: Leach field ☐ Unknown
- (3) Approximate Location of Drain Field or Distribution System: There are 2 septic tanks, main lodge tank is just outside the fence next to dog kennel, guest lodge tank is behind house, Leach field is North of shooting range ☐ Unknown
- (4) Installer: _____ ☒ Unknown
- (5) Approximate Age: Main lodge 1984 Guest lodge 2017 ☐ Unknown

B. MAINTENANCE INFORMATION:

- (1) Is Seller aware of any maintenance contract in effect for the on-site sewer facility? ☐ Yes ☒ No
If yes, name of maintenance contractor: _____
Phone: _____ contract expiration date: _____
(Maintenance contracts must be in effect to operate aerobic treatment and certain non-standard on-site sewer facilities.)
- (2) Approximate date any tanks were last pumped? Oct 3, 2025
- (3) Is Seller aware of any defect or malfunction in the on-site sewer facility? ☐ Yes ☒ No
If yes, explain: _____

- (4) Does Seller have manufacturer or warranty information available for review? ☐ Yes ☒ No

C. PLANNING MATERIALS, PERMITS, AND CONTRACTS:

- (1) The following items concerning the on-site sewer facility are attached:
☐ planning materials ☐ permit for original installation ☐ final inspection when OSSF was installed
☐ maintenance contract ☐ manufacturer information ☐ warranty information ☐ _____
- (2) "Planning materials" are the supporting materials that describe the on-site sewer facility that are submitted to the permitting authority in order to obtain a permit to install the on-site sewer facility.
- (3) It may be necessary for a buyer to have the permit to operate an on-site sewer facility transferred to the buyer.

(TXR 1407) 01-05-26 Initialed for Identification by Buyer: and Seller

Page 1 of 2

D. INFORMATION FROM GOVERNMENTAL AGENCIES: Pamphlets describing on-site sewer facilities are available from the Texas Agricultural Extension Service. Information in the following table was obtained from Texas Commission on Environmental Quality (TCEQ) rules in 30 TAC 285.91(3) on 09/05/2025. The table estimates daily wastewater usage rates. Actual water usage data or other methods for calculating may be used if accurate and acceptable to TCEQ.

<u>Facility</u>	<u>Usage (gal/day)</u> <u>without water-</u> <u>saving devices</u>	<u>Usage (gal/day)</u> <u>with water-</u> <u>saving devices</u>
Single family dwelling (1-2 bedrooms; less than 1,500 sf)	225	180
Single family dwelling (3 bedrooms; less than 2,500 sf)	300	240
Single family dwelling (4 bedrooms; less than 3,500 sf)	375	300
Single family dwelling (5 bedrooms; less than 4,500 sf)	450	360
Single family dwelling (6 bedrooms; less than 5,500 sf)	525	420
Mobile home, condo, or townhouse (1-2 bedroom)	225	180
Mobile home, condo, or townhouse (each add'l bedroom)	75	60

This document is not a substitute for any inspections or warranties. This document was completed to the best of Seller's knowledge and belief on the date signed. Seller and real estate agents are not experts about on-site sewer facilities. Buyer is encouraged to have the on-site sewer facility inspected by an inspector of Buyer's choice.

 2/26/26
Signature of Seller Date


Signature of Seller Date

Receipt acknowledged by:


Signature of Buyer Date


Signature of Buyer Date