



SELLER'S DISCLOSURE NOTICE

©Texas Association of REALTORS®, Inc. 2022

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.

CONCERNING THE PROPERTY AT 202 FM 466, Cost, TX 78614

THIS NOTICE IS A DISCLOSURE OF SELLER'S KNOWLEDGE OF THE CONDITION OF THE PROPERTY AS OF THE DATE SIGNED BY SELLER AND IS NOT A SUBSTITUTE FOR ANY INSPECTIONS OR WARRANTIES THE BUYER MAY WISH TO OBTAIN. IT IS NOT A WARRANTY OF ANY KIND BY SELLER, SELLER'S AGENTS, OR ANY OTHER AGENT.

Seller ☒ is ☐ is not occupying the Property. If unoccupied (by Seller), how long since Seller has occupied the Property? ☐ (approximate date) or ☐ never occupied the Property

Section 1. The Property has the items marked below: (Mark Yes (Y), No (N), or Unknown (U).)

This notice does not establish the items to be conveyed. The contract will determine which items will & will not convey.

Item	Y	N	U	Item	Y	N	U	Item	Y	N	U
Cable TV Wiring	☐	☐	☐	Natural Gas Lines	☐	☐	☒	Pump: ☐ sump ☐ grinder	☐	☒	☐
Carbon Monoxide Det.	☒	☐	☐	Fuel Gas Piping:	☐	☒	☐	Rain Gutters	☒	☐	☐
Ceiling Fans	☒	☐	☐	-Black Iron Pipe	☐	☒	☐	Range/Stove	☒	☐	☐
Cooktop	☒	☐	☐	-Copper	☐	☒	☐	Roof/Attic Vents	☒	☐	☐
Dishwasher	☒	☐	☐	-Corrugated Stainless Steel Tubing	☐	☐	☒	Sauna	☐	☒	☐
Disposal	☐	☒	☐	Hot Tub	☐	☒	☐	Smoke Detector	☒	☐	☐
Emergency Escape Ladder(s)	☐	☒	☐	Intercom System	☐	☐	☒	Smoke Detector - Hearing Impaired	☐	☐	☒
Exhaust Fans	☒	☐	☐	Microwave	☒	☐	☐	Spa	☐	☒	☐
Fences	☒	☐	☐	Outdoor Grill	☐	☒	☐	Trash Compactor	☐	☒	☐
Fire Detection Equip.	☒	☐	☐	Patio/Decking	☒	☐	☐	TV Antenna	☐	☒	☐
French Drain	☐	☒	☐	Plumbing System	☒	☐	☐	Washer/Dryer Hookup	☒	☐	☐
Gas Fixtures	☐	☐	☒	Pool	☐	☒	☐	Window Screens	☒	☐	☐
Liquid Propane Gas:	☒	☐	☐	Pool Equipment	☐	☒	☐	Public Sewer System	☐	☒	☐
-LP Community (Captive)	☐	☒	☐	Pool Maint. Accessories	☐	☒	☐				
-LP on Property	☒	☐	☐	Pool Heater	☐	☒	☐				

Item	Y	N	U	Additional Information
Central A/C	☒	☐	☐	☒ electric ☐ gas number of units: <u>1</u>
Evaporative Coolers	☐	☒	☐	number of units:
Wall/Window AC Units	☐	☒	☐	number of units:
Attic Fan(s)	☐	☒	☐	if yes, describe:
Central Heat	☒	☐	☐	☒ electric ☐ gas number of units:
Other Heat	☒	☐	☐	if yes describe: <u>EM Heat / Heat pump</u>
Oven	☒	☐	☐	number of ovens: ☐ electric ☐ gas ☐ other:
Fireplace & Chimney	☐	☒	☐	☐ wood ☐ gas logs ☐ mock ☐ other:
Carport	☐	☒	☐	☐ attached ☐ not attached
Garage	☐	☒	☐	☐ attached ☐ not attached
Garage Door Openers	☐	☒	☐	number of units: number of remotes:
Satellite Dish & Controls	☒	☐	☐	☐ owned ☐ leased from
Security System	☐	☒	☐	☐ owned ☐ leased from

Concerning the Property at

202 FM 466, Cost, TX 78614

Solar Panels	☐	☒	☐	☐ owned ☐ leased from	
Water Heater	☒	☐	☐	☐ electric ☐ gas ☐ other:	number of units:
Water Softener	☐	☒	☐	☐ owned ☐ leased from	
Other Leased Item(s)	☐	☒	☐	if yes, describe:	
Underground Lawn Sprinkler	☐	☒	☐	☐ automatic ☐ manual	areas covered:
Septic / On-Site Sewer Facility	☒	☐	☐	if yes, attach Information About On-Site Sewer Facility (TXR-1407)	

Water supply provided by: ☐ city ☐ well ☐ MUD ☐ co-op ☐ unknown ☒ other: county (GCLWSC)

Was the Property built before 1978? ☐ yes ☐ no ☐ unknown

(If yes, complete, sign, and attach TXR-1906 concerning lead-based paint hazards).

Roof Type: Shingle Age: 5 years (approximate)

Is there an overlay roof covering on the Property (shingles or roof covering placed over existing shingles or roof covering)? ☐ yes ☒ no ☐ unknown

Are you (Seller) aware of any of the items listed in this Section 1 that are not in working condition, that have defects, or are need of repair? ☐ yes ☐ no If yes, describe (attach additional sheets if necessary): Bathroom

exhaust fans in 2 bathrooms

Section 2. Are you (Seller) aware of any defects or malfunctions in any of the following? (Mark Yes (Y) if you are aware and No (N) if you are not aware.)

Item	Y	N	Item	Y	N	Item	Y	N
Basement	☐	☒	Floors	☐	☒	Sidewalks	☐	☒
Ceilings	☒	☐	Foundation / Slab(s)	☐	☒	Walls / Fences	☐	☒
Doors	☐	☒	Interior Walls	☐	☒	Windows	☐	☒
Driveways	☐	☒	Lighting Fixtures	☐	☒	Other Structural Components	☐	☒
Electrical Systems	☐	☒	Plumbing Systems	☐	☒		☐	☐
Exterior Walls	☐	☒	Roof	☐	☒		☐	☐

If the answer to any of the items in Section 2 is yes, explain (attach additional sheets if necessary): Main bedroom's bathroom has small leak near exhaust fan - only noticed during thunderstorms w/ strong winds (maybe exhaust vent on roof?)

Section 3. Are you (Seller) aware of any of the following conditions? (Mark Yes (Y) if you are aware and No (N) if you are not aware.)

Condition	Y	N	Condition	Y	N
Aluminum Wiring	☐	☒	Radon Gas	☐	☒
Asbestos Components	☐	☒	Settling	☒	☐
Diseased Trees: ☐ oak wilt ☐	☐	☒	Soil Movement	☐	☒
Endangered Species/Habitat on Property	☐	☒	Subsurface Structure or Pits	☐	☒
Fault Lines	☐	☒	Underground Storage Tanks	☐	☒
Hazardous or Toxic Waste	☐	☒	Unplatted Easements	☐	☒
Improper Drainage	☐	☒	Unrecorded Easements	☐	☒
Intermittent or Weather Springs	☐	☒	Urea-formaldehyde Insulation	☐	☒
Landfill	☐	☒	Water Damage Not Due to a Flood Event	☐	☒
Lead-Based Paint or Lead-Based Pt. Hazards	☐	☒	Wetlands on Property	☐	☒
Encroachments onto the Property	☐	☒	Wood Rot	☐	☒
Improvements encroaching on others' property	☐	☒	Active infestation of termites or other wood destroying insects (WDI)	☐	☒
Located in Historic District	☐	☒	Previous treatment for termites or WDI	☐	☒
Historic Property Designation	☐	☒	Previous termite or WDI damage repaired	☐	☒
Previous Foundation Repairs	☐	☒	Previous Fires	☐	☒

(TXR-1406) 07-10-23

Initialed by: Buyer:

and Seller:

Page 2 of 7

Concerning the Property at

202 FM 466, Cost, TX 78614

Previous Roof Repairs	☒	☐	Termite or WDI damage needing repair	☐	☒
Previous Other Structural Repairs	☐	☒	Single Blockable Main Drain in Pool/Hot Tub/Spa*	☐	☒
Previous Use of Premises for Manufacture of Methamphetamine	☐	☒			

If the answer to any of the items in Section 3 is yes, explain (attach additional sheets if necessary): Roof replaced around April 2021

*A single blockable main drain may cause a suction entrapment hazard for an individual.

Section 4. Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need of repair, which has not been previously disclosed in this notice? ☒ yes ☐ no If yes, explain (attach additional sheets if necessary): Gutters need to be re-secured for 3-season room. Storm door on 3-season room needs to be re-hung. Some settling for 3-season room I believe.

Section 5. Are you (Seller) aware of any of the following conditions?* (Mark Yes (Y) if you are aware and check wholly or partly as applicable. Mark No (N) if you are not aware.)

- | | |
|--------------------------|-------------------------------------|
| Y | N |
| ☐ | ☒ |
- Present flood insurance coverage.
- ☐ ☒ Previous flooding due to a failure or breach of a reservoir or a controlled or emergency release of water from a reservoir.
- ☐ ☒ Previous flooding due to a natural flood event.
- ☐ ☒ Previous water penetration into a structure on the Property due to a natural flood.
- ☐ ☒ Located ☐ wholly ☐ partly in a 100-year floodplain (Special Flood Hazard Area-Zone A, V, A99, AE, AO, AH, VE, or AR).
- ☐ ☒ Located ☐ wholly ☐ partly in a 500-year floodplain (Moderate Flood Hazard Area-Zone X (shaded)).
- ☐ ☒ Located ☐ wholly ☐ partly in a floodway.
- ☐ ☒ Located ☐ wholly ☐ partly in a flood pool.
- ☐ ☒ Located ☐ wholly ☐ partly in a reservoir.

If the answer to any of the above is yes, explain (attach additional sheets as necessary):

***If Buyer is concerned about these matters, Buyer may consult Information About Flood Hazards (TXR 1414).**

For purposes of this notice:

"100-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a special flood hazard area, which is designated as Zone A, V, A99, AE, AO, AH, VE, or AR on the map; (B) has a one percent annual chance of flooding, which is considered to be a high risk of flooding; and (C) may include a regulatory floodway, flood pool, or reservoir.

"500-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a moderate flood hazard area, which is designated on the map as Zone X (shaded); and (B) has a two-tenths of one percent annual chance of flooding, which is considered to be a moderate risk of flooding.

"Flood pool" means the area adjacent to a reservoir that lies above the normal maximum operating level of the reservoir and that is subject to controlled inundation under the management of the United States Army Corps of Engineers.

"Flood insurance rate map" means the most recent flood hazard map published by the Federal Emergency Management Agency under the National Flood Insurance Act of 1968 (42 U.S.C. Section 4001 et seq.).

"Floodway" means an area that is identified on the flood insurance rate map as a regulatory floodway, which includes the channel of a river or other watercourse and the adjacent land areas that must be reserved for the discharge of a base flood, also referred to as a 100-year flood, without cumulatively increasing the water surface elevation more than a designated height.

"Reservoir" means a water impoundment project operated by the United States Army Corps of Engineers that is intended to retain water or delay the runoff of water in a designated surface area of land.

Section 6. Have you (Seller) ever filed a claim for flood damage to the Property with any insurance provider, including the National Flood Insurance Program (NFIP)? ☐ yes ☒ no If yes, explain (attach additional sheets as necessary): _____

*Homes in high risk flood zones with mortgages from federally regulated or insured lenders are required to have flood insurance. Even when not required, the Federal Emergency Management Agency (FEMA) encourages homeowners in high risk, moderate risk, and low risk flood zones to purchase flood insurance that covers the structure(s) and the personal property within the structure(s).

Section 7. Have you (Seller) ever received assistance from FEMA or the U.S. Small Business Administration (SBA) for flood damage to the Property? ☐ yes ☒ no If yes, explain (attach additional sheets as necessary): _____

Section 8. Are you (Seller) aware of any of the following? (Mark Yes (Y) if you are aware. Mark No (N) if you are not aware.)

Y N
☐ ☒

Room additions, structural modifications, or other alterations or repairs made without necessary permits, with unresolved permits, or not in compliance with building codes in effect at the time.

☐ ☒

Homeowners' associations or maintenance fees or assessments. If yes, complete the following:

Name of association: _____

Manager's name: _____

Phone: _____

Fees or assessments are: \$ _____ per _____ and are: ☐ mandatory ☐ voluntary

Any unpaid fees or assessment for the Property? ☐ yes (\$ _____) ☐ no

If the Property is in more than one association, provide information about the other associations below or attach information to this notice.

☐ ☒

Any common area (facilities such as pools, tennis courts, walkways, or other) co-owned in undivided interest with others. If yes, complete the following:

Any optional user fees for common facilities charged? ☐ yes ☐ no If yes, describe: _____

☐ ☒

Any notices of violations of deed restrictions or governmental ordinances affecting the condition or use of the Property.

☒ ☐

Any lawsuits or other legal proceedings directly or indirectly affecting the Property. (Includes, but is not limited to: divorce, foreclosure, heirship, bankruptcy, and taxes.)

☐ ☒

Any death on the Property except for those deaths caused by: natural causes, suicide, or accident unrelated to the condition of the Property.

☐ ☒

Any condition on the Property which materially affects the health or safety of an individual.

☐ ☒

Any repairs or treatments, other than routine maintenance, made to the Property to remediate environmental hazards such as asbestos, radon, lead-based paint, urea-formaldehyde, or mold.

If yes, attach any certificates or other documentation identifying the extent of the remediation (for example, certificate of mold remediation or other remediation).

☐ ☒

Any rainwater harvesting system located on the Property that is larger than 500 gallons and that uses a public water supply as an auxiliary water source.

Concerning the Property at 202 FM 466, Cost, TX 78614

- ☐ ☒ The Property is located in a propane gas system service area owned by a propane distribution system retailer.
- ☐ ☒ Any portion of the Property that is located in a groundwater conservation district or a subsidence district.

If the answer to any of the items in Section 8 is yes, explain (attach additional sheets if necessary): _____

Section 9. Within the last 4 years, have you (Seller) received any written inspection reports from persons who regularly provide inspections and who are either licensed as inspectors or otherwise permitted by law to perform inspections? ☐ yes ☒ no If yes, attach copies and complete the following:

Inspection Date	Type	Name of Inspector	No. of Pages

Note: A buyer should not rely on the above-cited reports as a reflection of the current condition of the Property. A buyer should obtain inspections from inspectors chosen by the buyer.

Section 10. Check any tax exemption(s) which you (Seller) currently claim for the Property:

- | | | |
|---|--|---|
| ☒ Homestead | ☐ Senior Citizen | ☐ Disabled |
| ☐ Wildlife Management | ☒ Agricultural | ☐ Disabled Veteran |
| ☐ Other: _____ | | ☐ Unknown |

Section 11. Have you (Seller) ever filed a claim for damage, other than flood damage, to the Property with any insurance provider? ☒ yes ☐ no Roof replacement

Section 12. Have you (Seller) ever received proceeds for a claim for damage to the Property (for example, an insurance claim or a settlement or award in a legal proceeding) and not used the proceeds to make the repairs for which the claim was made? ☐ yes ☒ no If yes, explain: _____

Section 13. Does the Property have working smoke detectors installed in accordance with the smoke detector requirements of Chapter 766 of the Health and Safety Code?* ☐ unknown ☐ no ☒ yes. If no or unknown, explain. (Attach additional sheets if necessary): _____

**Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to have working smoke detectors installed in accordance with the requirements of the building code in effect in the area in which the dwelling is located, including performance, location, and power source requirements. If you do not know the building code requirements in effect in your area, you may check unknown above or contact your local building official for more information.*

A buyer may require a seller to install smoke detectors for the hearing impaired if: (1) the buyer or a member of the buyer's family who will reside in the dwelling is hearing-impaired; (2) the buyer gives the seller written evidence of the hearing impairment from a licensed physician; and (3) within 10 days after the effective date, the buyer makes a written request for the seller to install smoke detectors for the hearing-impaired and specifies the locations for installation. The parties may agree who will bear the cost of installing the smoke detectors and which brand of smoke detectors to install.

Concerning the Property at 202 FM 466, Cost, TX 78614

Signature of Seller: Kevin Mann Date: 4/17/26

Signature of Seller _____ Date _____

Printed Name: Kevin Marr

Printed Name: _____

(1) The Texas Department of Public Safety maintains a database that the public may search, at no cost, to determine if registered sex offenders are located in certain zip code areas. To search the database, visit <https://publicsite.dps.texas.gov>. For information concerning past criminal activity in certain areas or neighborhoods, contact the local police department.

(3) If the Property is located in a seacoast territory of this state designated as a catastrophe area by the Commissioner of the Texas Department of Insurance, the Property may be subject to additional requirements to obtain or continue windstorm and hail insurance. A certificate of compliance may be required for repairs or improvements to the Property. For more information, please review *Information Regarding Windstorm and Hail Insurance for Certain Properties* (TXR 2518) and contact the Texas Department of Insurance or the Texas Windstorm Insurance Association.

(5) If you are basing your offers on square footage, measurements, or boundaries, you should have those items independently measured to verify any reported information.

Electric: GVEC

phone #: 800-699-4832

Sewer: _____

phone #: _____

Water: GCWSC

phone #: 830-672-6509

Cable: _____

phone #: _____

Trash: Waste Connections

phone #: 210-658-0487

Natural Gas:

phone #: _____

Phone Company: _____

phone #: _____

Propane: _____

phone #: _____

Internet: GUEC

phone #: 800-699-4832

Concerning the Property at 202 FM 466, Cost, TX 78614

(7) This Seller's Disclosure Notice was completed by Seller as of the date signed. The brokers have relied on this notice as true and correct and have no reason to believe it to be false or inaccurate. YOU ARE ENCOURAGED TO HAVE AN INSPECTOR OF YOUR CHOICE INSPECT THE PROPERTY.

The undersigned Buyer acknowledges receipt of the foregoing notice.

Kevin Marr 4/17/28
Signature of Buyer Date

Printed Name: Kevin Marr

Signature of Buyer Date

Printed Name



INFORMATION ABOUT ON-SITE SEWER FACILITY

USE OF THIS FORM BY PERSONS WHO ARE NOT MEMBERS OF THE TEXAS ASSOCIATION OF REALTORS®, INC. IS NOT AUTHORIZED.
©Texas Association of REALTORS®, Inc., 2028

CONCERNING THE PROPERTY AT 202 FM 466, Cast, TX 78614

A. DESCRIPTION OF ON-SITE SEWER FACILITY ON PROPERTY:

- (1) Type of Treatment System: ☒ Septic Tank ☐ Aerobic Treatment ☐ Unknown
- (2) Type of Distribution System: _____ ☒ Unknown
- (3) Approximate Location of Drain Field or Distribution System: _____
Behind the house about 50-100 ft away ☐ Unknown
- (4) Installer: _____ ☒ Unknown
- (5) Approximate Age: _____ ☒ Unknown

B. MAINTENANCE INFORMATION:

- (1) Is Seller aware of any maintenance contract in effect for the on-site sewer facility? ☐ Yes ☒ No
If yes, name of maintenance contractor: _____
Phone: _____ contract expiration date: _____
(Maintenance contracts must be in effect to operate aerobic treatment and certain non-standard on-site sewer facilities.)
- (2) Approximate date any tanks were last pumped? 2021?
- (3) Is Seller aware of any defect or malfunction in the on-site sewer facility? ☐ Yes ☒ No
If yes, explain: _____
- (4) Does Seller have manufacturer or warranty information available for review? ☐ Yes ☒ No

C. PLANNING MATERIALS, PERMITS, AND CONTRACTS:

- (1) The following items concerning the on-site sewer facility are attached:
☐ planning materials ☐ permit for original installation ☐ final inspection when OSSF was installed
☐ maintenance contract ☐ manufacturer information ☐ warranty information ☐ _____
- (2) "Planning materials" are the supporting materials that describe the on-site sewer facility that are submitted to the permitting authority in order to obtain a permit to install the on-site sewer facility.
- (3) It may be necessary for a buyer to have the permit to operate an on-site sewer facility transferred to the buyer.

D. INFORMATION FROM GOVERNMENTAL AGENCIES: Pamphlets describing on-site sewer facilities are available from the Texas Agricultural Extension Service. Information in the following table was obtained from Texas Commission on Environmental Quality (TCEQ) rules in 30 TAC 285.91(3) on 09/05/2025. The table estimates daily wastewater usage rates. Actual water usage data or other methods for calculating may be used if accurate and acceptable to TCEQ.

<u>Facility</u>	<u>Usage (gal/day) without water- saving devices</u>	<u>Usage (gal/day) with water- saving devices</u>
Single family dwelling (1–2 bedrooms; less than 1,500 sf)	225	180
Single family dwelling (3 bedrooms; less than 2,500 sf)	300	240
Single family dwelling (4 bedrooms; less than 3,500 sf)	375	300
Single family dwelling (5 bedrooms; less than 4,500 sf)	450	360
Single family dwelling (6 bedrooms; less than 5,500 sf)	525	420
Mobile home, condo, or townhouse (1-2 bedroom)	225	180
Mobile home, condo, or townhouse (each add'l bedroom)	75	60

This document is not a substitute for any inspections or warranties. This document was completed to the best of Seller's knowledge and belief on the date signed. Seller and real estate agents are not experts about on-site sewer facilities. Buyer is encouraged to have the on-site sewer facility inspected by an inspector of Buyer's choice.

Signature of Seller: Kevin Man Date: 4/17/26

Signature of Seller _____ Date _____

Receipt acknowledged by:

Signature of Buyer _____ Date _____

Signature of Buyer _____ Date _____