

**Direction to Well Source Site Parcel 2821079018**  
Applicant/Owner: Steven Horton 253-631-4158

Turn off Veazie-Cumberland Road on to SE Lake Walker Road (just south of Cumberland). SE Lake Walker Road turns 90 degrees right shortly after crossing the railroad tracks. Proceed along SE Lake Walker Road until just past 316<sup>th</sup> Ave (sign on the right) where a gravel road turns left and starts up the hill. If you make it to 320<sup>th</sup> Ave on the left you have gone too far.

A locked gate is about 100 feet up the road. Lock combination is 2781. Proceed up road about  $\frac{3}{4}$  mile. On the right is an old logging road with an orange rope tied across it and a sign that reads Horton Well Site. The well site is near the back of the area that has been prepared. A **Richardson Well** stake, an orange T-bar fence post and a well sign are present.



SEE **749** MAP

47°17'41"

47°17'15"

47°16'49"

47°16'23"

47°15'57"

47°15'30"

47°15'04"

47°14'38"


121°56'23"

121°55'44"

121°55'00"

121°54'28"


121°53'49"



SEE **B** MAP

RAND McNALLY

# iMAP



(C) 2005 King County 9087

The information included on this map has been compiled by King County staff from a variety of sources and is subject to change without notice. King County makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a survey product. King County shall not be liable for any general, special, indirect, incidental, or consequential damages including, but not limited to, lost revenues or lost profits resulting from the use or misuse of the information contained on this map. Any sale of this map or information on this map is prohibited except by written permission of King County.


Date: 10/7/2007

Source: King County iMAP - Property Information (<http://www.metrokc.gov/GIS/iMAP>)



**King County**

# iMAP



(C) 2005 King County

The information included on this map has been compiled by King County staff from a variety of sources and is subject to change without notice. King County makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a survey product. King County shall not be liable for any general, special, indirect, incidental, or consequential damages including, but not limited to, lost revenues or lost profits resulting from the use or misuse of the information contained on this map. Any sale of this map or information on this map is prohibited except by written permission of King County.

Date: 9/17/2007

Source: King County iMAP - Property Information (<http://www.metrokc.gov/GIS/iMAP>)



**King County**

Return Address:

Tensen Engineering Inc.  
4004 NE 4th St. #107-508  
Renton WA 98056  
07042-1

Please print or type information **WASHINGTON STATE RECORDER'S Cover Sheet** (RCW 65.04)

Document Title(s) (or transactions contained therein): (all areas applicable to your document must be filled in)

1. Declaration of Covenant
2. Individual Water Supply
3. \_\_\_\_\_
4. \_\_\_\_\_

Reference Number(s) of Documents assigned or released:

Additional reference #'s on page \_\_\_\_\_ of document

Grantor(s) (Last name, first name, initials)

1. Horton, Steven
2. Warrits, Corinne

Additional names on page \_\_\_\_\_ of document.

Grantee(s) (Last name first, then first name and initials)

1. Public Health
2. \_\_\_\_\_

Additional names on page \_\_\_\_\_ of document.

Legal description (abbreviated: i.e. lot, block, plat or section, township, range)

Tax Lot 18 S28, T21N, R7E, WM

Additional legal is on page \_\_\_\_\_ of document.

Assessor's Property Tax Parcel/Account Number assigned

2821079018

☐ Assessor Tax # not yet

The Auditor/Recorder will rely on the information provided on the form. The staff will not read the document to verify the accuracy or completeness of the indexing information provided herein.

Jensen Engineering Inc.  
4004 NE 4<sup>th</sup> Street  
Renton, WA 98056  
Project 07042-1

## DECLARATION OF COVENANT INDIVIDUAL WATER SUPPLY

**Reference numbers** of related documents: Replaces Covenant Individual Water Supply Recording #  
20071001001202.

On page 1 of document

**Grantor(s)** (Last, First, Middle Initial):

1. Horton, Steven
2. Wanits, Corinne

Additional names on page \_\_\_\_ of document

**Grantee(s)** (Last, First, Middle Initial):

1. King County Public Health

Additional names on page \_\_\_\_ of document

**Legal Description:**

Abbreviated form:

Tax Lot 18, Section 28, Township 21 North, Range 7 East, W.M.

Assessor's Property Tax Parcel Account Numbers:

2821079018

The grantor herein is (are) the owner of (an interest in) the following described real estate situated in King County, State of Washington, to wit:

The southwest quarter of the southeast quarter and a portion of the southeast quarter of the southeast quarter lying westerly of a line ranging N00°49'30"E 318.4 feet from a point on the south line N89°33'00"E 165.00 feet from the southwest corner; thence N27°22'00"E 1089.89 feet to the north line.

on which the grantor owns and operates a well and waterworks supplying water for private use located on said real estate, to wit:

680 feet east from the west property line and 445 feet south from the north property line

It is the purpose of these grants and covenants to prevent certain practices hereinafter enumerated in the use of the said grantor's land which might contaminate said water supply.

*NOW, THEREFORE, in consideration of One Dollar (\$1.00) in hand paid and other good and valuable consideration received by said grantor \_\_\_\_, the grantor, agree and covenant with the grantee, its successors and assigns, said covenants to run with the land for the benefit of the land of the grantee, that said grantor, its (their) heirs, successors and assigns will not construct, maintain or suffer to be constructed or maintained upon the said land of the grantor within One Hundred (100) feet of the well of the grantee, any of the following: cesspools, sewers, building sewers or other sewer lines, privies, sewage holding tanks, septic tanks, drainfields, or any other receptacles for the storage, treatment and/or disposal of sewage, public roads or stormwater facilities, animal enclosures, houses and/or garages, garbage and manure piles, storage of chemicals (herbicides and insecticides), surface water, railroad tracks, power utility or gas lines, or underground storage tanks. The set back distance between the well and sanitary and/or abandoned landfills shall not be less than 1000 feet.*

These covenants shall run with the land and shall be binding on all parties having or acquiring any right, title, or interest in the land described herein or any part thereof, as long as said well or waterworks is used for the purpose of supplying potable water.

WITNESS \_\_\_\_\_ hand this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_

\_\_\_\_\_(Seal)

\_\_\_\_\_(Seal)

Grantor \_\_\_\_\_

State of Washington )  
County of \_\_\_\_\_ )

I, the undersigned, a Notary Public in and for the above named County and State, do hereby certify that on this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_, personally appeared before me \_\_\_\_\_

\_\_\_\_\_ to me known to be the individual \_\_\_\_\_ described in and who executed the within instrument, and acknowledge that he(they) signed and sealed the same as \_\_\_\_\_ free and voluntary act and deed, for the uses and purposes therein mentioned.

GIVEN under my hand and official seal the day and year last above written.

\_\_\_\_\_  
(Notary Public in and for the State of Washington,  
residing at \_\_\_\_\_)

Return Address:

Jensen Engineering Inc.  
4004 NE 41<sup>st</sup> St. #107-508  
Renton WA 98056  
07042-1



20071001001202

JENSEN ENGINEE COV  
PAGE001 OF 003  
10/01/2007 13:21  
KING COUNTY, WA

42.00

Please print or type information WASHINGTON STATE RECORDER'S Cover Sheet (RCW 65.04)

Document Title(s) (or transactions contained therein): (all areas applicable to your document must be filled in)

Declaration of Covenant

1. Individual Water Supply

3.

2.

4.

Reference Number(s) of Documents assigned or released:

Additional reference #'s on page \_\_\_\_\_ of document

Grantor(s) (Last name, first name, initials)

1. Bessler, Ernest

2.

Additional names on page \_\_\_\_\_ of document.

Grantee(s) (Last name first, then first name and initials)

1. King County Public Health

2.

Additional names on page \_\_\_\_\_ of document.

Legal description (abbreviated: i.e. lot, block, plat or section, township, range)

Tax Lot 18

S28, T21N, R7E, WM

Additional legal is on page \_\_\_\_\_ of document.

Assessor's Property Tax Parcel/Account Number assigned

2821079018

☐ Assessor Tax # not yet

The Auditor/Recorder will rely on the information provided on the form. The staff will not read the document to verify the accuracy or completeness of the indexing information provided herein.

Jensen Engineering Inc.  
4004 NE 4<sup>th</sup> Street  
Renton, WA 98056  
Project 051042

## DECLARATION OF COVENANT INDIVIDUAL WATER SUPPLY

Reference numbers of related documents: N/A

On page \_\_\_\_ of document

Grantor(s) (Last, First, Middle Initial):

1. BESSLER, ERNEST J.
2. N/A
3. N/A

Additional names on page \_\_\_\_ of document

Grantee(s) (Last, First, Middle Initial):

1. King County Public Health

Additional names on page \_\_\_\_ of document

### Legal Description:

Abbreviated form:

Tax Lot 18, Section 28, Township 21 North, Range 7 East, W.M.

Assessor's Property Tax Parcel Account Numbers:

2821079018

The grantor herein is (are) the owner of (an interest in) the following described real estate situated in King County, State of Washington, to wit:

The southwest quarter of the southeast quarter and a portion of the southeast quarter of the southeast quarter lying westerly of a line ranging N00°49'30"E 318.4 feet from a point of the south line N89°33'00"E 165.00 feet from the southwest corner; thence N27°22'00"E 1089.89 feet to the north line.

on which the grantor owns and operates a well and waterworks supplying water for private use located on said real estate, to wit:

925 feet ~~1000~~ feet east from the west property line and 178 feet south from the north property line

It is the purpose of these grants and covenants to prevent certain practices hereinafter enumerated in the use of the said grantor's land which might contaminate said water supply.

NOW, THEREFORE, in consideration of One Dollar (\$1.00) in hand paid and other good and valuable consideration received by said grantor, the grantor, agree and covenant with the grantee, its successors and assigns, said covenants to run with the land for the benefit of the land of the grantee, that said grantor, its (their) heirs, successors and assigns will not construct, maintain or suffer to be constructed or maintained upon the said land of the grantor within One Hundred (100) feet of the well of the grantee, any of the following: cesspools, sewers, building sewers or other sewer lines, privies, sewage holding tanks, septic tanks, drainfields, or any other receptacles for the storage, treatment and/or disposal of sewage, public roads or stormwater facilities, animal enclosures, houses and/or garages, garbage and manure piles, storage of chemicals (herbicides and insecticides), surface water, railroad tracks, power utility or gas lines, or underground storage tanks. The set back distance between the well and sanitary and/or abandoned landfills shall not be less than 1000 feet.

These covenants shall run with the land and shall be binding on all parties having or acquiring any right, title, or interest in the land described herein or any part thereof, as long as said well or waterworks is used for the purpose of supplying potable waters.

WITNESS Bruce hand this 27th day of Sept, 2007



Bruce (Seal)  
\_\_\_\_\_  
(Seal)

State of Washington  
County of KING

I, the undersigned, a Notary Public in and for the above named County and State, do hereby certify that on this 27th day of September, 2007, personally appeared before me Yvonne E. Walker

Ernest Flesher  
to me known to be the individual described in and who executed the within instrument, and acknowledge that he (they) signed and sealed the same as his free and voluntary act and deed, for the uses and purposes therein mentioned.

GIVEN under my hand and official seal the day and year last above written.

Yvonne E. Walker  
(Notary Public in and for the State of Washington,  
residing at Shumlan)



# WATER WELL REPORT

Original & 1<sup>st</sup> copy - Ecology, 2<sup>nd</sup> copy - owner, 3<sup>rd</sup> copy - driller

Construction/Decommission ("x" in circle)

☒ Construction

☐ Decommission ORIGINAL INSTALLATION Notice of Intent Number \_\_\_\_\_

**PROPOSED USE:** ☒ Domestic ☐ Industrial ☐ Municipal  
☐ DeWater ☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_

**TYPE OF WORK:** Owner's number of well (if more than one) \_\_\_\_\_  
☒ New well ☐ Reconditioned Method: ☐ Dug ☐ Bored ☐ Driven  
☐ Deepened ☐ Cable ☒ Rotary ☐ Jetted

**DIMENSIONS:** Diameter of well 6 inches, drilled 500 ft.  
 Depth of completed well 500 ft.

**CONSTRUCTION DETAILS**  
 Casing: ☒ Welded 6" Diam. from +1.5 ft. to 35.5 ft.  
 Installed: ☒ Liner installed 4.5" Diam. from 23 ft. to 500 ft.  
☐ Threaded Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Perforations: ☐ Yes ☒ No  
 Type of perforator used \_\_\_\_\_  
 SIZE of perforations \_\_\_\_\_ in. by \_\_\_\_\_ in. and no. of perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Screens: ☒ Yes ☐ No ☐ K-Pac Location \_\_\_\_\_  
 Manufacturer's Name Custom slotted P.V.C.  
 Type \_\_\_\_\_ Model No. \_\_\_\_\_  
 Diam. 4.5 Slot size 30 from 480 ft. to 500 ft.  
 Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Gravel/Filter pack: ☐ Yes ☒ No Size of gravel/sand \_\_\_\_\_  
 Materials placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Surface Seal: ☒ Yes ☐ No To what depth? 18 ft.  
 Material used in seal Bentonite Chips  
 Did any strata contain unusable water? ☐ Yes ☒ No  
 Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
 Method of sealing strata off \_\_\_\_\_

**PUMP:** Manufacturer's Name \_\_\_\_\_  
 Type: \_\_\_\_\_ H.P. \_\_\_\_\_

**WATER LEVELS:** Land-surface elevation above mean sea level \_\_\_\_\_ ft.  
 Static level 238 ft. below top of well Date 8/21/07  
 Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
 Artesian water is controlled by \_\_\_\_\_ (csg. valve, etc.)

**WELL TESTS:** Drawdown is amount water level is lowered below static level  
 Was a pump test made? ☐ Yes ☒ No If yes, by whom? \_\_\_\_\_  
 Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
 Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
 Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)  

| Time | Water Level | Time | Water Level | Time | Water Level |
|------|-------------|------|-------------|------|-------------|
|      |             |      |             |      |             |
|      |             |      |             |      |             |
|      |             |      |             |      |             |

 Date of test \_\_\_\_\_  
 Bailer test \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
 Airstest 3/4" \_\_\_\_\_ gal./min. with stem set at 500 ft. for 2 hrs.  
 Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_  
 Temperature of water \_\_\_\_\_ Was a chemical analysis made? ☐ Yes ☒ No

## CURRENT

Notice of Intent No. WE07182

Unique Ecology Well ID Tag No. ALM-329

Water Right Permit No. \_\_\_\_\_

Property Owner Name Louis Marin

Well Street Address SE 323rd Street & 320th Avenue SE

City Cumberland

County King

Location NE 1/4-1/4 NW 1/4 Sec 28 Twn 21 R 7

EWM or WWB ☒ circle ☐ one

Lat/Long (s, t, r) Lat Deg \_\_\_\_\_ Lat Min/Sec \_\_\_\_\_

Still REQUIRED) Long Deg \_\_\_\_\_ Long Min/Sec \_\_\_\_\_

Tax Parcel No. 2821079103

## CONSTRUCTION OR DECOMMISSION PROCEDURE

Formation: Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information. (USE ADDITIONAL SHEETS IF NECESSARY.)

| MATERIAL                                                    | FROM | TO  |
|-------------------------------------------------------------|------|-----|
| Light brown weathered sandstone.                            | 0    | 202 |
| Dark gray siltstone with thin coal seams.                   | 202  | 301 |
| Grayish-brown sandstone.                                    | 301  | 348 |
| Grayish-brown sandstone, light grayish-brown siltstone.     | 348  | 359 |
| Light brown & gray sandstone.                               | 359  | 390 |
| Coal.                                                       | 390  | 425 |
| Gray siltstone.                                             | 425  | 447 |
| Gray sandstone interbedded with thin gray siltstone layers. | 447  | 500 |
| 1/4 gpm                                                     | @    | 260 |
| 1/2 gpm                                                     | @    | 380 |
| 3/4 gpm                                                     | @    | 500 |

COPY

Job 07-1610-07

Start Date 08/17/2007

Completed Date 08/21/2007

**WELL CONSTRUCTION CERTIFICATION:** I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

☒ Driller ☐ Engineer ☐ Trainee Name (Print) Matt Call

Driller/Engineer/Trainee Signature \_\_\_\_\_

Driller or trainee License No. 2571

If TRAINEE

Driller's License No. \_\_\_\_\_

Driller's Signature \_\_\_\_\_

Drilling Company Tacoma Pump & Drilling Co., Inc.

Address 30316 Mountain Highway

City, State, Zip Graham, WA 98338

Contractor's

Registration No. TACOMPD203PF

Date 08/22/2007

Ecology is an Equal Opportunity Employer.

NE  $\frac{1}{4}$  SW  $\frac{1}{4}$  Sec. 28 T. 21 N. R. 7 W. M.

517 050-1 20

# WATER WELL REPORT

STATE OF WASHINGTON

Application No. ....

Permit No. ....

(1) OWNER: Name Dan Ehlers Address P.O. Box 135, Black Diamond, WA  
(2) LOCATION OF WELL: County King - N 1/4 S 4 1/4 Sec. 28 T. 21 N. R. 7 W.M.  
Bearing and distance from section or subdivision corner

(3) PROPOSED USE: Domestic ☒ Industrial ☐ Municipal ☐  
Irrigation ☐ Test Well ☐ Other ☐

(4) TYPE OF WORK: (Owner's number of well (if more than one)....)  
New well ☒ Method: Dug ☐ Bored ☐  
Deepened ☐ Cable ☐ Driven ☐  
Reconditioned ☐ Rotary ☒ Jetted ☐

(5) DIMENSIONS: Diameter of well 6 inches.  
Drilled 89 ft. Depth of completed well 89 ft.

(6) CONSTRUCTION DETAILS:  
Casing installed: 6 " Diam. from 0 ft. to 89 ft.  
Threaded ☐ " Diam. from ..... ft. to ..... ft.  
Welded ☒ " Diam. from ..... ft. to ..... ft.

Perforations: Yes ☐ No ☒  
Type of perforator used.....  
SIZE of perforations ..... in. by ..... in.  
..... perforations from ..... ft. to ..... ft.  
..... perforations from ..... ft. to ..... ft.  
..... perforations from ..... ft. to ..... ft.

Screens: Yes ☐ No ☒  
Manufacturer's Name.....  
Type ..... Model No.....  
Diam. .... Slot size ..... from ..... ft. to ..... ft.  
Diam. .... Slot size ..... from ..... ft. to ..... ft.

Gravel packed: Yes ☐ No ☒ Size of gravel:.....  
Gravel placed from ..... ft. to ..... ft.

Surface seal: Yes ☒ No ☐ To what depth? 18 ft.  
Material used in seal bentonite & cement  
Did any strata contain unusable water? Yes ☐ No ☐  
Type of water? ..... Depth of strata.....  
Method of sealing strata off.....

(7) PUMP: Manufacturer's Name.....  
Type: ..... H.P. ....

(8) WATER LEVELS: Land-surface elevation  
above mean sea level.... ft.  
Static level 42 ft. below top of well Date 4/13/78  
Artesian pressure ..... lbs. per square inch Date.....  
Artesian water is controlled by.....  
(Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is  
lowered below static level  
Was a pump test made? Yes ☐ No ☐ If yes, by whom?.....  
Yield: gal./min. with ..... ft. drawdown after ..... hrs.

" " " " " "

Recovery data (time taken as zero when pump turned off) (water level  
measured from well top to water level)

| Time | Water Level | Time | Water Level | Time | Water Level |
|------|-------------|------|-------------|------|-------------|
|      |             |      |             |      |             |
|      |             |      |             |      |             |
|      |             |      |             |      |             |

Date of test 80 gal./min. with 20 ft. drawdown after 1 hrs.  
Artesian flow ..... g.p.m. Date.....  
Temperature of water ..... Was a chemical analysis made? Yes ☐ No ☐

## (10) WELL LOG:

Formation: Describe by color, character, size of material and structure, and  
show thickness of aquifers and the kind and nature of the material in each  
stratum penetrated, with at least one entry for each change of formation.

| MATERIAL                    | FROM | TO |
|-----------------------------|------|----|
| top soil                    | 0    | 2  |
| brown sand & gravel         | 2    | 16 |
| water bearing sand & gravel | 16   | 19 |
| 30 GPM                      | 19   | 80 |
| blue till                   | 19   | 80 |
| water bearing sand & gravel | 80   | 89 |

Work started 4/11/78 Completed 4/12/78

## WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is  
true to the best of my knowledge and belief.

NAME NORTHWEST PUMP & DRILLING CO.  
(Person, firm, or corporation) (Type or print)

Address 3245 Auburn Way South, Auburn, WA

[Signed] R. B. DeRemite  
(Well Driller)

License No. 0097 Date 4/13/78, 19.....

# WATER WELL REPORT

STATE OF WASHINGTON

Application No.

Permit No.

(1) OWNER: Name Clifford E. Harmon Address 36507 312<sup>nd</sup> Ave SE-SELK Walker Rd  
(2) LOCATION OF WELL: County King - SW 1/4 SW 1/4 Sec 28 T. 21 N. R. 9 E W.M.  
Bearing and distance from section or subdivision corner

(3) PROPOSED USE: Domestic ☒ Industrial ☐ Municipal ☐  
Irrigation ☐ Test Well ☐ Other ☐

(4) TYPE OF WORK: Owner's number of well (if more than one) ...  
New well ☒ Method: Dug ☐ Bored ☐  
Deepened ☐ Cable ☐ Driven ☐  
Reconditioned ☐ Rotary ☒ Jetted ☐

(5) DIMENSIONS: Diameter of well 6 inches.  
Drilled 110 ft. Depth of completed well 110 ft.

(6) CONSTRUCTION DETAILS:  
Casing installed: 6" Diam. from 0 ft. to 110 ft.  
Threaded ☐ " Diam. from ft. to ft.  
Welded ☒ " Diam. from ft. to ft.

Perforations: Yes ☐ No ☒  
Type of perforator used ...  
SIZE of perforations in. by in.  
perforations from ft. to ft.  
perforations from ft. to ft.  
perforations from ft. to ft.

Screens: Yes ☐ No ☒  
Manufacturer's Name ...  
Type ... Model No ...  
Diam. Slot size from ft. to ft.  
Diam. Slot size from ft. to ft.

Gravel packed: Yes ☐ No ☒ Size of gravel: ...  
Gravel placed from ft. to ft.

Surface seal: Yes ☒ No ☐ To what depth? 18 ft.  
Material used in seal puddling clay  
Did any strata contain unusable water? Yes ☐ No ☒  
Type of water? ... Depth of strata ...  
Method of sealing strata off ...

(7) PUMP: Manufacturer's Name ...  
Type: ... HP.

(8) WATER LEVELS: Land-surface elevation above mean sea level ... ft.  
Static level 92 ft. below top of well Date 10/17/79  
Artesian pressure lbs. per square inch Date ...  
Artesian water is controlled by (Cap. valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level  
Was a pump test made? Yes ☐ No ☒ If yes, by whom?  
Yield: gal./min. with ft. drawdown after hrs.  
" " " "

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)  
Time Water Level Time Water Level Time Water Level

Date of test ...  
Bailer test 15 gal./min. with 7 ft. drawdown after 4 1/2 hrs.  
Artesian flow g.p.m. Date ...  
Temperature of water Was a chemical analysis made? Yes ☐ No ☒

## (10) WELL LOG:

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

| MATERIAL                 | FROM | TO  |
|--------------------------|------|-----|
| Surface                  | 0    | 3   |
| Brown hardpan            | 3    | 38  |
| Gray hardpan gravel      | 38   | 72  |
| Brown sand               | 72   | 81  |
| Gray brown sand & gravel | 81   | 100 |
| Gray sand                | 100  | 102 |
| Gray water sand & gravel | 102  | 110 |
| Below that silty clay    |      |     |
| starting about 115'      |      |     |

Work started 10/16, 1979. Completed 10/17, 1979

## WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Johnson Drilling Co., Inc.  
(Person, firm, or corporation) (Type or print)

Address 19415 108<sup>th</sup> Ave SE Renton 9805

[Signed] Brad Johnson NOV 2 1979  
(Well Driller)  
DEPT. OF ECOLOGY

License No. 0233 Date 10/17, 1979

# WATER WELL REPORT

## STATE OF WASHINGTON

Start Card No. 065007  
Water Right Permit No.

(1) OWNER: Name JUST PETER P Address 1722 LOWELL AVE ENUNCLAW, WA 98022-

(2) LOCATION OF WELL: County, KING - SE 1/4 SE 1/4 Sec 28 T 21 N., R 7E W

(2a) STREET ADDRESS OF WELL (or nearest address) 36720 320TH AVE SE

(3) PROPOSED USE: DOMESTIC

(4) TYPE OF WORK: NEW WELL  
Owner's Number of well (If more than one)  
Method: AIR ROTARY

(5) DIMENSIONS: Diameter of well 6 inches  
Drilled 41 ft. Depth of completed well 39 ft.

(6) CONSTRUCTION DETAILS:  
Casing installed: 6" Dia. from 0 ft. to 39 ft.  
WELED  
Dia. from ft. to ft.  
Dia. from ft. to ft.

Perforations: NO  
Type of perforator used  
Size of perforations in. by in.  
perforations from ft. to ft.  
perforations from ft. to ft.  
perforations from ft. to ft.

Screens: NO  
Manufacturer's Name  
Type  
Diam. slot size from ft. to ft.  
Diam. slot size from ft. to ft.

Gravel packed: NO  
Gravel placed from ft. to ft.

Surface seal: YES To what depth? 18 ft.  
Material used in seal BENTONITE CLAY  
Did any strata contain unusable water? NO  
Type of water? Depth of strata ft.  
Method of sealing strata off

(7) PUMP: Manufacturer's Name  
Type H.P.

(8) WATER LEVELS: Land-surface elevation above mean sea level ft.  
Static level 6 ft. below top of well Date 03/19/91  
Artesian Pressure lbs. per square inch Date / /  
Artesian water controlled by

(9) WELL TESTS: Drawdown to static water level is lowered below static level.  
Was a pump test made? NO If yes, by whom?  
Yield: gal./min with ft. drawdown after hrs.

Recovery data  
Time Water Level Time Water Level Time Water Level

Date of test / /  
Bailer test gal./min. 25 ft. drawdown after hrs.  
Air test 30 gal./min. w/ stem set at ft. for 1 hrs.  
Artesian flow S.P.M. Date  
Temperature of water Was a chemical analysis made? NO

(10) WELL LOG  
Formations Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change in formation.

| MATERIAL                   | FROM | TO |
|----------------------------|------|----|
| TOPSOIL ROCK               | 0    | 2  |
| CLAY & SAND                | 2    | 9  |
| SEEPAGE CLAY & GRAVEL COAL | 9    | 15 |
| BROWN CLAY & GRAVEL        | 15   | 23 |
| GREY CLAY & GRAVEL         | 23   | 36 |
| WATER GRAVEL & SAND        | 36   | 39 |
| CLAY SAND & GRAVEL         | 39   | 41 |

Work started 03/18/91 Completed 03/19/91

WELL CONSTRUCTOR CERTIFICATION:  
I constructed and/or accept responsibility for construction of this well, and its compliance with all applicable well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME RICHARDSON WELL DRILLING  
(Type or print)  
Address PO BOX 44427 TAC WA 98444  
(SIGNED) *Richardson* License No. 0284  
Contractor's Registration No. RICHAN#3210B Date 05/22/91

**RECEIVED**  
**JUN 10 1991**  
**DEPT. OF ECOLOGY**

(1) OWNER: Name Louie Adcock Address 35914 Cumberland Way, Enumclaw, WA  
(2) LOCATION OF WELL: County King — SE ¼ NW ¼ Sec. 28 T. 21 N. R. 7 W.M.  
Bearing and distance from section or subdivision corner

(3) PROPOSED USE: Domestic ☒ Industrial ☐ Municipal ☐  
Irrigation ☐ Test Well ☐ Other ☐

(4) TYPE OF WORK: Owner's number of well (if more than one) . . . . .

|                                              |                                            |                                 |
|----------------------------------------------|--------------------------------------------|---------------------------------|
| New well <input checked="" type="checkbox"/> | Method: Dug <input type="checkbox"/>       | Bored <input type="checkbox"/>  |
| Deepened <input type="checkbox"/>            | Cable <input type="checkbox"/>             | Driven <input type="checkbox"/> |
| Reconditioned <input type="checkbox"/>       | Rotary <input checked="" type="checkbox"/> | Jetted <input type="checkbox"/> |

(5) **DIMENSIONS:** Diameter of well ..... 6 inches.  
 Drilled ..... 240 ft. Depth of completed well..... 240 ft.

(6) CONSTRUCTION DETAILS:

Casing installed: 6 " Diam. from 0 ft. to 240 ft.

Threaded ☐ " Diam. from " ft. to " ft.

Welded ☒ " Diam. from " ft. to " ft.

**Perforations:** Yes ☐ No ☒

Type of perforator used.....

SIZE of perforations ..... in. by ..... in.

..... perforations from ..... ft. to ..... ft.

..... perforations from ..... ft. to ..... ft.

..... perforations from ..... ft. to ..... ft.

Screens: Yes ☐ No ☒

Manufacturer's Name.....

Type..... Model No.....

Diam. .... Slot size ..... from ..... ft. to ..... ft.

Diam. .... Slot size ..... from ..... ft. to ..... ft.

Gravel packed: Yes ☐ No ☒ Size of gravel: \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Surface seal: Yes ☒ No ☐ To what depth? 18 ft.  
Material used in seal bentonite & cement  
Did any strata contain unusable water? Yes ☐ No ☐  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata of \_\_\_\_\_

(7) PUMP: Manufacturer's Name \_\_\_\_\_  
Type: \_\_\_\_\_ HP \_\_\_\_\_

(8) **WATER LEVELS:** Land-surface elevation above mean sea level.....ft.  
 Static level ..... 70 .....ft. below top of well Date.....  
 Artesian pressure .....lbs. per square inch Date.....  
 Artesian water is controlled by..... (Cap. valve, etc.)

**(9) WELL TESTS:** Drawdown is amount water level is lowered below static level

Was a pump test made? Yes ☐ No ☐ If yes, by whom?.....

| Yield: | gal./min. with | ft. drawdown after | hrs |
|--------|----------------|--------------------|-----|
| "      | "              | "                  | "   |
| "      | "              | "                  | "   |

[illegible]

Date of test .....  
 Bailer test 5 gal./min. with 100 ft. drawdown after 1 hrs  
 Artesian flow ..... g.p.m. Date .....  
 Temperature of water ..... Was a chemical analysis made? Yes ☐ No ☐

**(10) WELL LOG:**

**Formation:** Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

| MATERIAL       | FROM | TO  |
|----------------|------|-----|
| gray sandstone | 45   | 112 |
| coal           | 112  | 115 |
| gray sandstone | 115  | 140 |
| coal           | 140  | 154 |
| gray sandstone | 154  | 240 |

making water at 195-240

Work started 10/25/78 Completed 10/26/78, 1978

**WELL DRILLER'S STATEMENT:**

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Northwest Pump & Drilling Co.  
(Person, firm, or corporation) (Type or print)

Address 3245 Auburn Way South, Auburn, WA

[Signed] R. B. [Signature]  
(Well Driller)

License No. 0097 Date 10/26/78 18



WASHINGTON, D.C.  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
ECOLOGICAL SERVICES

Original - Ecology, 1<sup>st</sup> copy - owner, 2<sup>nd</sup> copy - driller

☒ Construction☐ Decommission

ORIGINAL INSTALLATION Notice  
of Intent Number

## Current

Notice of Intent No. WE01546

Unique Ecology Well ID Tag No AHG 930

Water Right Permit No.

Property Owner Name David Williams

Well Street Address 36108 312th Avenue SE

City Enumclaw County King

Location NE 1/4-1/4 SW 1/4 Sec 28 Twn 21 R 7E CWM ☒ circ. or WWM ☐ one

Lat/Long (s, t, r)      Lat Deg \_\_\_\_\_ Lat Min/Sec \_\_\_\_\_

still REQUIRED ) Long Deg \_\_\_\_\_ Long Min/Sec \_\_\_\_\_

Tax Parcel No 2821079054

### CONSTRUCTION OR DECOMMISSION PROCEDURE

Formation Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information indicate all water encountered (USE ADDITIONAL SHEETS IF NECESSARY)

RECEIVED  
NOV 20 2003  
DEPT OF ECOLOGY

Start Date 11/12/03

Completed Date 11/12/03

**WELL CONSTRUCTION CERTIFICATION:** I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Driller/Engineer/Trainee Name (Print) Matt Call

Driller/Engineer/Trainer Signature

Driller or trainee License No. 2571

Drilling Company Tacoma Pump & Drilling Co., Inc

Address 30316 Mountain Highway

City State Zip Graham, WA 98338

Contractor's

Registration No TACOMPD203PF Date 11/17/03

### Ecology is an Equal Opportunity Employer

ECY 050-1-20 (Rev 2/03)

IF TRAINEE.

Driller's Licensed No.

Driller's Signature



Permit No. ....

21/07-28 N

(1) OWNER: Name Ted & Lorene Krahn Address 36531 312<sup>th</sup> SE Enumclaw 98022  
(2) LOCATION OF WELL: County King S 31<sup>st</sup> N 840' SW  $\frac{1}{4}$  SW  $\frac{1}{4}$  Sec 28 T 21 N, R 7 E W.M.  
Bearing and distance from section or subdivision corner

(3) PROPOSED USE: Domestic ☒ Industrial ☐ Municipal ☐  
Irrigation ☐ Test Well ☐ Other ☐

(4) TYPE OF WORK: Owner's number of well (if more than one).....

|               |                                     |             |                                     |         |                          |
|---------------|-------------------------------------|-------------|-------------------------------------|---------|--------------------------|
| New well      | <input checked="" type="checkbox"/> | Method: Dug | <input type="checkbox"/>            | Bored   | <input type="checkbox"/> |
| Deepened      | <input type="checkbox"/>            | Cable       | <input type="checkbox"/>            | Driven  | <input type="checkbox"/> |
| Reconditioned | <input type="checkbox"/>            | Rotary      | <input checked="" type="checkbox"/> | Jettied | <input type="checkbox"/> |

(5) DIMENSIONS: Diameter of well ..... 6 inches.  
 Drilled ..... 120 ft. Depth of completed well ..... 120 ft.

**(6) CONSTRUCTION DETAILS:**

Casing installed: 6" Diam. from 0 ft. to 120 ft.  
 Threaded ☐ " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 Welded ☒ " Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Perforations: Yes ☐ No ☒

Type of perforator used.....  
 SIZE of perforations ..... in. by ..... in.  
 ..... perforations from ..... ft. to ..... ft.  
 ..... perforations from ..... ft. to ..... ft.  
 ..... perforations from ..... ft. to ..... ft.

Screens: Yes ☐ No ☒

Manufacturer's Name \_\_\_\_\_  
Type \_\_\_\_\_ Model No. \_\_\_\_\_  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Gravel packed: Yes ☐ No ☒ Size of gravel: \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Surface seal: Yes ☒ No ☐ To what depth? 18 ft.  
Material used in seal. puddling clay  
Did any strata contain unusable water? Yes ☐ No ☒  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(7) PUMP: Manufacturer's Name.....  
Type:..... HP.....

(8) **WATER LEVELS:** Land-surface elevation above mean sea level... ft.  
 Static level 87 ft. below top of well Date 7/17/91  
 Artesian pressure ..... lbs. per square inch Date .....  
 Artesian water is controlled by.....  
 (Cap. valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level

Was a pump test made? Yes ☐ No ☒ If yes, by whom? .....

Yield: gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

| Time  | Water Level | Time  | Water Level | Time  | Water Level |
|-------|-------------|-------|-------------|-------|-------------|
| ..... | .....       | ..... | .....       | ..... | .....       |
| ..... | .....       | ..... | .....       | ..... | .....       |

Date of test .....  
 Baller test 30 gal./min. with 18 ft. drawdown after 1 1/2 hr.  
 Artesian flow ..... g.p.m. Date .....  
 Temperature of water ..... Was a chemical analysis made? Yes ☐ No ☒

**(10) WELL LOG:**

**Formation:** Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

| MATERIAL                 | FROM | TO  |
|--------------------------|------|-----|
| Surface                  | 0    | 3   |
| Brown sandy loam         | 3    | 18  |
| Brown hardpan            | 18   | 30  |
| Coal                     | 36   | 39  |
| Gray hardpan             | 39   | 90  |
| Gray hardpan gravel      | 90   | 100 |
| Gray water sand & gravel | 100  | 120 |

AUG 24 1981  
DEPT. OF JUSTICE

Work started 7/17 1981 Completed 7/19 1981

**WELL DRILLER'S STATEMENT:**

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Johnson Drilling Co., Inc.  
(Person, firm, or corporation) (Type or print)  
Address 19415 102<sup>nd</sup> Ave SE Renton 98055

[Signed] Russ Johnson  
(Well Driller)

License No. 0233 Date 7/19 1982

# WATER WELL REPORT

STATE OF WASHINGTON

Application No

Permit No

(1) OWNER: Name GARY BARGUIST

Address 36115 312th Ave. SE, Enumclaw, WA

(2) LOCATION OF WELL: County KING

Bearing and distance from section or subdivision corner

(3) PROPOSED USE: Domestic ☒ Industrial ☐ Municipal ☐  
Irrigation ☐ Test Well ☐ Other ☐

(4) TYPE OF WORK: Owner's number of well  
(if more than one) XXX Method: Dug ☐ Bored ☐  
Deepened ☐ Cable ☐ Driven ☐  
Reconditioned ☐ Rotary ☒ Jetted ☐

(5) DIMENSIONS: Diameter of well 6 inches.  
Drilled 128 ft. Depth of completed well 128 ft.

## (6) CONSTRUCTION DETAILS:

Casing installed: 6" Diam. from 0 ft. to 128 ft.  
Threaded ☐ " Diam. from     ft. to     ft.  
Welded ☒ " Diam. from     ft. to     ft.

Perforations: Yes ☐ No ☒

Type of perforator used      
SIZE of perforations     in. by     in.  
perforations from     ft. to     ft.  
perforations from     ft. to     ft.  
perforations from     ft. to     ft.

Screens: Yes ☐ No ☒

Manufacturer's Name     Model No.      
Type      
Diam.     Slot size     from     ft. to     ft.  
Diam.     Slot size     from     ft. to     ft.

Gravel packed: Yes ☐ No ☒ Size of gravel:      
Gravel placed from     ft. to     ft.

Surface seal: Yes ☒ No ☐ To what depth? 18 ft.  
Material used in seal bentonite & cement  
Did any strata contain unusable water? Yes ☐ No ☐  
Type of water?     Depth of strata      
Method of sealing strata off    

(7) PUMP: Manufacturer's Name    

Type     H.P.    

(8) WATER LEVELS: Land-surface elevation     ft.  
above mean sea level     ft.  
Static level 90 ft. below top of well Date 2/14/83  
Artesian pressure     lbs. per square inch Date      
Artesian water is controlled by     (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is  
lowered below static level

Was a pump test made? Yes ☐ No ☐ If yes, by whom?      
Yield: gal./min. with     ft. drawdown after     hrs.  
" " " " " "  
" " " " " "

Recovery data (time taken as zero when pump turned off) (water level  
measured from well top to water level)

| Time | Water Level | Time | Water Level | Time | Water Level |
|------|-------------|------|-------------|------|-------------|
|      |             |      |             |      |             |
|      |             |      |             |      |             |
|      |             |      |             |      |             |

Date of test      
Bailer test 5 gal./min. with 16 ft. drawdown after 1 hrs.  
Artesian flow     g.p.m. Date      
Temperature of water     Was a chemical analysis made? Yes ☐ No ☐

## (10) WELL LOG:

Formation: Describe by color, character, size of material and structure, and  
show thickness of aquifers and the kind and nature of the material in each  
stratum penetrated, with at least one entry for each change of formation.

| MATERIAL                          | FROM | TO  |
|-----------------------------------|------|-----|
| topsoil, brown, dry               | 0    | 1   |
| sand & gravel, brown, dry         | 1    | 34  |
| glacial till, blue, dry           | 84   | 106 |
| glacial till, brown, wet, seepage | 106  | 114 |
| water bearing sand & gravel       | 114  | 128 |

Work started 2-11-83, 19    Completed 2-14-83, 19   

## WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is  
true to the best of my knowledge and belief.

NAME NORTHWEST PUMP & DRILLING  
(Person, firm, or corporation) (Type or print)

Address 3245 Auburn Way South, Auburn, WA

[Signed] R.B. DeKrom  
(Well Driller)

License No. 0097 Date 2/17/83, 19   

(USE ADDITIONAL SHEETS IF NECESSARY)